LACUNA
STAY PROTECTED

LIČNA ZAŠTITNA OPREMA ZA PROFESIONALCE

PERSONAL PROTECTIVE EQUIPMENT FOR PROFESSIONALS

LACUNA
STAY PROTECTED

PERSONALIZACIJA

U LACUNA PROIZVODNOM POGONU VAŠE ŽELJE PRETVARAMO U GOTOVE PROIZVODE

PERSONALIZATION

AT THE LACUNA PRODUCTION LINE, WE TURN YOUR WISHES INTO FINISHED PRODUCTS

PROJEKTNA PROIZVODNJA

Lacuna prodajni asortiman podrazumijeva širok izbor kolekcija radne odjeće koje su vam dostupne na lageru odmah.

Prema zahtevima i potrebama naših klijenta, dizajniramo i šijemo radnu odeću i ostale tekstilne artikle.

Proizvodnju u Lacuna proizvodnom pogonu karakterizuje visok kvalitet izrade i materijala, kao i brzi rokovi isporuke, što omogućuje brzo prilagođavanje potrebama svakog klijenta. Minimalne količine za projektne porudžbine nisu ograničene.

PROJECT PRODUCTION

Lacuna sales range includes a wide selection of workwear available immediately.

We design and produce our workwear and other garments items to meet the requirements and needs of our customers.

Manufacture at the Lacuna production line is characterized by high quality work and materials, as well as short delivery time which allows quick adjustment to the needs of each customer. Minimum order quantity is not imposed.





MAŠINSKI VEZ

Personalizacija radne odeće i ostalih korporativnih i promotivnih tekstilnih artikala mašinskim vezom koji se, kao tehnika, veže uz dugotrajnu postojanost primenjenih motiva.
U sopstvenom postrojenju vršimo uslugu grafičke pripreme i izvođenje klasičnog veza, postavljamo ambleme na radna odela, flis prsluke, polo majice, radne mantile, kecelje, kape, peškire i sve druge tekstilne artikle na koje želite preneti Vaš korporativni identitet ili promotivne poruke.

MACHINE EMBROIDERY

Personalization of work clothes and other corporate and promotional cloth items can also be achieved by machine embroidery, which as a technique is associated with long-term durability of applied motifs.
In our plant we offer the service of graphic preparation as well as performing a classic machine embroidery; we apply emblems to work suits, fleece vests, polo shirts, coats, aprons, hats, towels and any other piece of clothing or item of your choice you want to use in strengthening your corporate identity or conveying your promotional message.

B2B WEB SHOP - Lacuna B2B platforma olakšava svakodnevno poslovanje. Korisnicima prilagođene funkcionalnosti su dostupne 24/7.

B2B WEB SHOP - Lacuna B2B platform facilitates daily business. Customized functionality, available 24/7.

DOSTAVA I POVRAĆAJ - Proverite minimalnu količinu za besplatnu dostavu na svom Lacuna B2B nalogu. Preko 10.000 artikala na centralnom skladištu - dostava unutar 24-48h, mogućnost povraćaja do 15 dana od isporuke.

DELIVERY AND REFUND - Check the minimum quantity for free shipping on your B2B account. Over 10,000 items in central stock - delivery within 24-48h, possibility of refund within 15 days of delivery.

KATALOZI - Na Lacuna.hr veb stranici možete pregledati i preuzeti digitalna izdanja Lacuna kataloga.

CATALOGUES - On the Lacuna.hr website you can view and download digital editions of Lacuna catalogue.

SITO ŠTAMPA

Majice sa štampom su najrasprostranjeni oblik korporativnog i promotivnog tekstila; za izradu majica sa štampom u velikim serijama najpogodnija i najpovoljnija je usluga sito štampe.

Na Lacuna lageru u širokoj paleti boja dostupne su kolekcije majica od organskog pamuka ili od 100% pamuka, na koje tehnikom sitoštampe možemo primenjivati i najsloženije višebojne motive. Otisak odlikuje dugi vek trajanja uz propisano održavanje, a boje koje koristimo poseduju sertifikat Oeko-Tex® Standard 100 1. klase.

DIGITALNA ŠTAMPA

Majice sa motivima štampamo na sopstvenoj digitalnoj opremi vrhunskog kvaliteta; višebojne korporativne logotipe, specifične grafičke motive ili fotografske motive po Vašem izboru stručno obrađujemo u Fotošopu. Digitalna štampa vodenim bojama visoke perivosti i postojanosti, idealna je za manje tiraže, fotografske motive ili motive koji imaju veći spektar boja.


SCREEN PRINTING

T-shirts with a print are the most common form of corporate and promotional apparel and screen printing is the most suitable and most favourable technique for producing a series of T-shirts with large print.

Collections are available in a wide range of colors at Lacuna stock. T-shirts are made of organic cotton or 100% cotton, to which we can apply even the most complex prints using the screen printing technique multicolored motifs. With proper maintenance, the print has a long lifespan as we use the paints with Oeko-Tex® standards 100 1st class certificate.

DIGITAL PRINTING

We also print T-shirts with motifs on our own top quality digital equipment. From multicolored corporate logos, specific graphic motifs or photographic motifs; anything you select we will process professionally in Photoshop. Digital printing with water colors of high washability and durability is ideal for smaller editions, photographic motifs or motifs which have a larger range of colors.





LACUNA WEB SHOP

MJESTO ZA KUPOVINU GDE VAM JE DOSTUPNO SVE I ODMAH

LACUNA WEB SHOP


A SITE FOR SHOPPING WHERE EVERYTHING IS AVAILABLE TO YOU IMMEDIATELY

Razvoj onlajn trgovine je postao sastavni deo poslovanja svake savremene kompanije.

Lacuna grupa prati tehnološke trendove, uložila je u digitalizaciju poslovanja i svoj proizvodni asortiman ponudila na WEB SHOP platformi.

Prednosti Lacuna B2B/Internet platforme za kupce:

- Brza i jednostavna selekcija proizvoda, pretraživanje i isporučivanje
- Dostupnost ključnih informacija prilikom poručivanja
- Dostupnost količine robe na lageru
- Informacija u vezi aktualnih planiranih termina dolazaka robe na skladište
- Kontrola sopstvenih cijena i rabatne politike
- Pregled novih artikala u ponudi,
- Detaljne informacije o proizvodima, boje, veličine, opise, slike, tehničke karakteristike...
- Olakšana selekcija proizvoda prilagođenih za maloprodaju
- Istorija svih porudžbina kupca
- Status isporuke robe koja uključuje pregled aktualne isporuke tako i pregled svih povezanih dokumenata iz proteklog perioda.



The development of e-commerce has become an integral part of the business practice of every modern company.

The Lacuna group follows technological trends and has invested in the digitalization of business, its product and sales range offered on the WEB SHOP platform.

Advantages of Lacuna B2B / Internet platform for customers:

- *Quick and easy product selection, search and ordering*
- *Key ordering information are available*
- *Availability of items quantity in the warehouse*
- *Information regarding the current scheduled for items arrival to warehouse*
- *Control of own prices and rebate policy*
- *Overview of new products offer*
- *Detailed product information, colors, sizes, descriptions, images, technical features ...*
- *Selection of products tailored for retail*
- *History of all customer orders*
- *Items delivery status, which includes a review of actual delivery, as well as an overview and all related documents from the past period.*

LOGISTIČKA PODRŠKA

Glavni logističko-distributivni centar **LACUNA GRUPE** (skladište A) je smešten u Sv.Križu Začretju u kojem je na površini od 4000 m² i više od 3500 paletnih mesta, smešteno više od 10.000 lagerskih artikala spremnih za brzu isporuku. Zbog širine asortimana na skladištu našeg logističkog partnera (skladište B), za smeštaj robe koristimo još dodatnih 2.500 paletnih mesta.

Logističko-distributivna i proizvodna podrška i širok asortiman lagerski dostupnih artikala našim poslovnim partnerima omogućava bezbednost i kontinuitet poslovanja, optimizuje troškove njihovog poslovanja i čini osnovu dugoročne saradnje u kojoj su interesi, strategije i zajednički uspesi Lacuna grupe i njenih partnera isprepleteni.

LOGISTICS SUPPORT

LACUNA GROUP *Lacuna Group Logistics and Distribution Center is located at Sveti Križ Začretje. In the central warehouse comprising 4,000 m², on more than 3,500 pallets there are over 10,000 items ready for prompt delivery.*
Due to the wide assortment, in the warehouse of our logistics partner (warehouse B), we use additional 2.500 pallet places to store the goods.


Logistic-distribution and production support as well as a wide range of commercially available items guarantee our business partners security and continuity, optimize the cost of their businesses and form the basis of a long-term cooperation in which mutual interests, strategies and successes of the Lacuna Group and its partners are interwined.


TEHNIČKA DOKUMENTACIJA I SERTIFIKATI

Artikli **LACUNA GRUPE** imaju svu potrebnu dokumentaciju i sertifikate, prema važećim evropskim zakonima. Vodimo brigu da svaki artikl bude pravilno označen u skladu sa pravnim propisima i standardima koji se na njega odnose te da uz njega prilažemo svu potrebnu dokumentaciju.
Na taj način ispunjavamo sve tehničke uslove koje nalaže zakon za nesmeatano odvijanje poslovanja. Stalnim praćenjem zakonskih propisa, izmena i dopuna zakona blagovremeno prilagođavamo svoje poslovanje kao i poslovanje naših poslovnih partnera. Svi potrebni dokumenti su dostupni našim distributerima na veb stanicama **LACUNA GRUPE.**

TECHNICAL DOCUMENTATION AND CERTIFICATES LACUNA GROUP

Items have all the necessary documentation and certificates in accordance with applicable European laws. We make sure that each item is properly labeled in accordance with the legal regulations and norms prescribed by authorities, as well as accompanied by complete documentation.
In that way, we meet all the technical conditions recquired by law for the smooth running of business.
Constant monitoring of legal regulations, enables us to adjust our business in a timely manner as well as the business of our business partners. All the necessary documents are available to our distributors on the ***LACUNA GROUP*** *websites.*




MK
MIRTA-KONTROL d.o.o.
EU CERTIFIKAT O PREGLEDU TIPA
EU TYPE-EXAMINATION CERTIFICATE
LACUNA
STAY PROTECTED
TEHNIČKI LIST
LACUNA


B

EKOLOŠKA ODGOVORNOST I ODRŽIVOST
ENVIRONMENTAL RESPONSIBILITY AND SUSTAINABILITY

"... ekološka i efikasna upotreba materijala..."
"... ecological and efficient materials use..."

LACUNA
STAY PROTECTED

Trudimo se da implementiramo ekološku i efikasnu upotrebu materijala kroz čitav lanac snabdevanja. Važnost ekologije za nas znači usklađivanje faktora društvenih, ekoloških i ekonomskih aspekata. Trudimo se da preuzmemo odgovornost, ne samo za naše privredne aktivnosti, već i za ljude i okolinu koji su uključeni u čitav proces.

We strive to implement ecological and efficient materials use through the entire supply chain. The importance of ecology for us it means harmonizing the factors of social, ecological and economic aspects. We strive to take responsibility, not only for our economic activities, but also for the people and the environment involved in the entire process.

ENERGIJA/ENERGY

Svaka promena prvenstveno dolazi iznutra; tako smo u leto 2023. godine završili instalaciju solarnih panela koji će nam omogućiti korišćenje obnovljive električne energije u snazi od 80 kV. Kako bi dodatno ostvarili uštedu električne energije, standardna rasvetna tela smo zamenili ekonomičnijim LED sijalicama u kancelarijama i prostorima proizvodnje i skladišta.

Every change initially comes from within, so in the summer of 2023. we finished installing solar panels that will enable us to use renewable electricity at a power of 80 kV. In order to further save electricity, we replaced the standard lighting fixtures with more economical ones LED bulbs in offices and production and warehouse areas.



PROIZVODI/PRODUCTS

Već dugi niz godina, pod sopstvenim brendom BROKULA CAREWEAR, LACUNA proizvodi i plasira na tržište proizvode od organskog pamuka, kao kombinaciju organskog pamuka i tencel vlakana. Organski pamuk se uzgaja iz semena koje nije genetski modifikovano, a gde se korov na poljima pamuka uklanja ručno i bez tretiranja pesticidima. Ovakav način uzgoja štiti i tlo i poljoprivrednike. Organski uzgoj pamuka smanjuje do 94% emisiju gasova staklene bašte u poređenju sa tradicionalnom proizvodnjom pamuka. Tkanine za našu odeću od organskog pamuka poseduju sertifikat GOT (Globalni standard organskog tekstila).

For many years, LACUNA under its own brand BROKULA CAREWEAR has been producing and placing on the market products from organic cotton, as well as products from combination of organic cotton and tencel fibers. Organic cotton is grown from seeds that are not genetically modified and where the weeds in the cotton fields are removed by hand and without pesticide treatment. This cultivation method protects both the soil and the farmers. Organic cotton cultivation reduces up to 94 greenhouse gas emissions compared to traditional cotton production. Fabrics for our clothes made of organic cotton have the GOTS (Global organic textile standard) standard.

AMBALAŽA/PACKAGING

Jedan od važnijih prioriteta koje smo, kao kompanija, definisali u našem planu ekološke održivosti i odgovornosti jeste korišćenje reciklirane ambalaže kao i ekonomično korišćenje boja prilikom štampanja ambalaže. Tako su i naše kutije za obuću izrađene sa minimalnim učešćem boje i lepka što je rezultiralo novim dizajnom ambalaže. Na svim pakovanjima kod kojih je poseban naglasak stavljen na ekonomičnom i ekološkom pakovanju nalazi se naš novi logo:

One of the most important priorities that we have defined as a company in our environmental sustainability and responsibility plan is the use of recycled packaging as well as the economical use of colors during packaging printing. That's how our shoe boxes are made with minimal paint and glue, what has resulted in a new look packaging design. On all packages where it is special emphasis placed on economical and ecological packaging is our new logo:



PROMOCIJA/PROMOTION

Za Lacunu je važna održivost zajednice i primena ekološki odgovornog ponašanja u što većem broju poslovnih procesa. Iz tog razloga Lacuna novi generalni katalog za 2023/2024. godinu, štampan je upravo na papiru sa međunarodnim FSC® sertifikatom, koji garantuje da se šumama, iz kojih se proizvodi papir za naš katalog, upravlja prema strogim ekološkim, ekonomskim i društvenim kriterijumima.

For Lacuna is important to apply community sustainability and environmental responsibility in as many business processes as possible. For this reason, Lacuna's new general catalog for 2023./2024. was printed precisely on paper with the international FSC® certificate, which guarantees that the forests from which the paper for our catalog is produced, are managed according to strict ecological, economic and social criteria.







NAŠI PARTNERI/OUR PARTNERS

Kompanija LACUNA je ekskluzivni predstavnik i distributer proizvoda svetski poznatih brendova koji veliku pažnju posvećuju ekologiji, održivosti te generalno društvenoj odgovornosti u svim aspektima poslovanja.

The company LACUNA is an exclusive representative and distributor of products of world-famous brands that pay great attention to ecology, sustainability and general social responsibility in all business aspects.

LACUNA
STAY PROTECTED

TENCATE
materials that make a difference

coverguard
SAFETY DESIGNER

ATG

Kroz svoje procese upravljanja životnom sredinom, ATG nastoji da minimizuje uticaj poslovanja na planetu i pruža pametna rešenja koja naglašavaju važnost održivosti kroz svoje klijente, akcionare i krajnje korisnike. ATG poseduje sertifikat ISO14001, globalni standard upravljanja životnom sredinom. Kroz bezbroj inovativnih procesa i tehnologija, kompanija ATG doprinosi ekološkoj održivosti. Sve rukavice iz ATG portfelja su dermatološki akreditovane od strane Skin Health Alliance; peru se pre pakovanja što im obezbeđuje garanciju „fresh of the pack" prema sertifikatu Oeko-Tex®. Pranje rukavica se obavlja u strogo kontrolisanom procesu gde se koristi kišnica koja je obrađena i kontinuirano reciklirana iz sopstvenih postrojenja za obradu vode. Zbog inovativnog dizajna koji im omogućuje pranje i ponovnu upotrebu, ATG rukavice su pravi primer ekološkog i ekonomskog proizvoda.

Through its environmental management processes, ATG strives to minimize the business impact on the planet and provides smart solutions which emphasize the importance of sustainability through their clients, stakeholders and end users. ATG has the ISO14001 certificate, a global environmental management standard. Through countless innovative process and technology, the company ATG contributes to environmental sustainability. All gloves from the ATG portfolio are dermatological accredited by the Skin Health Alliance and washed before packaging, which enables them to be guaranteed as »fresh of the pack« according to the Oeko-Tex® certificate. Gloves are washed in a strictly controlled process using rainwater that has been treated and continuously recycled from our own water treatment plants. Due to the innovative design that allows them to be washed and reuse, ATG gloves are a true example of an ecological and economic product.



TENCATE
materials that make a difference

U cilju zadovoljavanja velike potražnje za ekološki prihvatljivom odećom, TenCate Protective Fabrics je u proteklih 10 godina razvio tri revolucionarna proizvoda: Tecawork® Ecogreen, Tecasafe® Ecogreen i nedavno, prvu održivu FR-tretiranu tkaninu na svetu: Tecapro® Ecogreen. Cilj koji su sebi zadali jeste stvaranje tkanine za proizvodnju radne odeće koja je kvalitetna, udobna te sa najmanjim mogućim uticajem na životnu sredinu. Svojim zelenim pristupom proizvodnji stekli su prestižan sertifikat „Made in green" koji se sastoji od OEKO-TEX® 100 (sertifikovani proizvodi) i OEKO-TEX® Step (sertifikacija proizvodnog postrojenja).

In order to meet the high demand for environmentally friendly clothing, TenCate Protective Fabrics has developed three revolutionary products over the past 10 years: Tecawork® Ecogreen, Tecasafe® Ecogreen and most recently, the world's first sustainable FR-treated fabric: Tecapro® Ecogreen. The goal they set for themselves is to create fabric for the production of workwear that is high-quality, comfortable and has the least possible impact on the environment. With their green approach to production, they obtained the prestigious certificate »Made in green« which consists of OEKO-TEX® 100 (certified products) and OEKO-TEX® Step (certification of production facility).

OEKO TEX® + OEKO TEX® = OEKO TEX®

STANDARD 100
Product certification

STeP
Manufacturing facility certifivation

MADE IN GREEN

VENDING APARAT

MODERNA TEHNOLOGIJA KOJA DONOSI UŠTEDU

VENDING MACHINE

MODERN SAVINGS TECHNOLOGY



Automatizovani aparat kojim upravlja softver: služi zaskladištenje i izdavanje artikala lične zaštitne opreme uz *24/7 dostupnost.*

The automated device manages the software used for storage and issuance of personal protective equipment with availability 24/7.

Lacuna *VENDING APARATE* puni jednokratnim sredstvima lične zaštitne opreme koja se češće troše: rukavice, naočare, respiratori, čepići za uši.

Lacuna VENDING APPARATUS is filled with items of personal protective equipment with a higher frequency of use, such as: gloves, glasses, respirators, earplugs, disposable program...

Prednosti korišćenja vending aparata:

- Dostupnost proizvoda 24/7
- Kreiranje cost centara sukladno željama korisnika
- Izvještavanje sukladno željama i potrebama korisnika
- Održavanje i servisiranje
- 24/7 pomoć i podrška
- Edukacija

Advantages of using a vending machine:

- *Product availability 24/7*
- *Creating cost centers in accordance with the wishes of users*
- *Reporting in accordance with the wishes and needs of users*
- *Maintenance and servicing*
- *24/7 help and support*
- *Education*

Kako vending funkcionira u stvarnosti? *Kako v resnici poteka prodaja?*

2 SEK PRISTUP APARATU I LOGOVANJE *MACHINE ACCESS AND LOGIN*

3 SEK ODABIR PROIZVODA *PRODUCT SELECTION*

12 SEK IZDAVANJE PROIZVODA *ISSUANCE OF PRODUCTS*

1 SEK IZLAZ IZ PROGRAMA *LOGOUT*

MANJA POTROŠNJA I UŠTEDA

- Zahvaljujući programiranju prema specifičnim potrebama svakog zaposlenog, omogućeno je tačnije pla niranje i kontrola potrošnje OZO
- Budžetiranje na duži period bez straha od grešaka
- Uvid u potrošnju na dnevnom nivou te na nivou cost centra i svake pojedine osobe
- Prilagođene vrste izveštaja prema potrebi i dogovoru
- Konsignacija- korisnik plaća samo što je potrošio

LESS CONSUMPTION AND MORE SAVINGS

- *Thanks to programming according to specific needs a more accurate planning is enabled for each worker as well as control of PPE consumption*
- *Long-term budgeting without fear of mistakes*
- *Insight into consumption on a daily basis and at the level of the cost center and each individual*
- *Customized report types as needed and agreed*
- *Consignment - the user pays only for what is spent*

ORGANIZOVANA DISTRIBUCIJA

- Zahvaljujući softverskim karakteristikama i vrlo fleksibilnom sistemu izveštavanja u mogućnosti smo izgraditi sistem praćenja potrošnje OZO, maksimalno prilagođen klijentima
- Dostupnost artikala korisnicima 24/7, bez čekanja na izdavanje sa skladišta
- Dodatni sistem izveštavanja - bi analiza daje širi uvid u potrošnju OZO prema pojedinačnom radnom mestu.

100% ORGANIZED DISTRIBUTION

- *Thanks to software features and a very flexible reporting system, we are able to build a system for monitoring the consumption of PPE maximally tailored to customers*
- *Availability of items to users 24/7, without waiting for release from the warehouse*
- *Additional reporting system - the analysis provides a broader insight into consumption of PPE according to the individual workplace*

MI RADIMO UMESTO VAS

- Brinemo o porudžbinama, zalihama i distribuciji, pojednostavljujemo i ukidamo interni nabavni proces
- Ukidamo logistički proces – nema internog zaprimanja i izdavanja artikala
- Brinemo o isporukama i održavanju.
- Naš IT tim je zadužen za analiziranje potrošnje
- Dajemo predloge kako racionalizovati potrošnju OZO na osnovu stvarnih podataka koje vam omogućuje vending.

WE DO THE JOB FOR YOU

- *We take care of orders, stocks and distribution, simplify and eliminate the internal procurement process*
- *We cancel the logistics process - there is no internal receipt and issuance of items*
- *We take care of deliveries and maintenance.*
- *Our IT team is in charge of analyzing spending*
- *We give suggestions on how to rationalize the consumption of PPE based on the actual data provided by the vending*



Usluge projekta VENDING APARATA dostupne su krajnjim korisnicima preko ovlašćenih Lacuna distributera.

Za više informacija obratite nam se na email: info@lacuna.hr

The services of the VENDING MACHINES are available to end users through authorized Lacuna distributors.

For more information, contact us by email: info@lacuna.rs

SADRŽAJ/CONTENT

ZAŠTITNA I RADNA ODEĆA / *WORKWEAR*	**20**
PACIFIC FLEX	27
BERGEN FLEX	36
MOVE FLEX	42
CANVEX 4-WAY FLEX	46
NORTH TECH	50
GREENLAND	58
SPEKTAR	62
CITY II - NAVY II	66
CITY II - PADDOCK II	68
CARGO FLEX	70
CORE - RIP FLEX	72
ULTIMATE FLEX	76
DŽEP NA SKIDANJE/ *REMOVABLE POCKET*	79
REMEN/*BELT*	79
ATLANTIC	80
CLASSIC SMART	82
CORPORATE WEAR / *CORPORATE WEAR*	**84**
ADRIATIC	89
GASTRO	97
ODEĆA ZA SPECIJALNE VREMENSKE USLOVE / *SPECIFIC WEATHER CONDITIONS CLOTHING*	**104**
KISHA - ODIELO / *SUIT*	106
REGEN	106
RAINY	107
KISHA - OGRTAČ / *COAT*	109
RAINET	109
BEAVER	110
ZIMSKA KAPA / *WINTER CAP*	111
MULTISAFE ZAŠTITNA ODEĆA / *MULTISAFE CLOTHING*	**112**
EREBUS	116
MERU	118
MERU 2	121
ETNA	125
ODEĆA VISOKE VIDLJIVOSTI / *REFLECTIVE WORKWEAR*	**128**
ANTILA	136
PEGASI / PERSEI	137
CETUS	138
ATRIA	138
TAURUS	139
KANATA	140
KETA	141
ROADWAY	142
HI-WAY EXTRA	143
SPEKTAR 2	144
SPEKTAR HI-VIZ	145
HYDRA	147

HI-WAY ODIELO / *SUIT* 148

HI-WAY PRSLUK / KAPA 57307 149

KOMO / YARD 150

SUNO / SOMO 151

LEONIS / AVIOR 152

KANES 153

KANES MESH 153

OUTDOOR I PROMOTIVNI ARTIKLI / 144
OUTDOOR AND PROMOTIONAL ITEMS

SPEKTAR 147

WILLIAM 159

ROLAND 161

OTTA 163

SPEKTAR WINTER 165

BARTON 167

QUEBEC 167

BONETE 169

NORWAY 171

YAKI 172

TATAKI 172

SUMI 173

PRIME 174

BERGEN FLEX 176

RONDO 179

PORTE 179

NORTH TECH 181

VODAN 182

TURA 182

WORKER 183

GOMA 184

YUZU 184

AZUKI 185

MIKAN 186

KIJI 186

WANI 187

PANDA 188

PACIFIC FLEX 189

MOTION 191

DYNAMIC 194

NEVIS 194

WARMY 196

LUCIANE 196

POLAR 197

CLOUD 198

BINAS 199

ZIMSKE KAPE ODDA 200

ZIMSKE KAPE FLOR 201

ZIMSKE KAPE SKEI 201

ZIMSKE KAPE SAILOR 203

ZIMSKE KAPE NORTH 203

ZIMSKE KAPE GETOUT 205

MAJICE KRATKI RUKAV MUŠKE / 207
T-SHIRT SHORT SLEEVE MEN

MAJICE KRATKI RUKAV ŽENSKE 209
/ T-SHIRT SHORT SLEEVE WOMEN

MAJICE DUGI RUKAV MUŠKE I ŽENSKE 211
/ T-SHIRT LONG SLEEVE MEN AND WOMEN

POLO MAJICE KRATKI RUKAV MUŠKE I ŽENSKE/ 213
POLO T-SHIRTS MEN AND WOMEN SHORT SLEEVE

POLO MAJICE DUGI RUKAV MUŠKE I ŽENSKE / *POLO T-SHIRTS LONG SLEEVE MEN AND WOMEN* 215

HOODIE & SWEATSHIRT 216

ŠILT KAPE / *CAPS* 218

BROKULA CAREWEAR **220**

MUŠKA MAJICA KRATKI RUKAV VIS/ *MEN'S SHORT-SLEEVED T-SHIRT VIS* 225

ŽENSKA MAJICA KRATKI RUKAV KRKA / *WOMEN'S SHORT-SLEEVED T-SHIRT KRKA* 225

MUŠKA MAJICA KRATKI RUKAV SAILOR / *MEN'S SHORT-SLEEVED T-SHIRT SAILOR* 227

ŽENSKA MAJICA KRATKI RUKAV SAILOR / *WOMEN'S SHORT SLEEVED T-SHIRT SAILOR* 227

BROKULA CAREWEAR UV 231

UV KAPE I ŠEŠIRI/*UV HAT* 233

ZAŠTITNE I RADNE CIPELE / *SAFETY AND OCCUPATIONAL SHOES* **234**

MULTIPROFFESIONAL LINE 246

ENDURANCE LINE 282

STANDARD LINE 294

HYGIENE 306

LEISURE LINE 310

GUMENE I PVC ČIZME / *RUBBER AND PVC BOOTS* 320

ČARAPE / *SOCKS* 335

ZAŠTITNE RUKAVICE / *PROTECTIVE GLOVES* **340**

ATG 344

KOŽNE RUKAVICE / *LEATHER GLOVES* 359

RUKAVICE ZA ZAŠTITU OD HEMIKALIJA I TEČNOSTI / *GLOVES FOR PROTECTION AGAINST CHEMICALS AND LIQUIDS* 368

RUKAVICE ZA PRECIZNE POSLOVE I OPŠTU UPOTREBU / *GLOVES FOR PRECISION & GENERAL USE* 374

RUKAVICE ZA TEŠKE I GRUBE POSLOVE / *GLOVES FOR HEAVY AND ROUGH WORK* 388

TEHNIČKE RUKAVICE PROTIVREZNE & RUKAVICE ZA SPECIJALNE RIZIKE / *TECHNICAL ANTI-CUT GLOVES AND SPECIAL RISK GLOVES* 392

CLAW CUT RUKAVICE / *GLOVES* 398

JEDNOKRATNE RUKAVICE / *DISPOSABLE GLOVES* 402

ZAŠTITA GLAVE I SLUHA / *HEAD AND HEARING PROTECTION* **410**

ČEPIĆI ZA UŠI/*EAR PLUGS* 414

ANTIFON/*SILENCER* 417

ZAŠTITNA KAPA I KACIGA/ *PROTECTIVE CAP AND HELMET* 419

VIZIRI I DRŽAČI VIZIRA/*VISOR AND VISOR HOLDER* 428

ZAŠTITA OČIJU / *EYE PROTECTION* **432**

ZAŠTITA DISAJNIH ORGANA / *RESPIRATORY PROTECTION* **458**

RESPIRATOR/*RESPIRATOR* 464

POLUMASKE / *HALF MASK* 474

MASKE / *MASK* 476

FILTERI / *FILTERS* 479

JEDNOKRATNI HIGIJENSKI PROIZVODI / *DISPOSABLE HYGIENE PRODUCTS* **482**

PALLAS 486

ARLE 488

TYVEK CLASSIC XPERT 488

ARI 489

EZRA 489

ZOE 489

JEDNOKRATNI MANTIL ZA POSETIOCE / *DISPOSABLE TOPCOAT FOR VISITORS* 490

JEDNOKRATNI KOMPLET ZA POSETIOCE / *DISPOSABLE VISITORS KIT* 490

POLIURETANSKA KECELJA/*POLYURETHANE APRON* 491

PVC KECELJA VERT/BLANC/*PVC APRON VERT/BLAN* 491

JEDNOKRATNE MANŽETNE CALI/ *DISPOSABLE OVERSLEEVE CALI* 492

MYLA 492

TYVEK 493

PU 493

JEDNOKRATNA KAPA NORA/*DISPOSABLE CAP NORA* 494

GRACE 494

JEDNOKRATNA MASKA XARA TROSLOJNA / *DISPOSABLE FACE MASK XARA 3-PLY* 494

JEDNOKRATNE NAVLAKE ZA CIPELE KAIA / *DISPOSABLE SHOE COVERS KAIA* 495

REMY 495

HIGIJENA / *HYGIENE* **496**

QUICKFIX PAKOVANJA ZA PUNJENJE/ *QUICKFIX REFILLING* 500

QUICKFIX PUNJENJE / *QUICKFIX REFILL* 501

QUICKFIX FLASTERI/*QUICKFIX PATCHES* 503

QUICKFIX DOZATOR / *QUICKFIX DISPENSER* 504

QUICKSOFT ZAVOJI / *QUICKSOFT BANDAGE* 505

QUICKCOOL GEL PROTIV OPEKLINA/ *QUICKCOOL BURN GEL* 506

QUICKSTOP SREDSTVO ZA ČIŠĆENJE / *QUICKSTOP WOUND CLEANSING WIPES* 506

QUICKSTOP SET ZAVOJA / *QUICKSTOP DRESSING SET* 506

PLUM SREDSTVA ZA ISPIRANJE OČIJU / *PLUM SOLUTIONS FOR EYE RINSE* 507

OPREMA ZA RAD NA VISINI / *EQUIPMENT FOR WORK AT HEIGHT* **516**

HORIZONTALNI I VERTIKALNI SISTEMI ZA RAD NA VISINI / *HORIZONTAL AND VERTICAL SYSTEMS FOR WORKING AT HEIGHT* 524

UPRTAČI I POJASEVI / *SAFETY BELT* 530

NAPRAVE ZA ZAUSTAVLJANJE PADA / *FALL STOPPING DEVICE* 534

UŽE / *ROPE* 538

SPONE I KOPČE / *CLAMP AND BUCKLE* 541

RASTEZLJIVE TRAKE / *ELASTIC BANDS* 543

OPREMA ZA VARIOCE / *WELDING EQUIPMENT* **546**

VARILAČKA ZAŠTITNA KECELJA , ŠTITNIK ZA NOGE, MANŽETNA/ *WELDING PROTECTIVE APRON, FOOT GUARD, SLEEVE* 548

WELTEK 549

VARILAČKE MASKE / *WELDING MASK* 567

ZAŠTITNE NAOČARI / *GOGGLES FOR WELDERS* 570

DODATNA OPREMA /*ACCESSORIES* **572**

HI VIZ ČUNJEVI, TRAKE, LANCI / *HI VIZ SKITTLE, TAPE, CHAIN* 574

ORMARIĆ PRVE POMOĆI PUNI/ *FIRST AID CABINET (FULL)* 575

CERADA EKO POLIETILEN/ *ECO POLYETHYLENE TARPAULIN* 576

SKLADIŠNE POLICE / *STORAGE SHELF* 577

METALNI ORMARI / *METAL WARDROBE* 578

LACUNA PREMIUM CONCEPT STORE / *LACUNA PREMIUM CONCEPT STORE* **580**

PREMIUM STORE CONCEPT / *PREMIUM STORE CONCEPT* 584

LUTKA / *DOLL* 591

PROMOCIJKSA OPREMA NAŠIH PREMIUM PARTNERA/ *PROMOTIONAL EQUIPMENT FROM OUR PREMIUM PARTNERS* 594

ZAŠTITNA I RADNA ODJEĆA
WORKWEAR

LACUNA coverguard

ZAŠTITNA I RADNA ODEĆA / *DIZAJNIRANA ZA UDOBNOST I BEZBEDNOST*

Lacuna radna odeća, sinonim je za bezbednost, zaštitu i udobnost. Konstrukcija naše radne odeće prati prirodne pokrete tela u radu, što odeći daje udobnost i funkcionalnost.

Materijali koje koristimo moraju imati visoke tehničke karakteristike te izdržljivost i udobnost.

Lacuna zaštitna odeća i proizvodi za radnu odeću su u skladu sa standardom EN ISO 13688:2013
(zaštitna odeća opšti zahtevi)

WORKWEAR / MADE FOR COMFORT AND PROTECTION

Lacuna workwear is synonym for safety, protection and comfort. The design of our work clothes follows the natural movements of the body at work, which gives the clothes comfort and functionality.

The materials we use must have best technical characteristics as well as durability and comfort.

Lacuna protective clothing and workwear products comply with EN ISO 13688: 2013 (protective clothing general requirements).

LACUNA ne odgovara za eventualne štamparske greške u katalogu./*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check at www.lacuna.hr*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*



INDUSTRIJSKO PRANJE

Lacuna WORKTIME zaštitna, radna i korporativna odeća sa istaknutim piktogramima





može se podvrgnuti industrijskom pranju od 75 ˚C – prema standardu EN ISO 15797. Lacuna WORKTIME kolekcije predviđene za industrijsko pranje izrađene su od visokokvalitetnih tkanina proizvođača **TenCate®.**

TenCate® kao jedan od vodećih svetskih proizvođača tkanina razvija svoje kolekcije u uskoj saradnji sa najvećim svetskim industrijskim praonicama. Ta je saradnja, uključujući izuzetne inovacijske sposobnosti tehničkog tima firme **TenCate®**, rezultirala tkaninama za zaštitnu i radnu odeću koje pružaju izvanrednu trajnost kod industrijskog pranja i sušenja koje se odvija pod visokim temperaturama.

Osim poboljšanih zaštitnih performansi te takođe visoke udobnosti prilikom nošenja, ove napredne tkanine odlikuju se superiornom postojanošću i čvrstoćom boja koje omogućuju znatno duži životni ciklus gotovog odevnog predmeta, čak i nakon višestruko ponovljenih pranja. Traženje namenskih rešenja za industrijske praonice, rezultiralo je razvojem tkanina koje traju i više od 100 pranja i kod kojih je znatno skraćen ciklus sušenja.

Sve navedeno u skladu je sa rastućim naporima svetske industrije da potrošnju energije svede na najmanji mogući nivo.

INDUSTRIAL LAUNDRY WASHING

Lacuna WORKTIME protective, work and corporate clothing with highlighted pictograms can be






*subjected to 75 °C industrial washing procedures-according to standard EN ISO 15797. Lacuna WORKTIME collections, intended for industrial laundry washing, are made of high quality fabrics by **TenCate®** manufacturer.*

***TenCate®** as one of the world's largest fabrics manufacurers is developing its collections in close collaboration with the largest industrial laundries in the world.*
*This collaboration, with the oustanding innovative capabilities of T**enCate®** technical team, has resulted in protective fabrics and workwear fabrics, which provide exceptional durability in high-temperature industrial washing and drying.*

Apart from improved protective performance, as well as high wearing comfort, these advanced fabrics are characterized by superior colour consistency and strength that provide significantly longer life cycle of ready-made garments, even after multiple repeated laundering. A search for purpose fit solutions in industrial laundering has resulted in the development of fabrics that endure even more than 100 launderings and have significantly shorter drying cycle.

All above-mentioned complies with the growing efforts of the world industry to minimize the energy consumption as much as possible.



Korišćenje usluga industrijskog pranja (Industrial Laundering) je rastući trend u svetu na koji se oslanjaju sve vodeće industrije; one koriste usluge industrijskih praonica koje su razvile napredne metode održavanja profesionalne odeće. U prošlosti se odeća održavala tzv. domaćim pranjem (domestic laundering), a jedina međunarodno priznata metoda ispitivanja za takvo pranje je bila metoda definisana prema ISO 6330. Ova metoda ispitivanja nije bila pouzdan pokazatelj da li će odevni predmet da odoli industrijskim postupcima pranja i dorade koji se, generalno, primenjuju i prevladavaju u segmentu održavanja radne odeće.


The use of services of the industrial laundering is a growing trend in the world followed by all leading industries in the world using the services of the industrial laundries that have developed advanced methods of keeping the garments clean. In the past the clothes were kept clean by means of so called domestic laundering, and the only recognized method for testing such laundering was the method specified according to ISO 6330. This testing method was not a reliable indicator of resistance to industrial laundering and to processing generally applied and prevailing in the segment of workwear maintenance.

ISO 15797:2017 navodi postupke ispitivanja i opremu koji se mogu koristiti u ocenjivanju radne odeće (i dela zaštitne odeće) namenjene za industrijsko pranje. Oni služe kao osnova za ispitivanje relevantnih karakteristika kao što su dimenzijska stabilnost, obeležja boja, gužvanje, nabiranje šava, piling i vizualni aspekti generalno.

ISO 15797:2017 *lists the testing procedures and equipment that can be used in the assessment of workwear (and a part of protective clothing) intended for industrial laundering. They serve as the basis for testing relative properties like dimensional stability, characteristics of odours, wrinkling, seam puckering, pilling and visual aspects in general.*

Industrijsko pranje spada u istaknuti primer održivih aktivnosti (sustainable activities) tj. aktivnosti koje utiču na sposobnost održavanja ravnoteže određenih procesa ili stanja u nekom sistemu a što je globalni trend. Prednost industrijskog pranja naspram domaćeg pranja vidljiva je kroz produženi životni ciklus rad ne i zaštitne odeće.

The industrial laundering is an outstanding example of sustainable activities, i.e. the activities that affect the capacity of maintaining the balance of certain processes or conditions in some system, which is a global trend. The advantage of industrial laundering in comparison with domestic laundering can be seen in the extended life cycle of working and protective clothing.



TKANINE

Visokokvalitetni materijali su suština svakog našeg proizvoda. Materijali koje koristimo moraju imati visoke tehničke karakteristike kao i karakteristike visoke izdržljivosti i udobnosti.

Vodeći računa o zaštititi okoline i tehničkim karakteritikama te detaljima, u proizvodnji koristimo samo odabrane materijale i pribore.

- **TenCate Protective Fabrics®** – Specijalizovane tehničke zaštitne tkanine za zaštitnu i radnu odeću: (TecaWork®, TecaSafe®, TecaPro®).

Osim Tencate tkanina Lacuna u svoje kolekcije ugrađuje visokokvalitetne materijale i pribore drugih brendova:

- **CORDURA®** – Materijali otporni na habanje
- **YKK®**- patentni zatvarači
- **3M™** Thinsulate
- **TENCEL™** vlakna
- **BROKULA CAREWEAR UV®** – Prirodni materijali sa utkanom UV zaštitom UPF 50+

Organski pamuk – materijal izuzetno prijatan za nošenje, ne šteti životnoj sredini, samoodrživ, sa efektom hlađenja i svojstvom ubrzanog sušenja.

FABRICS

High quality materials are the core of each of our products. The materials we use must have high technical properties as well as attributes of high durability and comfort.

Taking into consideration environmental protection and technical properties and details in production, we use only selected materials and accessories.

- ***TenCate Protective Fabrics®** - Specialized technical protective fabrics for safety and work clothing: (TecaWork®, TecaSafe®, TecaPro®) Besides TenCate fabrics, Lacuna incorporates high--quality materials and accessories from other brands into its collections:*
- ***CORDURA®** - Wear-resistant materials*
- ***YKK®** zippers*
- ***TENCEL™** fibers*
- ***BROKULA CAREWEAR UV®** - Natural woven materials with UV protection UPF 50+*

Organic cotton - a material that is extremely comfortable to wear, in harmony with the environment, self-sustainable, with a cooling effect and the property of accelerated drying.



LACUNA WORKWEAR FITTING

SLIM FITTING

Lacuna SLIM FITTING kolekcije radne odeće dizajnirane su da prianjaju uz telo, pritom ostavljajući dovoljno prostora za slobodno kretanje. Ovakav kroj preferiraju ljudi nekonvencionalnog stila života koji vole moderno-sportski dizajn odeće, izrađene od kvalitetnih materijala.



SLIM FITTING

Lacuna SLIM-FITTING workwear collections are designed to fit close to the body. This fit is generally preferred by people who like modern-sporty design harmonized with quality materials and people with dynamic, nonconventional lifestyle.

REGULAR FITTING

Upoređujući sva tri fitinga, REGULAR FITTING po merama možemo smestiti između SLIM i CASUAL FITTINGA. Ovaj više tradicionalni fiting preferira najveći broj ljudi. Osnovna prednost ovog fitinga je dobar odnos udobnosti i funkcionalnosti.



REGULAR FITTING

In terms of measures of the garments, REGULAR FITTING is between SLIM and CAUSAL fitting and due to that we can say it is designed for the masses. In REGULAR FITTING there is a good balance between comfort and functionality.

CASUAL FITTING

LACUNA kolekcija radne odeće koja je označena CASUAL FITTING-om namenjena je ljudima koji preferiraju veoma udobnu radnu odeću. Kod ovakog kroja odeće naglasak je više na udobnosti nego na izgledu.



CASUAL FITTING

LACUNA workwear collection marked by CASUAL FITTING are intended for people who are looking for extra comfortable workwear. A casual fit has an emphasis on comfort rather than appearance.

TENCATE PROTECTIVE FABRICS SPECIJALIZOVANE ZAŠTITNE TKANINE

Lacuna d.o.o. je ovlašćeni distributer TenCate Protective Fabrics zaštitnih tkanina; TenCate Protective Fabrics tkanine su sastavni deo LACUNA radne odeće, odeće za uslužne delatnosti, te specijalne MULTISAFE zaštitne odeće.

TenCate Protective Fabrics® je vodeći svetski proizvođač zaštitnih tkanina koje se koriste u proizvodnji radne odeće namenjene zadovoljavanju stalno rastućih potreba zaštite radnika u industriji i profesionalno opasnih zanimanja kao što su vatrogasci, vojska i policija, ali i za specifične zahteve ugostiteljskih i uslužnih zanimanja.

TenCate Tecasafe® Plus je vodeća inherentna vatrootporna multi-norm tkanina u koju je utkano Lyocell® vlakno. Teca- safe® Plus se fokusira na poboljšane udobnosti i dugotrajnost. Meka i prozračna, u kombinaciji sa vrhunskim svoj stvima ventilacije, ova tkanina izgleda izuzetno, čak i nakon kontinuiranog industrijskog pranja. Tecasafe® je kombinacija inteligentnih tkanina otpornih na izloženost plamenu i toploti, pružaju odličnu zaštitu, posebno pri varilačkim radovima i izloženosti električnom luku.

T**enCate Tecashield**® inherentna vatrootporna tkanina je kombinacija tkanina otpornih na toplotu i izloženost plamenu, razvijena na osnovu meta-aramidnih i para-aramidnih vlakana, uključuje rešenja Nomex® III i Nomex® Comfort. Tkanine od aramidnih vlakana imaju visoku toplotnu stabilnost i veoma su izdržljive. Tecashield® tkanine su posebno korisne u hemijskoj industriji.

TenCate Tecapro® je hemijski je tretirana tkanina bazirana na pamuku, pomešanom sa poliesterom, para-aramidom ili poliamidom. Svaka kombinacija ima svoje specijalne karakteristike, bilo da je to izdržljivost, udobnost, zaštita ili savršena kombinacija svih njih. Tecapro® tkanine imaju prednost pred svim vatrootpornim hemijski tretiranim tkaninama zahvaljujući svojoj jedin stvenoj kombinaciji visokih performansi, izvanredne udobnosti i odlične zaštite za različite industrijske sektore - u idealnom odnosu za uloženi novac. Pružaju zaštitu kod zavarivanja i brušenja, kao i od toplote i izloženosti plamenu. Dodatne zaštitne karakteristike uključuju anti-statičnost, hemijsku otpornost, visoku vidljivost i zaštitu od izloženosti električnom luku. Namenjene nošenju u ekstremnim uslovima, ove tkanine zadržavaju lep izgled čak i nakon kontinuiranog industrijskog pranja.

TenCate Tecawork™ TenCate nudi ceo niz poliesterskih mešavina (160-325 g) u standardnim bojama (po 100 m) i raznim oblicima. Dostupni u raznim kombinacijama tkanja kao što su twill, ripstop i platno.

Posebne tehničke performanse se mogu primeniti za poboljšanje funkcionalnosti, kao što je povlačenje nabora i otpornost na vodu i ulja.

TENCATE PROTECTIVE FABRICS SPECIALIZIRANE ZAŠČITNE TKANINE

Lacuna d.o.o. is an authorized distributor of TenCate Protective Fabrics, so TenCate Protective Fabrics are an integral part of LACUNA workwear, catering industry clothing, and special MULTISAFE protective clothing.

***TenCate Protective Fabrics®** is the world's leading manufacturer of protective fabrics used in the production of workwear designed to meet the ever-growing needs of industrial workers and occupational hazards such as firefighters, military and police, but also for specific catering and service requirements.*

***TenCate Tecasafe®** Plus is the leading inherent fireproof multi- norm fabric in which Lyocell® fiber is woven. Tecasafe ® Plus focuses on improved comfort and longevity. Soft and breathable, combined with superior properties ventilation, this fabric looks great, even after continuous industrial washing. Tecasafe® is a combination of intelligent fabrics resistant to flame and heat that provide excellent protection, especially during welding and electric arc exposure.*

***TenCate Tecashield®** inherent fireproof fabric is a combination of heat and flame resistant fabrics, developed on the basis of meta-aramid and para-aramid fibers, includes Nomex® III and Nomex® Comfort solutions. Aramid fiber fabrics have high thermal stability and are particularly durable. Tecashield® fabrics are particularly useful in the chemical industry.*

***TenCate Tecapro®** is a chemically treated fabric based on cotton, mixed with polyester, para-aramid or polyamide. Each combination has its own special characteristics, whether it is durability, comfort, protection or the perfect combination of all of them. Tecapro® fabrics have an advantage over all fire-resistant chemically treated fabrics thanks to their unique combination of high performance, outstanding comfort and excellent protection for various industrial sectors - in an ideal ratio for the money invested. They provide protection during welding and grinding, as well as from heat and flame exposure. Additional protective properties include anti-static, chemical resistance, high visibility and protection against electric arc exposure. Intended for wearing in extreme conditions, these fabrics retain a beautiful appearance even after continuous industrial washing.*

***TenCate Tecawork ™** TenCate offers a range of polyester blends (160-325 g) in standard colors (100 m each) and various designs. Available in various weaving combinations such as twill, ripstop and canvas.*

Special technical characteristics can be applied for improvement functionalities, such as folding and water and oil resistance.

FLEX® TECH

LACUNA

Ergonomski dizajnirana i izrađena iz tkanine sa elastenom, kolekcija radne odeće PACIFIC FLEX omogućava maksimalnu slobodu pokreta tokom rada.

Tkanina je mekana i prozračna zbog udela pamuka u svom sastavu i izrazito je otporna na kidanje zbog postotka poliestera.

Kolekcija PACIFIC FLEX je ujedno i izdržljivija i dugotrajnija jer je na mestima najizloženijim habanju ojačana CORDURA tkaninom.

Ergonomically designed and made of elastane fabric, the PACIFIC FLEX workwear collection allows maximum freedom of movement during work.

The fabric is soft and breathable due to the proportion of cotton in its composition and extremely resistant to tearing due to the percentage of polyester.

The PACIFIC FLEX collection is both more durable and long lasting because it is reinforced with CORDURA fabric in the places most exposed to wear.

FLEXIBILE AND COMFORTABLE

2 WAY STRETCH

4 WAY STRETCH

BREATHABILITY

RESISTANCE TO TEARING





PACIFIC
FLEX

PACIFIC FLEX

8PACIJP
petrol plava/*petrol blue*

8PACIJS
siva/*gray*

PACIFIC FLEX JAKNA
Sastav tkanine: 64% poliestersko vlakno, 34,5% pamuk, 1,5% elastan
Džepovi: tri gornja džepa i četiri bočna džepa
Zatvaranje: patentnim zatvaračem
Rukavi: pritezanje drukerom
Dodatak: reflektirajući detalji
Veličina: 48-62
Original pakovanje: 1/20

PACIFIC FLEX JACKET
Fabric composition: *64% polyester, 34,5% cotton, 1,5% elastane*
Pockets: *three top pockets and four side pockets*
Fastening: *zipper*
Sleeves: *press buttons tightening*
Additional elements: *reflective details*
Size: *48-62*
Original packaging: *1/20*

2WAY STRETCH | POLY COTTON | SOFT TOUCH

EN ISO 13688

LACUNA



RADNA JAKNA/ WORK JACKET	48	50	52	54	56	58	60	62
PETROL PLAVA/ *PETROL BLUE*	8PACIJP48	8PACIJP50	8PACIJP52	8PACIJP54	8PACIJP56	8PACIJP58	8PACIJP60	8PACIJP62
SIVA/*GRAY*	8PACIJS48	8PACIJS50	8PACIJS52	8PACIJS54	8PACIJS56	8PACIJS58	8PACIJS60	8PACIJS62

PACIFIC FLEX

8PACIPP
petrol plava/*petrol blue*

8PACIPS
siva/*gray*

PACIFIC FLEX RADNE HLAČE
Sastav tkanine: 64% poliestersko vlakno, 34,5% pamuk, 1,5% elastan, 245 g/m²
Pojačanja: CORDURA
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dvostruki anatomski oblikovani dijelovi; kolena za dodatno umetanje uloška
Dodatak: reflektirajući detalji
Veličina: 48-62
Original pakovanje: 1/20

PACIFIC FLEX PANTS
Fabric composition: *64% polyester, 34,5% cotton, 1,5% elastane, 245 g/m²*
Reinforcements: *Cordura*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Knees: *double, anatomically shaped pieces for extra knee pads*
Additional elements: *reflective details*
Size: *48-62*
Original packaging: *1/20*

2WAY STRETCH | POLY COTTON | SOFT TOUCH

EN ISO 13688

LACUNA



RADNE PANTALONE /WORK PANTS	48	50	52	54	56	58	60	62
PETROL PLAVA/ *PETROL BLUE*	8PACIPP48	8PACIPP50	8PACIPP52	8PACIPP54	8PACIPP56	8PACIPP58	8PACIPP60	8PACIPP62
SIVA/*GRAY*	8PACIPS48	8PACIPS50	8PACIPS52	8PACIPS54	88PACIPS56	8PACIPS58	8PACIPS60	8PACIPS62

8PACIJC
crvena/*red*



8PACIJN
tamno plava/*blue*



8PACIJB
braon/*brown*



LACUNA

SLIM FITTING

RADNA JAKNA/ WORK JACKET	**48**	**50**	**52**	**54**	**56**	**58**	**60**	**62**
CRVENA/*RED*	8PACIJC48	8PACIJC50	8PACIJC52	8PACIJC54	8PACIJC56	8PACIJC58	8PACIJC60	8PACIJC62
TAMNO PLAVA/ *BLUE*	8PACIJN48	8PACIJN50	8PACIJN52	8PACIJN54	8PACIJN56	8PACIJN58	8PACIJN60	8PACIJN62
BRAON/*BROWN*	8PACIJB48	8PACIJB50	8PACIJB52	8PACIJB54	8PACIJB56	8PACIJB58	8PACIJB60	8PACIJB62

8PACIPC
crvena/*red*



8PACIPN
tamno plava/*blue*



8PACIPB
braon/*brown*



LACUNA

CORDURA

SLIM FITTING

RADNE PANTALONE /WORK PANTS	**48**	**50**	**52**	**54**	**56**	**58**	**60**	**62**
CRVENA/*RED*	8PACIPC48	8PACIPC50	8PACIPC52	8PACIPC54	8PACIPC56	8PACIPC58	8PACIPC60	8PACIPC62
TAMNO PLAVA/ *BLUE*	8PACIPN48	8PACIPN50	8PACIPN52	8PACIPN54	8PACIPN56	8PACIPN58	8PACIPN60	8PACIPN62
BRAON/*BROWN*	8PACIPB48	8PACIPB50	8PACIPB52	8PACIPB54	8PACIPB56	8PACIPB58	8PACIPB60	8PACIPB62

PACIFIC
FLEX



PACIFIC FLEX

8PACIBP	8PACIBS	8PACIBC	8PACIBN	8PACIBB
petrol plava/*petrol blue*	siva/*gray*	crvena/*red*	tamno plava/*blue*	braon/*brown*



PACIFIC FLEX RADNE FARMER PANTALONE
Sastav tkanine: 64% poliestersko vlakno, 34,5% pamuk, 1,5% elastan, 245 g/m²;
Pojačanja: CORDURA
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dvostruki anatomski oblikovani dijelovi kolena za dodatno umetanje uloška
Dodatak: reflektirajući detalji
Veličina: 48-62
Original pakovanje: 1/20

PACIFIC FLEX BIB & BRACE PANTS
Fabric composition: *64% polyester, 34,5% cotton, 1,5% elastane, 245 g/m²*
Reinforcements: *Cordura*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Knees: *double, anatomically shaped pieces for extra knee pads*
Additional elements: *reflective details*
Size: *48-62*
Original packaging: *1/20*

LACUNA

SLIM FITTING

2WAY STRETCH | POLY COTTON | SOFT TOUCH

CORDURA

CE EN ISO 13688

RADNE FARMER HPANTALONE/BIB & BRACE PANTS	48	50	52	54	56	58	60	62
PETROL PLAVA/ *PETROL BLUE*	8PACIBP48	8PACIBP50	8PACIBP52	8PACIBP54	8PACIBP56	88PACIBP58	8PACIBP60	8PACIBP62
SIVA/*GRAY*	8PACIBS48	8PACIBS50	8PACIBS52	8PACIBS54	8PACIBS56	8PACIBS58	8PACIBS60	8PACIBS62
CRVENA/*RED*	8PACIBC48	8PACIBC50	8PACIBC52	8PACIBC54	8PACIBC56	8PACIBC58	8PACIBC60	8PACIBC62
TAMNO PLAVA/ *BLUE*	8PACIBN48	8PACIBN50	8PACIBN52	8PACIBN54	8PACIBN56	8PACIBN58	8PACIBN60	8PACIBN62
BRAON/*BROWN*	8PACIBB48	8PACIBB50	8PACIBB52	8PACIBB54	8PACIBB56	8PACIBB58	8PACIBB60	8PACIPB62



PACIFIC FLEX

5PACIJC
crno/*black*

LACUNA

NOVO
NEW

PACIFIC FLEX SOFTSHELL JAKNA
Sastav tkanine: softshell tkanina, 100% poliester, 330 g/m²
Postava: 100% poliester / Srednji sloj: TPU membrana
Zatvaranje: patent zatvarač skriven ispod preklopa
Posebne karakteristike: reflektujući detalji, odvojiva kapuljača
Ovratnik: visoki
Originalno pakovanje: 1/10

PACIFIC FLEX SOFTSHELL JACKET
Fabric composition: *softshell fabric, 100% polyester, 330 g/m²*
Lining: *100% polyester / Middle layer: TPU membrane*
Closure: *zipper hidden under flap*
Special features: *reflective details, detachable hood*
Collar: *high*
Original packaging: *1/10*



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNO/*BLACK*	5PACIJCS	5PACIJCM	5PACIJCL	5PACIJCXL	5PACIJCXXL	5PACIJCXXXL



PACIFIC FLEX

SOFTSHELL JAKNA







BERGEN FLEX

FLEX® TECH



TKANJE
WEAVING

CANVAS

Čvrstina i izdržljivost nikad nisu bili prijatniji. U kolekciji BERGEN FLEX kombinujemo čvrstinu i izdržljivost, zahvaljujući CANVAS tkanju, i udobnost pokreta zbog elastina u sastavu tkanine.


Umeci rastezljivi u 4 smera omogućuju veću slobodu pokreta prilikom rada.

Veći udeo pamuka u sastavu tkanine omogućava prozračnost prilikom rada u toplim i vlažnim uslovima.

EN: Toughness and durability have never been more comfortable. In the BERGEN FLEX collection, we combine strength and durability thanks to CANVAS weaving and comfort of movement due to the elastin in the fabric.

Inserts stretchable in 4 directions enable a larger freedom of movement during work.

A higher proportion of cotton in the fabric composition enables breathability during work in hot and wet conditions.



BERGEN FLEX

8BERGJS
siva/*gray*

8BERGJC
crna/*black*

BERGEN FLEX RADNA JAKNA
Sastav tkanine: 59% pamuk, 38% poliestersko vlakno, 3% elastan, 250 g/m², CANVAS
Džepovi: 4 gornja džepa, 2 bočna džepa
Zatvaranje: patentni zatvarač
Rukavi: Velcro traka
Veličina: 46-64
Original pakovanje: 1/20

BERGEN FLEX WORK JACKET
Fabric composition: *59% cotton, 38% polyester, 3% elastane, 250 g/m², CANVAS*
Pockets: *four top pockets and two side pockets*
Fastening: *zipper*
Sleeves: *velcro tightening*
Size: *46-64*
Original packaging: *1/20*



LACUNA

REGULAR FITTING

SOFT TOUCH

COTTON RICH

2WAY STRETCH

CE EN ISO 13688

RADNA JAKNA/ WORK JACKET	46	48	50	52	54	56	58	60	62	64
SIVA/*GRAY*	8BERGJS46	8BERGJS48	8BERGJS50	8BERGJS52	8BERGJS54	8BERGJS56	8BERGJS58	8BERGJS60	8BERGJS62	8BERGJS64
CRNA/*BLACK*	8BERGJC46	8BERGJC48	8BERGJC50	8BERGJC52	8BERGJC54	8BERGJC56	8BERGJC58	8BERGJC60	8BERGJC62	8BERGJC64

BERGEN FLEX

8BERGPS
siva/*gray*

8BERGPC
crna/*black*

BEFGEN FLEX RADNE PANTALONE
Sastav tkanine: 59% pamuk, 38% poliestersko vlakno, 3% elastan, 250 g/m², CANVAS
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatno pojačanje od tkanine sa džepom za štitnike za kolena
Veličina: 46-64
Original pakovanje: 1/20


BERGEN FLEX PANTS
Fabric composition: *59% cotton, 38% polyester, 3% elastane, 250 g/m², CANVAS*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Knees: *extra pocket for knee pad*
Size: *46-64*
Original packaging: *1/20*



LACUNA

REGULAR FITTING





EN ISO 13688

RADNE PANTALONE/ WORK PANTS	46	48	50	52	54	56	58	60	62	64
SIVA/*GRAY*	8BERGPS46	8BERGPS48	8BERGPS50	8BERGPS52	8BERGPS54	8BERGPS56	8BERGPS58	8BERGPS60	8BERGPS62	8BERGPS64
CRNA/*BLACK*	8BERGPC46	8BERGPC48	8BERGPC50	8BERGPC52	8BERGPC54	8BERGPC56	8BERGPC58	8BERGPC60	8BERGPC62	8BERGPC64

BERGEN FLEX

8BERGBS
siva/*gray*

8BERGBC
crna/*black*

BEFGEN FLEX RADNE FARMER PANTALONE
Sastav tkanine: 59% pamuk, 38% poliestersko vlakno, 3% elastan, 250 g/m², CANVAS
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatno pojačanje od tkanine sa džepom za štitnike za kolena
Veličina: 46-64
Original pakovanje: 1/20

BERGEN FLEX BIB & BRACE PANTS
Fabric composition: *59% cotton, 38% polyester, 3% elastane, 250 g/m², CANVAS*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Knees: *extra pocket for knee pad*
Size: *46-64*
Original packaging: *1/20*



LACUNA

REGULAR FITTING





EN ISO 13688

FARMER PANTALONE/ BIB & BRACE PANTS	46	48	50	52	54	56	58	60	62	64
SIVA/*GRAY*	8BERGBS46	8BERGBS48	8BERGBS50	8BERGBS52	8BERGBS54	8BERGBS56	8BERGBS58	8BERGBS60	8BERGBS62	8BERGBS64
CRNA/*BLACK*	8BERGBC46	8BERGBC48	8BERGBC50	8BERGBC52	8BERGBC54	8BERGBC56	8BERGBC58	8BERGBC60	8BERGBC62	8BERGBC64

















MIX & MATCH

BERGEN FLEX

5BERTJC crna/*black*

5BERTJS siva/*grey*

TECH FLIS JAKNA BERGEN FLEX
Sastav tkanine: 100% poliester, 255 g/m²
Zatvaranje: patent zatvarač
Ovratnik: visoki
Originalno pakiranje: 1/10

TECH FLEECE JACKET BERGEN FLEX
Fabric composition: *100% polyester, 255 g/m²*
Closure: *zipper*
Collar: *high collar*
Original packaging: *1/10*

LACUNA

NOVO *NEW*



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNO/*BLACK*	5BERTJCS	5BERTJCM	5BERTJCL	5BERTJCXL	5BERTJCXXL	5BERTJCXXXL
SIVO/*GREY*	5BERTJSS	5BERTJSM	5BERTJSL	5BERTJSXL	5BERTJSXXL	5BERTJSXXXL

BERGEN FLEX

5BERWJC crna/*black*

JAKNA BERGEN FLEX
Sastav tkanine: 100% poliamid sa PU premazom, vodootporan, paropropustan
Postava: 100% poliester, 200 g/m²
Zatvaranje: patent zatvarač
Ovratnik: visoki
Originalno pakovanje: 1/10

BERGEN FLEX JACKET
Fabric composition: *100% polyamide with PU coating, waterproof, breathable*
Lining: *100% polyester, 200 g/m²*
Closure: *zipper*
Collar: *high collar*
Original packaging: *1/10*

LACUNA

NOVO *NEW*



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNO/*BLACK*	5BERWJCS	5BERWJCM	5BERWJCL	5BERWJCXL	5BERWJCXXL	5BERWJCXXXL

BERGEN FLEX

5BERGGM siva/*grey*

5BERGNY plava/*blue*

SOFTSHELL JAKNA BERGEN FLEX
Sastav tkanine: softshell tkanina, 78% poliester, 15% akril, 5% viskoza, 2% vuna, 460 g/m^2
Postava: 100% poliester
Zatvaranje: patentni zatvarač
Ovratnik: visoki
Originalno pakovanje: 1/10

SOFTSHELL JACKET BERGEN FLEX
Fabric composition: *78% polyester, 15% acrylic, 5% viscose, 2% wool, 460 g/m^2*
Lining: *100% polyester*
Closure: *zipper*
Collar: *high collar*
Original packaging: *1/10*



LACUNA

NOVO *NEW*



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
SIVA/*GREY*	5BERGGMS	5BERGGMM	5BERGGML	5BERGGMXL	5BERGGMXXL	5BERGGMXXXL
PLAVA/*BLUE*	5BERGNYS	5BERGNYM	5BERGNYL	5BERGNYXL	5BERGNYXXL	5BERGNYXXXL



MOVE
FLEX



MOVE FLEX kolekcija je izrađena od fleksibilne, rastezljive poliamidne tkanine sa velikim učešćem elastina. Tkanina je ujedno i izdržljiva, sa visokim nivoom otpornosti na habanje te se optimalno prilagođava telu i omogućuje slobodu pokreta.

Poliamid u sastavu osigurava visoku čvrstinu materijala u suvim i vlažnim okruženjima, dugotrajnu otpornost na habanje i sunčevu svetlost.
Jedna od prednosti je lako održavanje jer se tkanina ne skuplja i ne gužva.

Zbog udela elastina u sastavu, odeća dobro pristaje uz telo pa je osigurana udobnost pri obavljanju radnih aktivnosti zbog rastezanja u 4 smera.

The MOVE FLEX collection is made of flexible, stretchy polyamide fabric with a high proportion of elastin. The fabric is durable, with a high level of resistance to wear and tear and optimally adapts to the body and allows freedom of movement.

Polyamide in the composition ensures high strength of the material in dry and wet environments, as well as long-lasting resistance to wear and sunlight. One of advantages is also easy maintenance since the fabric does not shrink or wrinkle.

Due to the proportion of elastan in the composition and stretching in 4 directions, the clothes fit the body well and ensures comfort during performing work.

MOVE FLEX

8MOVEJH	8MOVEJP	8MOVEJC
siva/grey	plava/blue	crna/black

MOVE FLEX RADNA JAKNA
Sastav tkanine: 90% poliamid, 10% elastan, 260 g/m^2
Džepovi: 1 prsni džep, 2 bočna džepa
Zatvaranje: patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/20

MOVE FLEX WORK JACKET
Fabric composition: *90% polyamide, 10% elastane, 260 g/m^2*
Pockets: *1 chest pocket and 2 side pockets*
Closure: *zipper*
Size: *S-XXXL*
Original packaging: *1/20*







SLIM FITTING

NOVO NEW

LACUNA

CE EN ISO 13688

RADNA JAKNA /WORK JACKET	S	M	L	XL	XXL	XXXL
SIVA/*GREY*	8MOVEJHS	8MOVEJHM	8MOVEJHL	8MOVEJHXL	8MOVEJHXXL	8MOVEJHXXXL
PLAVA/*BLUE*	8MOVEJPS	8MOVEJPM	8MOVEJPL	8MOVEJPXL	8MOVEJPXXL	8MOVEJPXXXL
CRNA/*BLACK*	8MOVEJCS	8MOVEJCM	8MOVEJCL	8MOVEJCXL	8MOVEJCXXL	8MOVEJCXXXL



MOVE FLEX

8MOVEPH	8MOVEPP	8MOVEPC
siva/*grey*	plava/*blue*	crna/*black*

MOVE FLEX RADNE PANTALONE
Sastav tkanine: 90% poliamid, 10% elastan, 260 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatno pojačanje od tkanine sa džepom za štitnike
Veličine: 46-66
Originalno pakovanje: 1/20

MOVE FLEX PANTS
Fabric composition: *90% polyamide, 10% elastane, 260g/m²*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Knees: *extra pocket for knee pad*
Size: *46-66*
Original packaging: *1/20*



SLIM FITTING

NOVO *NEW*

LACUNA

4WAY STRETCH

EN ISO 13688

RADNE HLAČE/ WORK PANTS	46	48	50	52	54	56	58	60	62	64
SIVA/*GREY*	8MOVEPH46	8MOVEPH48	8MOVEPH50	8MOVEPH52	8MOVEPH54	8MOVEPH56	8MOVEPH58	8MOVEPH60	8MOVEPH62	8MOVEPH64
PLAVA/*BLUE*	8MOVEPP46	8MOVEPP48	8MOVEPP50	8MOVEPP52	8MOVEPP54	8MOVEPP56	8MOVEPP58	8MOVEPP60	8MOVEPP62	8MOVEPP64
CRNA/*BLACK*	8MOVEPC46	8MOVEPC48	8MOVEPC50	8MOVEPC52	8MOVEPC54	8MOVEPC56	8MOVEPC58	8MOVEPC60	8MOVEPC62	8MOVEPC64

MOVE FLEX

8MOVEKH	8MOVEKP	8MOVEKC
siva/*grey*	plava/*blue*	crna/*black*

MOVE FLEX KRATKE PANTALONE
Sastav tkanine: 90% poliamid, 10% elastan, 260 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Veličine: 46-66
Originalno pakovanje: 1/20

MOVE FLEX SHORT PANTS
Fabric composition: *90% polyamide, 10% elastane, 260 g/m²*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Size: *46-66*
Original packaging: *1/20*



SLIM FITTING

NOVO *NEW*

LACUNA

4WAY STRETCH

EN ISO 13688

KRATKE HLAČE /SHORT PANTS	46	48	50	52	54	56	58	60	62	64
SIVA/*GREY*	8MOVEKH46	8MOVEKH48	8MOVEKH50	8MOVEKH52	8MOVEKH54	8MOVEKH56	8MOVEKH58	8MOVEKH60	8MOVEKH62	8MOVEKH64
PLAVA/*BLUE*	8MOVEKP46	8MOVEKP48	8MOVEKP50	8MOVEKP52	8MOVEKP54	8MOVEKP56	8MOVEKP58	8MOVEKP60	8MOVEKP62	8MOVEKP64
CRNA/*BLACK*	8MOVEKC46	8MOVEKC48	8MOVEKC50	8MOVEKC52	8MOVEKC54	8MOVEKC56	8MOVEKC58	8MOVEKC60	8MOVEKC62	8MOVEKC64



CANVEX
4WAY FLEX

CANVEX 4-WAY FLEX

8CANVJS siva/*grey*	8CANVJC crvena/*red*	8CANVJP tamno plava/ *dark blue*

CANVEX 4-WAY FLEX RADNA JAKNA
Sastav tkanine: 98% pamuk, 2% elastan, CANVAS 250 g/m^2
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: patentnim zatvaračem
Rukavi: čičak traka (Velcro)
Dodatak: reflektujući detalji
Veličina: 46–66
Originalno pakovanje: 1/10

CANVEX 4-WAY FLEX WORK JACKET
Fabric composition: *98% cotton, 2% elastane, canvas 250 g/m^2*
Pockets: *multiple multifunctional pockets*
Closure: *zipper*
Sleeves: *Velcro strap*
Additional features: *reflective details*
Size: *46–66*
Original packaging: *1/10*



LACUNA

REGULAR FITTING

NOVO *NEW*

COTTON RICH

CE EN ISO 13688

VELIČINA/SIZE	46	48	50	52	54	56	58	60	62	64	66
SIVA/*GREY*	8CANVJS46	8CANVJS48	8CANVJS50	8CANVJS52	8CANVJS54	8CANVJS56	8CANVJS58	8CANVJS60	8CANVJS62	8CANVJS64	8CANVJS66
CRVENA/*RED*	8CANVJC46	8CANVJC48	8CANVJC50	8CANVJC52	8CANVJC54	8CANVJC56	8CANVJC58	8CANVJC60	8CANVJC62	8CANVJC64	8CANVJC66
TAMNO PLAVA/ *DARK BLUE*	8CANVJP46	8CANVJP48	8CANVJP50	8CANVJP52	8CANVJP54	8CANVJP56	8CANVJP58	8CANVJP60	8CANVJP62	8CANVJP64	8CANVJP66



CANVEX
4WAY FLEX

CANVEX 4-WAY FLEX

8CANVPS siva/*grey*	8CANVPC crvena/*red*	8CANVPP tamno plava/ *dark blue*

CANVEX 4-WAY FLEX RADNE PANTALONE
Sastav tkanine: 98% pamuk, 2% elastan, CANVAS 250 g/m^2
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: dugme i patentni zatvarač
Kolena: dodatno ojačanje od tkanine sa džepom za štitnike
Dodatak: reflektujući detalji
Veličina: 46–66
Originalno pakovanje: 1/10

CANVEX 4-WAY FLEX WORK TROUSERS
Fabric composition: *98% cotton, 2% elastane, canvas 250 g/m^2*
Pockets: *multiple multifunctional pockets*
Closure: *button and zipper*
Knees: *reinforced fabric with knee pad pockets*
Additional features: *reflective details*
Size: *46–66*
Original packaging: *1/10*







LACUNA

REGULAR FITTING

NOVO *NEW*

COTTON RICH

CE EN ISO 13688

VELIČINA/SIZE	46	48	50	52	54	56	58	60	62	64	66
SIVA/*GREY*	8CANVPS46	8CANVPS48	8CANVPS50	8CANVPS52	8CANVPS54	8CANVPS56	8CANVPS58	8CANVPS60	8CANVPS62	8CANVPS64	8CANVPS66
CRVENA/*RED*	8CANVPC46	8CANVPC48	8CANVPC50	8CANVPC52	8CANVPC54	8CANVPC56	8CANVPC58	8CANVPC60	8CANVPC62	8CANVPC64	8CANVPC66
TAMNO PLAVA/ *DARK BLUE*	8CANVPP46	8CANVPP48	8CANVPP50	8CANVPP52	8CANVPP54	8CANVPP56	8CANVPP58	8CANVPP60	8CANVPP62	8CANVPP64	8CANVPP66



NORTH TECH

NORTH TECH

8NORTJS	8NORTJP	8NORTJH	8NORTJW
sivo-zelena/ *grey-green*	plava/*blue*	sivo-plava/ *grey-blue*	bijela/*white*

NORTH TECH RADNA JAKNA
Sastav tkanine: 60% pamuk,
40% poliestersko vlakno, 245 g/m²
Džepovi: 2 gornja džepa, 2 bočna džepa
Zatvaranje: patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/20

NORTH TECH JACKET
Fabric composition: *60% cotton,*
40% polyester, 245 g/m²
Pockets: *two top pockets and two side pockets*
Fastening: *zipper*
Size: *S-XXXL*
Original packaging: *1/20*



LACUNA

NOVO
NEW

REGULAR FITTING

SOFT TOUCH

COTTON RICH

EN ISO 13688

RADNA JAKNA /WORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVO-ZELENA/ *GREY-GREEN*	8NORTJSS	8NORTJSM	8NORTJSL	8NORTJSXL	8NORTJSXXL	8NORTJSXXXL
PLAVA/*BLUE*	8NORTJPS	8NORTJPM	8NORTJPL	8NORTJPXL	8NORTJPXXL	8NORTJPXXXL
SIVO-PLAVA/ *GREY-BLUE*	8NORTJHS	8NORTJHM	8NORTJHL	8NORTJHXL	8NORTJHXXL	8NORTJHXXXL
BELA/*WHITE*	8NORTJWS	8NORTJWM	8NORTJWL	8NORTJWXL	8NORTJWXXL	8NORTJWXXXL

NORTH TECH

8NORTPS sivo-zelena/ *grey-green*	8NORTPP plava/*blue*	8NORTPH sivo-plava/ *grey-blue*	8NORTPW bijela/*white*

NORTH TECH RADNE PANTALONE
Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatno pojačanje od tkanine sa džepom za štitnike za kolena
Veličina: 46-66
Original pakovanje: 1/20

NORTH TECH PANTS
Fabric composition: *60% cotton 40% polyester, 245 g/m²*
Pockets: *a number of multifunctional pockets* ***Closure:*** *button and zipper*
Knees: *extra pocket for knee pad*
Size: *46-66*
Original packaging: *1/20*



LACUNA

NOVO *NEW*

REGULAR FITTING

SOFT TOUCH

COTTON RICH

CE EN ISO 13688

RADNE HLAČE/ WORK PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVO-ZELENA/ *GREY-GREEN*	8NORTPS46	8NORTPS48	8NORTPS50	8NORTPS52	8NORTPS54	8NORTPS56	8NORTPS58	8NORTPS60	8NORTPS62	8NORTPS64	8NORTPS66
PLAVA/*BLUE*	8NORTPP46	8NORTPP48	8NORTPP50	8NORTPP52	8NORTPP54	8NORTPP56	8NORTPP58	8NORTPP60	8NORTPP62	8NORTPP64	8NORTPP66
SIVO-PLAVA/ *GREY-BLUE*	8NORTPH46	8NORTPH48	8NORTPH50	8NORTPH52	8NORTPH54	8NORTPH56	8NORTPH58	8NORTPH60	8NORTPH62	8NORTPH64	8NORTPH66
BELA/*WHITE*	8NORTPW46	8NORTPW48	8NORTPW50	8NORTPW52	8NORTPW54	8NORTPW56	8NORTPW58	8NORTPW60	8NORTPW62	8NORTPW64	8NORTPW66

NORTH TECH

8NORTBS sivo-zelena/ *grey-green*	8NORTBP plava/*blue*	8NORTBH sivo-plava/ *grey-blue*	8NORTBW bijela/*white*

NORTH TECH RADNE PANTALONE
Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatno pojačanje od tkanine sa džepom za štitnike za kolena
Veličina: 46-66
Original pakovanje: 1/20

NORTH TECH BIB & BRACE PANTS
Fabric composition: *60% cotton 40% polyester, 245 g/m²*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Knees: *extra pocket for knee pad*
Size: *46-66*
Original packaging: *1/20*



LACUNA

NOVO *NEW*

REGULAR FITTING

SOFT TOUCH

COTTON RICH

CE EN ISO 13688

FARMER PANTALONE/ BIB & BRACE PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVO-ZELENA/ *GREY-GREEN*	8NORTBS46	8NORTBS48	8NORTBS50	8NORTBS52	8NORTBS54	8NORTBS56	8NORTBS58	8NORTBS60	8NORTBS62	8NORTBS64	8NORTBS66
PLAVA/*BLUE*	8NORTBP46	8NORTBP48	8NORTBP50	8NORTBP52	8NORTBP54	8NORTBP56	8NORTBP58	8NORTBP60	8NORTBP62	8NORTBP64	8NORTBP66
SIVO-PLAVA/ *GREY-BLUE*	8NORTBH46	8NORTBH48	8NORTBH50	8NORTBH52	8NORTBH54	8NORTBH56	8NORTBH58	8NORTBH60	8NORTBH62	8NORTBH64	8NORTBH66
BELA/*WHITE*	8NORTBW46	8NORTBW48	8NORTBW50	8NORTBW52	8NORTBW54	8NORTBW56	8NORTBW58	8NORTBW60	8NORTBW62	8NORTBW64	8NORTBW66



NORTH TECH

NORTH TECH

8NORTGS sivo-zelena/ *grey-green*	8NORTGP plava/*blue*	8NORTGH sivo-plava/ *grey-blue*	8NORTGW bijela/*white*

NORTH RADNI PRSLUK
Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Džepovi: 2 gornja džepa, 2 bočna džepa
Zatvaranje: patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/20

NORTH TECH WORK VEST
Fabric composition: *60% cotton, 40% polyester, 245g/m²*
Pockets: *two top p ockets and two side pockets*
Fastening: *zipper*
Size: *S-XXXL*
Original packaging: *1/20*



LACUNA

NOVO *NEW*

REGULAR FITTING

SOFT TOUCH

COTTON RICH

CE EN ISO 13688

RADNI PRSLUK/ WORK VEST	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVO-ZELENA/ *GREY-GREEN*	8NORTGSS	8NORTGSM	8NORTGSL	8NORTGSXL	8NORTGSXXL	8NORTGSXXXL
PLAVA/*BLUE*	8NORTGPS	8NORTGPM	8NORTGPL	8NORTGPXL	8NORTGPXXL	8NORTGPXXXL
SIVO-PLAVA/ *GREY-BLUE*	8NORTGHS	8NORTGHM	8NORTGHL	8NORTGHXL	8NORTGHXXL	8NORTGHXXXL
BELA/*WHITE*	8NORTGWS	8NORTGWM	8NORTGWL	8NORTGWXL	8NORTGWXXL	8NORTGWXXXL

NORTH TECH

8NORTKS sivo-zelena/ *grey-green*	8NORTKP plava/*blue*	8NORTKH sivo-plava/ *grey-blue*	8NORTKW bijela/*white*

NORTH TECH KRATKE PANTALONE
Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Veličina: 46-66
Original pakovanje: 1/20

NORTH TECH SHORT PANTS
Fabric composition: *60% cotton, 40% polyester, 245 g/m²*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Size: *46-66*
Original packaging: *1/20*



LACUNA

NOVO *NEW*

REGULAR FITTING

SOFT TOUCH

COTTON RICH

CE EN ISO 13688

KRATKE HLAČE/ SHORT PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVO-ZELENA/ *GREY-GREEN*	8NORTKS46	8NORTKS48	8NORTKS50	8NORTKS52	8NORTKS54	8NORTKS56	8NORTKS58	8NORTKS60	8NORTKS62	8NORTKS64	8NORTKS66
PLAVA/*BLUE*	8NORTKP46	8NORTKP48	8NORTKP50	8NORTKP52	8NORTKP54	8NORTKP56	8NORTKP58	8NORTKP60	8NORTKP62	8NORTKP64	8NORTKP66
SIVO-PLAVA/ *GREY-BLUE*	8NORTKH46	8NORTKH48	8NORTKH50	8NORTKH52	8NORTKH54	8NORTKH56	8NORTKH58	8NORTKH60	8NORTKH62	8NORTKH64	8NORTKH66
BELA/*WHITE*	8NORTKW46	8NORTKW48	8NORTKW50	8NORTKW52	8NORTKW54	8NORTKW56	8NORTKW58	8NORTKW60	8NORTKW62	8NORTKW64	8NORTKW66



NORTH TECH

8NORTWH
sivo-plava/*gray-blue*

NORTH RADNI ZIMSKI PRSLUK
Sastav tkanine: 60% pamuk,
40% poliestersko vlakno, 245 g/m²
Džepovi: 2 gornja džepa, 2 bočna džepa
Zatvaranje: patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/20

NORTH TECH WINTER WORK VEST
Fabric composition: *60% cotton,*
40% polyester, 245 g/m²
Pockets: *two top pockets and two side pockets*
Fastening: *zipper*
Size: *S-XXXL*
Original packaging: *1/20*



LACUNA

REGULAR FITTING

SOFT TOUCH

COTTON RICH

CE EN ISO 13688

RADNI PRSLUK/ WORK VEST	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
SIVO-PLAVA/ *GRAY-BLUE*	8NORTWHS	8NORTWHM	8NORTWHL	8NORTWHXL	8NORTWHXXL	8NORTWHXXXL

NORTH TECH

5NORTDG
sivo-crna/*gray-black*

NORTH TECH FLIS VESTA
Sastav tkanine: polarni flis 250 g/m²,
100% poliestersko vlakno
Džepovi: 2 donja džepa, 1 prsni
Zatvaranje: patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/10

NORTH TECH FLEECE JACKET
Fabric composition: *polar fleece 250g/m²,*
100% polyester
Pockets: *two side pockets and one chest pocket*
Fastening: *zipper*
Size: *S-XXXL*
Original packaging: *1/10*



LACUNA

POLAIRE
FLEECE POLAR

CE EN ISO 13688

FLIS VESTA/ FLEECE JACKET	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
SIVO-CRNA/ *GRAY-BLACK*	5NORTDGS	5NORTDGM	5NORTDGL	5NORTDGXL	5NORTDGXXL	5NORTDGXXXL



NORTH TECH

5NORWJC plava/*blue*

5NORWJP crna/*black*

3U1 JAKNA NORTH TECH
Sastav tkanine: 100% poliamid sa PU premazom
Postava: 100% poliester, 155 g/m²
Posebne karakteristike: odvojiva flis jakna
Zatvaranje: patentni zatvarač
Kapuljača: odvojiva sa elastičnim zatezanjem
Originalno pakovanje: 1/10

3-IN-1 JACKET NORTH TECH
Fabric composition: *100% polyamide with PU coating*
Lining: *100% polyester, 155 g/m²*
Special features: *detachable fleece jacket*
Closure: *zipper*
Hood: *detachable with elastic tightening*
Original packaging: *1/10*

LACUNA

NOVO *NEW*



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5NORWJCS	5NORWJCM	5NORWJCL	5NORWJCXL	5NORWJCXXL	5NORWJCXXXL
PLAVA/*BLUE*	5NORWJPS	5NORWJPM	5NORWJPL	5NORWJPXL	5NORWJPXXL	5NORWJPXXXL

NORTH TECH

5NORTGH crno-plava/ *black-blue*

5NORTGP plava/*blue*

5NORTGS crno-zelena/ *black-green*

PRSLUK NORTH TECH
Sastav tkanine: 100% poliester, 240 g/m²
Postava: 100% poliester
Zatvaranje: patent zatvarač
Ovratnik: visoki
Originalno pakovanje: 1/10

NORTH TECH VEST
Fabric composition: *100% polyester, 240 g/m²*
Lining: *100% polyester*
Closure: *zipper*
Collar: *high collar*
Original packaging: *1/10*

LACUNA

NOVO *NEW*



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA-PLAVA/*BLACK-BLUE*	5NORTGHS	5NORTGHM	5NORTGHL	5NORTGHXL	5NORTGHXXL	5NORTGHXXXL
PLAVA/*BLUE*	5NORTGPS	5NORTGPM	5NORTGPL	5NORTGPXL	5NORTGPXXL	5NORTGPXXXL
CRNA-ZELENA/*BLACK-GREEN*	5NORTGSS	5NORTGSM	5NORTGSL	5NORTGSXL	5NORTGSXXL	5NORTGSXXXL



GREENLAND

GREENLAND

8GREEJS siva/*gray*	8GREEJP plava/*blue*	8GREEJH svijetlo siva/*light gray*	8GREEJR kraljevsko plava/ *royal blue*



LACUNA

REGULAR FITTING

GREENLAND RADNA JAKNA
Sastav tkanine: 100% pamuk, 260 g/m²
Džepovi: 4 gornja džepa, 2 bočna džepa
Zatvaranje: patentni zatvarač
Rukavi: Velcro traka
Veličina: S-XXXL
Original pakovanje: 1/20

GREENLAND JACKET
Fabric composition: *100% cotton, 260 g/m²*
Pockets: *four top pockets and two side pockets*
Fastening: *zipper*
Sleeves: *velcro tightening*
Size: *S-XXXL*
Original packaging: *1/20*

COTTON SOFT TOUCH

CE EN ISO 13688

RADNA JAKNA/ WORK JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA/*GRAY*	8GREEJSS	8GREEJSM	8GREEJSL	8GREEJSXL	8GREEJSXXL	8GREEJSXXXL
PLAVA/*BLUE*	8GREEJPS	8GREEJPM	8GREEJPL	8GREEJPXL	8GREEJPXXL	8GREEJPXXXL
SVIJETLO SIVA/ *LIGHT GRAY*	8GREEJHS	8GREEJHM	8GREEJHL	8GREEJHXL	8GREEJHXXL	8GREEJHXXXL
KRALJEVSKO PLAVA/ *ROYAL BLUE*	8GREEJRS	8GREEJRM	8GREEJRL	8GREEJRXL	8GREEJRXXL	8GREEJRXXXL

GREENLAND

8GREEPS	8GREEPP	8GREEPH	8GREEPR
siva/*gray*	plava/*blue*	svijetlo siva/*light gray*	kraljevsko plava/ *royal blue*



GREENLAND RADNE PANTALONE
Sastav tkanine: 100% pamuk, 260 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatan džep; reflektirajuća traka
Veličina: 46-66
Original pakovanje: 1/20

GREENLAND WORK PANTS
Fabric composition: *100% cotton, 260g/m²*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Knees: *extra pocket for knee pad*
Size: *46-66*
Original packaging: *1/20*

LACUNA

REGULAR FITTING

COTTON RICH

SOFT TOUCH

CE EN ISO 13688

RADNA JAKNA/ WORK PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVA/*GRAY*	8GREEPS46	8GREEPS48	8GREEPS50	8GREEPS52	8GREEPS54	8GREEPS56	8GREEPS58	8GREEPS60	8GREEPS62	8GREEPS64	8GREEPS66
PLAVA/*BLUE*	8GREEPP46	8GREEPP48	8GREEPP50	8GREEPP52	8GREEPP54	8GREEPP56	8GREEPP58	8GREEPP60	8GREEPP62	8GREEPP64	8GREEPP66
SVIJETLO SIVA/ *LIGHT GRAY*	8GREEPH46	8GREEPH48	8GREEPH50	8GREEPH52	8GREEPH54	8GREEPH56	8GREEPH58	8GREEPH60	8GREEPH62	8GREEPH64	8GREEPH66
KRALJEVSKO PLAVA/*ROYAL BLUE*	8GREEPR46	8GREEPR48	8GREEPR50	8GREEPR52	8GREEPR54	8GREEPR56	8GREEPR58	8GREEPR60	8GREEPR62	8GREEPR64	8GREEPR66

GREENLAND

8GREEBS	8GREEBP	8GREEBH	8GREEBR
siva/*gray*	plava/*blue*	svijetlo siva/*light gray*	kraljevsko plava/ *royal blue*



GREENLAND RADNE PANTALONE
Sastav tkanine: 100% pamuk, 260 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: dodatan džep; reflektirajuća traka
Veličina: 46-66
Original pakovanje: 1/20

GREENLAND BIB & BRACE PANTS
Fabric composition: *100% cotton, 260 g/m²*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Knees: *extra pocket for knee pad, reflective tape*
Size: *46-66*
Original packaging: *1/20*

LACUNA

REGULAR FITTING

COTTON RICH

SOFT TOUCH

CE EN ISO 13688

RADNA JAKNA/ BIB & BRACE PANTS	46	48	50	52	54	56	58	60	62	64	66
SIVA/*GRAY*	8GREEBS46	8GREEBS48	8GREEBS50	8GREEBS52	8GREEBS54	8GREEBS56	8GREEBS58	8GREEBS60	8GREEBS62	8GREEBS64	8GREEBS66
PLAVA/*BLUE*	8GREEBP46	8GREEBP48	8GREEBP50	8GREEBP52	8GREEBP54	8GREEBP56	8GREEBP58	8GREEBP60	8GREEBP62	8GREEBP64	8GREEBP66
SVIJETLO SIVA/ *LIGHT GRAY*	8GREEBH46	8GREEBH48	8GREEBH50	8GREEBH52	8GREEBH54	8GREEBH56	8GREEBH58	8GREEBH60	8GREEBH62	8GREEBH64	8GREEBH66
KRALJEVSKO PLAVA/*ROYAL BLUE*	8GREEBR46	8GREEBR48	8GREEBR50	8GREEBR52	8GREEBR54	8GREEBR56	8GREEBR58	8GREEBR60	8GREEBR62	8GREEBR64	8GREEBR66



SPEKTAR

MNOGO DŽEPOVA
A LOT OF POCKETS

Da bismo vam osigurali što više mogućnosti za praktično spremanje, npr. alata, naši modeli su dizajnirani sa brojnim džepovima različitih oblika, prilagođenih vašim potrebama.

To provide you with as much as possible convenienced handy tools deposits, our models are designed with lots of different pocket shapes, customized to your needs.



POJAČANI ŠAVOVI
REINFORCED SEAMS

Pružaju dodatnu trajnost i doprinose celokupnom izgledu.

They provide extra durability and add to the overall look.



POJAČANA ZAŠTITA KOLENA
REINFORCEMENT ON KNEES

Pružaju dodatnu trajnost i doprinose celokupnom izgledu.

They provide extra durability and add to the overall look.



ŠTITNICI ZA KOLENA
KNEES PROECTION

Mogućnost umetanja štitnika za kolena osigurava bezbedniji rad.

The possibility to insert knee pads ensures safer operation.

SPEKTAR

8SPEKJC
sivo/*grey*

SPEKTAR – RADNA JAKNA
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²
Zatvaranje: klapna na čičak
Ovratnik: klasičan
Džepovi: 5
Pritezanje: čičak traka
Veličina: S-XXXL
Originalno pakovanje: 1/10

SPEKTAR - WORK JACKET
Fabric composition: *65% polester, 35% cotton, 245 g/m²*
Fastening: *Velcro strap*
Collar: *classic*
Pockets: *5*
Tightening: *Velcro strap*
Size: *S-XXXL*
Original packaging: *1/10*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

CE EN ISO 13688

RADNA JAKNA/*WORK JACKET*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVO/*GREY*	8SPEKJGS	8SPEKJGM	8SPEKJGL	8SPEKJGXL	8SPEKJGXXL	8SPEKJGXXXL

SPEKTAR

8SPEKPC
sivo/*grey*

SPEKTAR – RADNE PANTALONE
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²
Zatvaranje: zatvarač
Džepovi: 4
Kolena: dodatno pojačanje tkanine sa đepom za štitnike za kolena
Veličina: S-XXXL
Originalno pakovanje: 1/10

SPEKTAR - WORK PANTS
Fabric composition: *65% polester, 35% cotton, 245 g/m²*
Fastening: *zipper*
Pockets: *4*
Knees: *Additional fabric reinforcement with knee protection pocket*
Size: *S-XXXL*
Original packaging: *1/10*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

CE EN ISO 13688

RADNE PANTALONE/*WORK PANTS*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVO/*GREY*	8SPEKPGS	8SPEKPGM	8SPEKPGL	8SPEKPGXL	8SPEKPGXXL	8SPEKPGXXXL

SPEKTAR

8SPEKBC
sivo/*grey*

SPEKTAR – FARMER PANTALONE
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²
Zatvaranje: zatvarač
Džepovi: 6
Kolena: dodatno pojačanje tkanine sa đepom za štitnike za kolena
Veličina: S-XXXL
Originalno pakovanje: 1/10

SPEKTAR - BIB & BRACE PANTS
Fabric composition: *65% polyester, 35% cotton, 245 g/m²*
Fastening: *zipper Pockets: 6*
Knees: *reinforcing fabric with pockets for knee protection*
Size: *S-XXXL*
Original packaging: *1/10*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

CE EN ISO 13688

FARMER PANTALONE/*BIB & BRACE PANTS*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVO/*GREY*	8SPEKBGS	8SPEKBGM	8SPEKBGL	8SPEKBGXL	8SPEKBGXXL	8SPEKBGXXXL

8SPEKJB
plava/*blue*



8SPEKJW
bela/*white*



8SPEKJC
crvena/*red*



RADNA JAKNA/*WORK JACKET*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
PLAVA/*BLUE*	8SPEKJBS	8SPEKJBM	8SPEKJBL	8SPEKJBXL	8SPEKJBXXL	8SPEKJBXXXL
BELA/*WHITE*	8SPEKJWS	8SPEKJWM	8SPEKJWL	8SPEKJWXL	8SPEKJWXXL	8SPEKJWXXXL
CRVENA/*RED*	8SPEKJCS	8SPEKJCM	8SPEKJCL	8SPEKJCXL	8SPEKJCXXL	8SPEKJCXXXL

8SPEKPB
plava/*blue*



8SPEKPW
bela/*white*



8SPEKPC
crvena/*red*



RADNE PANTALONE/*WORK PANTS*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
PLAVA/*BLUE*	8SPEKPBS	8SPEKPBM	8SPEKPBL	8SPEKPBXL	8SPEKPBXXL	8SPEKPBXXXL
BELA/*WHITE*	8SPEKPWS	8SPEKPWM	8SPEKPWL	8SPEKPWXL	8SPEKPWXXL	8SPEKPWXXXL
CRVENA/*RED*	8SPEKPCS	8SPEKPCM	8SPEKPCL	8SPEKPCXL	8SPEKPCXXL	8SPEKPCXXXL

8SPEKBB
plava/*blue*



8SPEKBW
bela/*white*



8SPEKBC
crvena/*red*



FARMER PANTALONE/*BIB & BRACE PANTS*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
PLAVA/*BLUE*	8SPEKBBS	8SPEKBBM	8SPEKBBL	8SPEKBBXL	8SPEKBBXXL	8SPEKBBXXXL
BELA/*WHITE*	8SPEKBWS	8SPEKBWM	8SPEKBWL	8SPEKBWXL	8SPEKBWXXL	8SPEKBWXXXL
CRVENA/*RED*	8SPEKBCS	8SPEKBCM	8SPEKBCL	8SPEKBCXL	8SPEKBCXXL	8SPEKBCXXXL

CITY II

5NAV
tamno plava/*dark blue*

NAVY II – RADNA JAKNA
Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Ovratnik: klasičan
Zatvaranje: jednosmjerni zatvarač
Rukavi: Velcro trake na stezanje
Džepovi: gore 5, dole 3
Veličina: S-XXXL
Boja: TAMNO PLAVA - SIVA
Original pakovanje: 1/10

NAVY II - WORK JACKET
Fabric composition: *60% cotton, 40% polyester, 245 g/m²*
Collar: *classic*
Fastening: *one-way zipper*
Sleeves: *fastening with Velcro*
Pockets: *upper 5, lower 3*
Size: *S-XXXL*
Original packaging: *1/10*



coverguard

CE

RADNA BLUZA/*WORK JACKET*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
TAMNO PLAVA/*DARK BLUE*	5NAV05000S	5NAV05000M	5NAV05000L	5NAV0500XL	5NAV0502XL	5NAV0503XL

CITY II

5NAP
tamno plava/*dark blue*

NAVY II – PANTALONE KLASIČNE
Sastav tkanine : 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana, prostor za umetanje štitnika
Nogavice: vezica za pritezanje, na dnu čičak traka
Džepovi: 7
Veličina: XS-XXXL
Original pakovanje: 1/10

NAVY II - WORK PANTS
Fabric composition: *60% cotton, 40% polyester, 245 g/m²*
Closure: *zipper*
Knees: *reinforced, a place to insert the protection*
Legs: *drawstring, at the bottom Velcro tape*
Pockets: *7*
Size: *XS-XXXL*
Original packaging: *1/10*



coverguard

EN 14404
TYPE 2

KLASIČNE PANTALONE/*WORK PANTS*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
TAMNO PLAVA/*DARK BLUE*	5NAP05000S	5NAP05000M	5NAP05000L	5NAP0500XL	5NAP0502XL	5NAP0503XL

CITY II

5NAB
tamno plava/*dark blue*

NAVY II – PANTALONE FARMER
Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana, mjesto za umetanje štitnika za koljeno.
Nogavice: vezica za pritezanje
Džepovi: 10
Veličina: S-XXL
Original pakovanje: 1/10

NAVY II - BIB & BRACE PANTS
Fabric composition: *60% cotton, 40% polyester, 245 g/m²*
Closure: *zipper*
Knees: *Reinforced, place for inserting knee protection*
Legs: *drawstring*
Pockets: *10*
Size: *S-XXL*
Original packaging: *1/10*



coverguard

EN 14404
TYPE 2

FARMER PANTALONE/*BIB & BRACE PANTS*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
TAMNO PLAVA/*DARK BLUE*	5NAB05000S	5NAB05000M	5NAB05000L	5NAB0500XL	5NAB0502XL	5NAB0503XL

CITY II

5NAC
tamno plava/*dark blue*

NAVY II – KOMBINEZON
Sastav tkanine: 60% pamuk, 40% Poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana, mjesto za umetanje štitnika za koljeno.
Nogavice: vezica za pritezanje
Džepovi: 11
Veličina: S-XXXL

NAVY II - WORK COVERALL
Fabric composition: *60% cotton, 40% polyester, 245 g/m²*
Closure: *zipper*
Knees: *Reinforced, place for inserting a knee protection.*
Legs: *drawstring*
Pockets: *11*
Size: *S-XXXL*
Original packaging: *1/10*



EN 14404
TYPE 2

KOMBINEZON/*COVERALL*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
TAMNO PLAVA/*DARK BLUE*	5NAC05000S	5NAC05000M	5NAC05000L	5NAC0500XL	5NAC0502XL	5NAC0503XL

CITY II

5NAK/5NAS
tamno plava/*dark blue*

NAVY II – BERMUDE
Sastav tkanine: 60% pamuk, 40% Poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Džepovi: 6
Veličina: S-XXXL
Original pakovanje: 1/10

NAVY II – BERMUDA
Composition of fabrics: *60% cotton, 40% polyester, 245 g/m²*
Fastening: *zipper*
Pockets: *6*
Size: *S-XXXL*
Original packaging: *1/10*



BERMUDE/*BERMUDA*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
TAMNO PLAVA/*TEMNO MODRA*	5NAK05000S	5NAK05000M	5NAK05000L	5NAK0500XL	5NAK0502XL	5NAK0503XL
BERMUDE/*BERMUDA*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
TAMNO PLAVA/*DARK BLUE*	5NAS05000S	5NAS05000M	5NAS05000L	5NAS0500XL	5NAS0502XL	5NAS0503XL

CITY II

5PAV
siva/*gray*

PADDOCK II – RADNA BLUZA
Sastav tkanine: 60% pamuk, 40% Poliestersko vlakno, 245 g/m²
Ovratnik: klasičan
Zatvaranje: jednosmjerni zatvarač
Rukavi: velcro trake na stezanje
Džepovi: gore 5, dole 3
Veličina: S-XXXL
Original pakovanje: 1/10

PADDOCK II - WORK JACKET
Fabric composition: *60% cotton, 40% polyester, 245 g/m²*
Collar: *classic*
Closure: *one-way zipper*
Sleeves: *Velcro straps*
Pockets: *top 5, bottom 3*
Size: *S-XXXL*
Original packaging*: 1/10*



coverguard

CE

RADNA BLUZA/*WORK JACKET*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
SIVA/*GRAY*	5PAV15000S	5PAV15000M	5PAV15000L	5PAV1500XL	5PAV1502XL	5PAV1503XL

CITY II

5PAP
siva/*gray*

PADDOCK II – PANTALONE KLASIČNE
Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana, prostor za umetanje štitnika
Nogavice: vezica za pritezanje
Džepovi: 7
Veličina: S-XXXL
Original pakovanje: 1/10

PADDOCK II - WORK PANTS
Fabric composition: *60% cotton, 40% polyester, 245 g/m²*
Fastening: *zipper*
Knees: *reinforced, possibility of inserting knee pads*
Legs: *fastening straps, with covering tape*
Pockets*: 7*
Size: S-XXXL
Original packaging: *1/10*



coverguard

EN 14404
TYPE 2

KLASIČNE PANTALONE/*WORK PANTS*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
SIVA/*GRAY*	5PAP15000S	5PAP15000M	5PAP15000L	5PAP1500XL	5PAP1502XL	5PAP1503XL

CITY II

5PAB
siva/*gray*

PADDOCK II – PANTALONE FARMER
Sastav tkanine: 60 % pamuk, 40% poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač
Kolena: pojačana
Nogavice: vezica za pritezanje
Džepovi: 10
Veličina: S-XXXL
Original pakovanje: 1/10

PADDOCK II - BIB & BRACE PANTS
Fabric composition: *60% cotton, 40% polyester, 245 g/m²*
Closure: *zipper*
Knees: *reinforced, possibility of inserting knee pads*
Socks: *drawstring*
Pockets: *10*
Size: *S-XXXL*
Original packaging: *1/10*



coverguard

EN 14404
TYPE 2

FARMER PANTALONE/*BIB & BRACE PANTS*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
SIVA/*GRAY*	5PAB15000S	5PAB15000M	5PAB15000L	5PAB1500XL	5PAB1502XL	5PAB1503XL

CITY II

5PAK/5PAS
siva/*gray*

PADDOCK II – BERMUDE
Sastav tkanine: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
Zatvaranje: patent zatvarač i gumb
Džepovi: 6
Veličina: S-XXXL
Original pakovanje: 1/10

PADDOCK II – BERMUDA
Composition of fabrics: *60% cotton, 40% polyester, 245 g/m²*
Fastening: *zipper*
Pockets: *6*
Size: *S-XXXL*
Original packaging: *1/10*



BERMUDE/*BERMUDA*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
SIVA/*GRAY*	5PAK15000S	5PAK15000M	5PAK15000L	5PAK1500XL	5PAK1502XL	5PAK1503XL
BERMUDE/*BERMUDA*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
SIVA/*GRAY*	5PAS15000S	5PAS15000M	5PAS15000L	5PAS1500XL	5PAS1502XL	5PAS1503XL

CITY II

5PAG
siva/*gray*

PADDOCK II– RADNI PRSLUK
Sastav tkanine: 60% pamuk, 40% Poliestersko vlakno, 245 g/m²
Ovratnik: ravan
Zatvaranje: jednosmjerni zatvarač
Džepovi: 6
Veličina: S-XXXL
Original pakovanje: 1/10

PADDOCK II– WORK VEST
Fabric composition: *60% cotton, 40% polyester, 245 g/m²*
Collar: *classic*
Fastening: *zipper*
Pockets: *6*
Size: *S-XXL*
Original packaging: *1/10*



RADNI PRSLUK/*WORK VEST*	**44/46 S**	**48/50 M**	**52/54 L**	**56/58 XL**	**60/62 XXL**	**64/66 XXXL**
SIVA/*GRAY*	5PAG15000S	5PAG15000M	5PAG15000L	5PAG1500XL	5PAG1502XL	5PAG1503XL



CARGO FLEX

CARGO FLEX

8CARFPS siva/*gray*	8CARFPP plava/*blue*	8CARFPN crna/*black*



CARGO FLEX RADNE PANTALONE
Sastav tkanine: 98% pamuk, 2% elastan, 255 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Veličina: 46-62
Original pakovanje: 1/20

CARGO FLEX PANTS
Fabric composition: *98% cotton, 2% elastane, 255 g/m²*
Pockets: *a number of multifunctional pockets*
Closure: *button and zipper*
Size: *46-62*
Original packaging: *1/20*

LACUNA

SLIM FITTING

COTTON RICH

2WAY STRETCH

SOFT TOUCH

CE EN ISO 13688

RADNE PANTALONE/ WORK PANTS	46	48	50	52	54	56	58	60	62
SIVA/*GRAY*	8CARFPS46	8CARFPS48	8CARFPS50	8CARFPS52	8CARFPS54	8CARFPS56	8CARFPS58	8CARFPS60	8CARFPS62
PLAVA/*BLUE*	8CARFPP46	8CARFPP48	8CARFPP50	8CARFPP52	8CARFPP54	8CARFPP56	8CARFPP58	8CARFPP60	8CARFPP62
CRNA/*BLACK*	8CARFPN46	8CARFPN48	8CARFPN50	8CARFPN52	8CARFPN54	8CARFPN56	8CARFPN58	8CARFPN60	8CARFPN62

CORE-RIP
FLEX



CORE RIP FLEX

8CORRPN crna/*black*	8CORRPS siva/*grey*	8CORRPP tamno plava/ *dark blue*

NOVO *NEW*







RIPSTOP materijal

CORE-RIP FLEX RADNE PANTALONE
Sastav tkanine: 60% pamuk, 38% poliester, 2% elastan, 250 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: dugme i patentni zatvarač
Veličina: 46–62
Originalno pakovanje: 1/10

RIPSTOP material

CORE-RIP FLEX WORK TROUSERS
Fabric composition: *60% cotton, 38% polyester, 2% elastane, 250 g/m²*
Pockets: *multiple multifunctional pockets*
Closure: *button and zipper*
Size: *46–62*
Original packaging: *1/10*

LACUNA

SLIM FITTING

COTTON RICH

2WAY STRETCH

SOFT TOUCH

CE

RADNE HLAČE/ *WORK PANTS*	46	48	50	52	54	56	58	60	62
CRNA/BLACK	8CORRPN46	8CORRPN48	8CORRPN50	8CORRPN52	8CORRPN54	8CORRPN56	8CORRPN58	8CORRPN60	8CORRPN62
SIVA/GREY	8CORRPS46	8CORRPS48	8CORRPS50	8CORRPS52	8CORRPS54	8CORRPS56	8CORRPS58	8CORRPS60	8CORRPS62
TAMNO PLAVA/ DARK BLUE	8CORRPP46	8CORRPP48	8CORRPP50	8CORRPP52	8CORRPP54	8CORRPP56	8CORRPP58	8CORRPP60	8CORRPP62



CORE-RIP
FLEX







ULTIMATE
FLEX

ULTIMATE FLEX

8ULTIPP petrol plava/ *petrol blue*	8ULTIPS siva/*grey*	8ULTIPC crvena/*red*	8ULTIPN tamno plava/ *navy blue*	8ULTIPZ zelena/*green*

NOVO
NEW



ULTIMATE FLEX RADNE PANTALONE
Sastav tkanine: 93% poliamid, 7% spandeks, 180 g/m²
Džepovi: mnoštvo multifunkcionalnih džepova
Zatvaranje: dugme i rajsferšlus
Kolena: dodatno ojačanje od tkanine sa džepom za štitnike
Dodatak: reflektujući detalji
Veličina: 46–62
Originalno pakovanje: 1/10

ULTIMATE FLEX WORK TROUSERS
Fabric composition: *93% polyamide, 7% spandex, 180 g/m²*
Pockets: *multiple multifunctional pockets*
Closure: *button and zipper*
Knees: *reinforced fabric panels with pockets for knee pads*
Additional feature: *reflective details*
Size: *46–62*
Original packaging: *1/10*

LACUNA

SLIM FITTING

4WAY STRETCH

CE

VELIČINE/ *SIZE*	46	48	50	52	54	56	58	60	62
PETROL PLAVA/ PETROL BLUE	8ULTIPP46	8ULTIPP48	8ULTIPP50	8ULTIPP52	8ULTIPP54	8ULTIPP56	8ULTIPP58	8ULTIPP60	8ULTIPP62
SIVA/GREY	8ULTIPS46	8ULTIPS48	8ULTIPS50	8ULTIPS52	8ULTIPS54	8ULTIPS56	8ULTIPS58	8ULTIPS60	8ULTIPS62
CRVENA/RED	8ULTIPC46	8ULTIPC48	8ULTIPC50	8ULTIPC52	8ULTIPC54	8ULTIPC56	8ULTIPC58	8ULTIPC60	8ULTIPC62
TAMNO PLAVA/ NAVY BLUE	8ULTIPN46	8ULTIPN48	8ULTIPN50	8ULTIPN52	8ULTIPN54	8ULTIPN56	8ULTIPN58	8ULTIPN60	8ULTIPN62
ZELENA/GREE	8ULTIPZ46	8ULTIPZ48	8ULTIPZ50	8ULTIPZ52	8ULTIPZ54	8ULTIPZ56	8ULTIPZ58	8ULTIPZ60	8ULTIPZ62



ULTIMATE
FLEX

DŽEP NA SKIDANJE
REMOVABLE POCKET

8WELO

Sastav tkanine: 100% poliester + PU
Odjeljci: 3
Zatvaranje: na zatvarač i na čičak
Veličina: ONE SIZE
Original pakovanje: 1/20
Stavlja se na remen

Fabric composition: *100% polyester + PU*
Sections: *3*
Closure*: zipper and velcro*
Size: *ONE SIZE*
Original packaging: *1/20*
Is placed on belt

LACUNA

NOVO
NEW



REMEN
BELT

8ARLOR

8REMEC - Sastav tkanine: 100% pamuk
8REMEE - Sastav tkanine: 50% poliester, 50% elastan
Zatvaranje: metalna kopča
Boja: crna
Veličina: ONE SIZE
Original pakovanje: 1/20

8REMEC - Fabric composition: *100% cotton*
8REMEE - Fabric composition: *50% polyester, 50% elastane*
Closure: *metal buckle*
Color: *black*
Size: *ONE SIZE*
Original packaging: *1/20*

LACUNA







ATLANTIC

8ATLAJP
plava/*blue*

8ATLAJS
siva/*gray*

ATLANTIC – RADNA JAKNA
Sastav tkanine: 65% poliester, 35% pamuk, 245 g/m²
Zatvaranje: patent zatvarač sakriven s klapnom na drukere
Ovratnik: klasik
Džepovi: 5, s klapnom na drukere
Rukavi: elastični rubovi
Veličina: S-XXXL
Originalno pakovanje: 1/20

ATLANTIC - WORK JACKET
Fabric composition: *65% polyester, 35% cotton, 245 g/m²*
Fastening: *zipper hidden with press buttons*
Collar: *classic*
Pockets: *5 flap pockets with pressbuttons*
Sleeves: *elastic hems*
Size: *S-XXXL*
Original packaging: *1/20*

LACUNA



EN ISO 13688

RADNA JAKNA/*DWORK JACKET*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/*BLUE*	8ATLAJPS	8ATLAJPM	8ATLAJPL	8ATLAJPXL	8ATLAJPXXL	8ATLAJPXXXL
SIVA/*GRAY*	8ATLAJSS	8ATLAJSM	8ATLAJSL	8ATLAJSXL	8ATLAJSXXL	8ATLAJSXXXL

ATLANTIC

8ATLAPP plava/*blue*

8ATLAPS siva/*gray*

ATLANTIC – KLASIČNE PANTALONE
Sastav tkanine: 65% poliester, 35% pamuk, 245 g/m²
Zatvaranje: patent zatvarač
Džepovi: 7, s klapnom na drukere
Kolena: dodatno pojačanje tkanine sa đepom za štitnike za kolena
Veličina: S-XXXL
Originalno pakovanje: 1/20

ATLANTIC - WORK PANTS
Fabric composition: *65% polyester, 35% cotton, 245 g/m²*
Closure: *zipper*
Pockets: *7 flap pockets with buttons*
Knees: *Additional reinforcement achieved by fabric with a knee protection pocket*
Size: *S-XXXL*
Original packaging: *1/20*



LACUNA

EN ISO 13688

RADNE PANTALONE/*WORK PANTS*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/*BLUE*	8ATLAPPS	8ATLAPPM	8ATLAPPL	8ATLAPPXL	8ATLAPPXXL	8ATLAPPXXXL
SIVA/*GRAY*	8ATLAPSS	8ATLAPSM	8ATLAPSL	8ATLAPSXL	8ATLAPSXXL	8ATLAPSXXXL

ATLANTIC

8ATLABP plava/*blue*

8ATLABS siva/*gray*

ATLANTIC – FARMER PANTALONE
Sastav tkanine: 65%poliester, 35% pamuk, 245 g/m²
Zatvaranje: patent zatvarač
Džepovi: 8, s klapnom na drukere
Kolena: dodatno pojačanje tkanine sa đepom za štitnike za kolena
Veličina: S-XXXL
Originalno pakovanje: 1/20

ATLANTIC - BIB & BRACE PANTS
Fabric composition: *65% polyester, 35% cotton, 245 g/m²*
Closure: *zipper*
Pockets: *8 flap pockets with pressbuttons*
Sleeves: *elastic edges*
Knees: *Additional fabric reinforcement with knee protective pad*
Size: *S-XXXL*
Original packaging: *1/20*



LACUNA

EN ISO 13688

FARMER PANTALONE/*BIB & BRACE PANTS*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/*BLUE*	8ATLABPS	8ATLABPM	8ATLABPL	8ATLABPXL	8ATLABPXXL	8ATLABPXXXL
SIVA/*GRAY*	8ATLABSS	8ATLABSM	8ATLABSL	8ATLABSXL	8ATLABSXXL	8ATLABSXXXL



CLASSIC SMART

CLASSIC SMART

8CLSMJP plava/*blue*

8CLSMJS siva/*gray*

CLASSIC SMART RADNA JAKNA
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²
Džepovi: 7 funkcionalnih džepova
Zatvaranje: patentni zatvarač
Kragna: klasična
Veličina: S-XXXL
Original pakovanje: 1/20

CLASSIC SMART - WORK JACKET
Fabric composition: *65% polyester, 35% cotton, 245 g/m²*
Fastening: *zipper*
Collar: *classic*
Pockets: *7*
Size: *S-XXXL*
Original packaging: *1/20*





LACUNA

CASUAL FITTING

POLY COTTON

CE EN ISO 13688

RADNA JAKNA/*WORK JACKET*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/*BLUE*	8CLSMJPS	8CLSMJPM	8CLSMJPL	8CLSMJPXL	8CLSMJPXXL	8CLSMJPXXXL
SIVA/*GRAY*	8CLSMJSS	8CLSMJSM	8CLSMJSL	8CLSMJSXL	8CLSMJSXXL	8CLSMJSXXXL

CLASSIC SMART

8CLSMPP
plava/*blue*

8CLSMPS
siva/*gray*

CLASSIC SMART RADNE PANTALONE 2U1
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²
Džepovi: 7 funkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Kolena: patentni zatvarač za odvajanje
Veličina: S-XXXL
Original pakovanje: 1/20

CLASSIC SMART - WORK PANTS 2in1
Fabric composition: *65% polyester, 35% cotton, 245 g/m²*
Closure: *zipper and button*
Pockets: *7*
Legs: *zip off*
Size: *S-XXXL*
Original packaging: *1/20*



LACUNA

CASUAL FITTING

POLY COTTON

CE EN ISO 13688

RADNE PANTALONE/*WORK PANTS*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/*BLUE*	8CLSMPPS	8CLSMPPM	8CLSMPPL	8CLSMPPXL	8CLSMPPXXL	8CLSMPPXXXL
SIVA/*GRAY*	8CLSMPSS	8CLSMPSM	8CLSMPSL	8CLSMPSXL	8CLSMPSXXL	8CLSMPSXXXL

CLASSIC SMART

8CLSMBP
plava/*blue*

8CLSMBS
siva/*gray*

CLASSIC SMART RADNE FARMER PANTALONE
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245 g/m²
Džepovi: 10 funkcionalnih džepova
Zatvaranje: gumb i patentni zatvarač
Veličina: S-XXXL
Original pakovanje: 1/20

CLASSIC SMART - BIB & BRACE PANTS
Fabric composition: *65% polyester, 35% cotton, 245 g/m²*
Closure: *zipper and button*
Pockets: *10*
Size: *S-XXXL*
Original packaging: *1/20*



LACUNA

CASUAL FITTING

POLY COTTON

CE EN ISO 13688

FARMER PANTALONE/*BIB & BRACE PANTS*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA/*BLUE*	8CLSMBPS	8CLSMBPM	8CLSMBPL	8CLSMBPXL	8CLSMBPXXL	8CLSMBPXXXL
SIVA/*GRAY*	8CLSMBSS	8CLSMBSM	8CLSMBSL	8CLSMBSXL	8CLSMBSXXL	8CLSMBSXXXL

LACUNA

CORPORATE WEAR

Kod radnika u servisnim industrijama profesionalan i elegantan izgled posebno je važan. Zbog toga je njihova odeća izrađena od tkanina koje svojim karakteristikama doprinose lepom i profesionalnom izgledu čak i nakon dugotrajnog nošenja i ponovljenih pranja.

TenCate tkanine jedinstvene su po svojoj beloj boji i blistavosti, a dostupne su u paleti modernih i industrijskih boja koje ostaju potpuno postojane nakon pranja. Na taj način tkanine zadržavaju svoj profesionalni izgled.

CORPORATE WEAR
CORPORATE WEAR

CORPORATE WEAR

For workers in the service industry, a professional and elegant look is especially important. Therefore, their clothes are made of fabrics with supreme properties and a professional look even after prolonged wear and repeated washing.

TenCate fabrics are unique in their white color and brilliance and are available in a palette of modern and industrial colors, long-lasting even after frequent washing. This way the fabrics retain their professional look.

LACUNA ne odgovara za eventualne štamparske greške u katalogu./*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check at www.lacuna.hr*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full Lacuna range available at www.lacuna.hr*



LACUNA CORPORATE

TenCate KG317 215g/m^2, 65% poliester, 35% pamuk Lacuna Corporate odeća je izrađena od TenCate tkanina koje svojim karakteristikama doprinose profesionalnom izgledu.

Tokom više decenija, TenCate Tecawork – KG 317 tkanine su nosile hiljade ugostiteljskih, medicinskih i zdravstvenih radnika, svakodnevno.
Klijenti su zadovoljni kvalitetom TenCate materijala: proizvodi se najsvetlija i najtrajnija bela tkanina, skoro neprozirna za tako laganu tkaninu, sa visokim nivoom otpornosti na gužvanje čak i u uslovima industrijskih praonica. To su samo neki od razloga zbog kojih te tkanine imaju široku primenu u izradi radne odeće za ugostiteljske objekte, dečje vrtiće, medicinske ordinacije i bolnice. TenCate stavlja TenCate TecaworkTM

– KG 317 taknine na stroga ispitivanja kvaliteta. Ispunjeni su svi standardi koje je postavilo Evropsko udruženje proizvođača tekstila (eng. European Texti- le Services Association - ETSA). To znači da ne postoje ograničenja u smislu primene tkanina: urađena su ispitivanja vezana uz: čvrstinu, skupljanje i otpornost na gužvanje i trošenje. Uz ovakve rezultate izvedenih ispitivanja, možete biti sigurni da su tkanine potpuno odgovarajuće za radnu odeću koja se održava u industrijskim praonicama odeće.


TenCate TecaworkTM tkanine ostvaruju najbolje rezul- tate u sledećem:
- Otpornost na gužvanje
- Čvrstina
- Otpornost na trošenje
- Promenu boje nakon pranja (75°C)
- Otpornost boje na bleđenje
- Otpornost boje na tragove znojenja

TenCate KG317 215g/m^2, 65% polyester, 35% cotton Lacuna Corporate clothing are made of TenCate materials which, with their excellent properties, contribute to their professional look.

TenCate Tecawork - KG 317 materials, have been worn by thousands of hotels, medical and healthcare professionals, every day for decades.Customers are satisfied with the quality of TenCate: he brightest and most durable white textile, almost opaque, light fabric with high performances even in industrial surrounding. These are just a few reasons why these fabrics are often used the production of work clothes for catering facilities, kindergartens, medical surgeries and hospitals. TenCate belongs to TenCate Tecawork^T

- KG 317 fabrics with strict quality tests. All standards set by the European Textile Service Association - ETSA are met. This means that there are no restrictions on the use of fabrics and tests have been done related to: strength, shrinkage and resistance to creases and wear. With the best results, you can be sure that the fabrics are very suitable for industrial work clothes and laundring.

TenCate TecaworkTM achieves the best results in the following:
- *Resistance to creasing*
- *Firmness*
- *Wear resistance*
- *Color change after washing (75 ° C)*
- *Color resistance to fading*
- *Color resistance to sweat marks*



Koja je moja veličina?
Koristite se standardima veličina i ispravno naručite!
OBIM PRSA: na najširem mestu

OBIM STRUKA: stavite metar (ne pretesno) oko struka
OBIM BOKOVA: na mestu gde su vam bokovi i stražnjica najširi
DUŽINA RUKAVA: od ramena celom dužinom ruke do zgloba
DUŽINA NOGAVICE: od struka preko bokova do tabana
OBIM VRATA: stavite metar (ne pretesno) na donji širi deo vrata

What is my size?
Use size standards to order correctly!
CHESTS: at the widest point
WAIST: place the meter around the waist (not too tight)
HIPS: where the hips and buttocks are widest
SLEEVE LENGTH: from shoulder down to wrists
PANTS LENGTH: from the waist to the heels
NECK: place a meter (not too tight) around the widest part of the neck

MEN/*MEN*	46	48	50	52	54	56	58	60	62	64
1. Opseg prsa/*Chest*	92	96	100	104	108	112	116	120	124	128
2. Opseg struka/*Waist*	80	84	88	92	96	100	104	108	112	116
3. Opseg bokova/*Hips*	100	104	108	112	116	120	124	128	132	136
4. Duljina do struka/*Waist lenght*	44	44,5	45	45,5	46	46,5	47	47,5	48	48,5
5. Dužina leđa/*Back lenght*	47	48	49	50	51	52	53	54	55	56
6. Duljina rukava/*Sleeve lenght*	61	62	63	64	65	66	67	68	69	70
7. Duljina nogavice/*Legs lenght*	98	99,5	101	102,5	104	105,5	107	108,5	110	111,5
8. Opseg nogavice/*Legs size*	23	23,5	24	24,5	25	25,5	26	26,5	27	27,5
9. Opseg vrata/*Neck circumference*	38	39	40	41	42	43	44	45	46	47

WOMEN/*WOMAN*	36	38	40	42	44	46	48	50	52	54
1. Opseg prsa/*Bust*	84	88	92	96	100	104	110	116	122	128
2. Opseg struka/*Waist*	66	70	74	78	82	86	92	98	104	110
3. Opseg bokova/*Hips*	90	94	98	102	106	110	116	122	128	134
4. Dubina prsa/*Chest depth*	26	27	28	29	30	31	32	33	34	35
5. Duljina do struka (prsa)/*Waist length*	44	45	46	47	48	49	50	51	52	53
6. Duljina do struka (iza)/*Waist length (back)*	41	42	42	43	43	44	44	45	45	46
7. Dužina leđa/*Back length*	36	37	38	39	40	42	44	46	47	48
8. Duljina rukava/*Sleeve length*	59	60	60	61	61	61	61	62	62	63
9. Opseg nadlaktice/*Upper arm circumference*	27	28	29	30	31	32	34	36	38	40
10. Opseg vrata/*Neck circumference*	35	36	37	38	39	40	41	42	43	44
11. Duljina pantalona/*Pants length*	102	102,5	103	104	104,5	105	105,5	106	106	107



ADRIATIC

8ADRIMCB

MUŠKA BLUZA ADRIATIC BELA, CHEF
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvaranje: dugmad u dva retka
Džepovi: 1 na rukavu
Opis: uspravni ovratnik, dugi rukav
Veličina: 48-60
Boja: bela
Originalno pakovanje: 1/20

ADRIATIC CHEF MEN WHITE BLOUSE
Material: *65% polyester, 35% cotton, 215 g/m²*
Fastening: *Two-line buttons*
Pockets: *1 on the sleeve*
Description: *upright collar, long sleeves*
Size: *48-60*
Color: *white*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

CE EN ISO 13688

ADRIATIC

8ADRIMCC

MUŠKA BLUZA ADRIATIC CRNA, CHEF
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvaranje: dugmad u dva retka
Džepovi: 1 na rukavu
Opis: uspravni ovratnik, dugi rukav
Veličina: 48-60
Boja: crna
Originalno pakovanje: 1/20

ADRIATIC CHEF MEN BLACK BLOUSE
Material: *65% polyester, 35% cotton, 215 g/m²*
Fastening: *Two-line buttons*
Pockets: *1 on the sleeve*
Description: *upright collar, long sleeves*
Size: *48-60*
Color: *black*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

CE EN ISO 13688



ADRIATIC

8ADRIMBB

MUŠKA BLUZA ADRIATIC BELA
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvaranje: skriveno sa kopčanjem na drukere
Džepovi: 1 na rukavu
Opis: uspravni ovratnik, dugi rukav
Veličina: 48-60
Boja: bela
Originalno pakovanje: 1/20

ADRIATIC MEN WHITE BLOUSE
Material: *65% polyester, 35% cotton, 215 g/m²*
Fastening: *pressbuttons*
Pockets: *1 on the sleeve*
Description: *upright collar, long sleeves*
Size: *48-60*
Color: *white*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

CE EN ISO 13688

ADRIATIC

8ADRIMBC

MUŠKA BLUZA ADRIATIC CRNA
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvaranje: skriveno sa kopčanjem na drukere
Džepovi: 1 na rukavu
Opis: uspravni ovratnik, dugi rukav
Veličina: 48-60
Boja: crna
Originalno pakovanje: 1/20

ADRIATIC MEN BLACK BLOUSE
Material: *65% polyester, 35% cotton, 215 g/m²*
Fastening: *pressbuttons*
Pockets: *1 on the sleeve*
Description: *upright collar, long sleeves*
Size: *48-60*
Color: *black*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

CE EN ISO 13688





ADRIATIC

8ADRIMHB

MUŠKE HLAČE ADRIATIC, BELE
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvarač: patentni zatvarač
Džepovi: 2 prednja džepa, 1 stražnji džep
Veličina: 48-60
Boja: bela
Originalno pakovanje: 1/20

ADRIATIC MEN WHITE PANTS
Material: *65% polyester, 35% cotton, 215 g/m²*
Closure: *zipper*
Pockets: *2 front pockets, 1 back pocket*
Size: *48-60*
Color: *white*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

CE EN ISO 13688

ADRIATIC

8ADRIMHC

MUŠKE PANTALONE ADRIATIC, PRUGASTE
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvarač: patentni zatvarač
Džepovi: 2 prednja džepa, 1 stražnji džep
Veličina: 48-60
Boja: crne i bele pruge
Originalno pakovanje: 1/20

ADRIATIC MEN STRIPED PANTS
Material: *65% polyester, 35% cotton, 215 g/m²*
Closure: *zipper*
Pockets: *2 front pockets, 1 back pocket*
Size: *48-60*
Color: *black and white strips*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

CE EN ISO 13688

ADRIATIC

8ADRIŽHB

ŽENSKE PANTALONE ADRIATIC, BELE
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvarač: patentni zatvarač
Džepovi: 2 prednja džepa, 1 stražnji džep
Veličina: 36-48
Boja: bela
Originalno pakovanje: 1/20

ADRIATIC WOMEN WHITE PANTS
Material: *65% polyester, 35% cotton, 215 g/m²*
Closure: *zippe*
Pockets: *2 front pockets, 1 back pocket*
Size: *36-48*
Color: *white*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

EN ISO 13688

ADRIATIC

8ADRIŽHC

ŽENSKE PANTALONE ADRIATIC, CRNE
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvarač: patentni zatvarač
Džepovi: 2 prednja džepa, 1 stražnji džep
Veličina: 36-48
Boja: crna
Originalno pakovanje: 1/20

ADRIATIC WOMEN BLACK PANTS
Material: *65% polyester, 35% cotton, 215 g/m²*
Closure: *zipper*
Pockets: *2 front pockets, 1 back pocket*
Size: *36-48*
Color: *black*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

POLY COTTON

EN ISO 13688



GASTRO

8GASTMHP

MUŠKE PANTALONE GASTRO PRO LINE
Zatvarač: patentni zatvarač
Džepovi: 2 prednja džepa
Veličina: 46-64
Boja: pepito uzorak
Originalno pakovanje: 1/20

MAN TROUSERS GASTRO PRO LINE
Material: *100% cotton*
Closure: *zipper*
Pockets: *2 front*
Sizes: *46-64*
Colors: *pepito pattern*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

CE EN ISO 13688

GASTRO

8GASTŽHP

ŽENSKE PANTALONE GASTRO PRO LINE
Zatvarač: patentni zatvarač
Džepovi: 2 prednja džepa
Veličina: 36-56
Boja: pepito uzorak
Originalno pakovanje: 1/20

WOMAN TROUSERS GASTRO PRO LINE
Material: *100% cotton*
Closure: *zipper*
Pockets: *2 front*
Sizes: *36-56*
Colors: *pepito pattern*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

CE EN ISO 13688

GASTRO

8GASTMHB **8GASTMHBCO**

MUŠKE PANTALONE GASTRO CLASSIC
Materijal: 8GASTMHB: 65% poliester, 35% pamuk
8GASTMHBCO: 100% pamuk
Zatvarač: patentni zatvarač
Džepovi: 2 prednja džepa
Veličina: 44-46
Boja: bela
Originalno pakovanje: 1/20

MAN GASTRO CLASSIC TROUSERS
Material: *8GASTMHB: 65% polyester, 35% cotton*
8GASTMHBCO: 100% cotton
Closure: *zipper*
Pockets: *2 front*
Sizes: *44-66*
Colors: *white*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

CE EN ISO 13688

GASTRO

8GASTŽHB

ŽENSKE PANTALONE GASTRO CLASSIC
Materijal: 8GASTŽHB: 65% poliester, 35% pamuk
8GASTŽHBCO: 100% pamuk
Zatvarač: patentni zatvarač
Džepovi: 2 prednja džepa
Veličina: 34-56
Boja: bela
Originalno pakovanje: 1/20

WOMAN GASTRO CLASSIC TROUSERS
Material: 8GASTŽHB: *65% polyester, 35% cotton*
8GASTŽHBCO: *100% cotton*
Closure: *zipper*
Pockets: *2 front*
Sizes: *34-56*
Colors: *white*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

EN ISO 13688

GASTRO

8GASTMKB

MUŠKI RADNI MANTIL GASTRO CLASSIC
Materijal: 8GASTMKB: 65% poliester, 35% pamuk
8GASTMKBCO: 100% pamuk
Zatvaranje: dugmad
Džepovi: 3
Opis: klasična kragna, dugi rukavi
Veličina: 46-64
Boja: bela
Originalno pakovanje: 1/20

MAN GASTRO CLASSIC COAT
Material: 8GASTMKB: *65% polyester, 35% cotton*
8GASTMKBCO: *100% cotton*
Closure*: buttons*
Pockets: *3 outside*
Description: *collar classic, long sleeve*



LACUNA

MADE IN EUROPE

REGULAR FITTING

EN ISO 13688

GASTRO

8GASTŽKB

ŽENSKI RADNI MANTIL GASTRO CLASSIC
Materijal: 8GASTŽKB: 65% poliester, 35% pamuk
8GASTŽKBCO: 100% pamuk
Zatvaranje: dugmad
Džepovi: 3
Opis: klasična kragna, dugi rukavi
Veličina: 36-54
Boja: bela
Originalno pakovanje: 1/20

MAN GASTRO CLASSIC COAT
Material: 8GASTMKB: *65% polyester, 35% cotton*
8GASTMKBCO: *100% cotton*
Closure: *buttons*
Pockets: *3 outside*
Description: *collar classic, long sleeve*
Sizes: *46-64*
Color: *white*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

EN ISO 13688

GASTRO

8GASTMBB

MUŠKA BLUZA GASTRO CLASSIC
Materijal: 8GASTMBB: 65% poliester, 35% pamuk
8GASTMBBCO: 100% pamuk
Zatvaranje: dvostruko, dugmad
Opis: uspravni ovratnik, dugi rukav
Veličina: 46-64
Boja: bela
Originalno pakovanje: 1/20

MAN GASTRO CLASSIC BLOUSE
Material: 8GASTMBB: *65% polyester, 35% cotton*
8GASTMBBCO: *100% cotton*
Closure: *double buttons*
Description: *collar up, long sleeve*
Sizes: *46-64*
Color: *white*
Original packaging: *1/20*



LACUNA

MADE IN EUROPE

REGULAR FITTING

EN ISO 13688



GASTRO

8GASTKGB

KAPA S MREŽICOM GASTRO
Materijal: 8GASTKGB: 65% poliester, 35% pamuk
8GASTKGBCO: 100% pamuk
Veličina: univerzalna
Boja: bela
Originalno pakovanje: 1/50

CAP GASTRO WITH NET, WHITE
Material: 8GASTKGB: *65% polyester, 35% cotton*
8GASTKGBCO: *100% cotton*
Size: *universal*
Color: *white*
Original packaging: *1/50*



LACUNA

MADE IN EUROPE

EN ISO 13688

GASTRO

8GASTMKB

KAPA GASTRO CLASSIC
Materijal: 8GASTMKB: 65% poliester, 35% pamuk
8GASTMKBCO: 100% pamuk
Boja: bela
Originalno pakovanje: 1/50

CAP GASTRO CLASSIC, WHITE
Material: 8GASTMKB: *65% polyester, 35% cotton*
8GASTMKBCO: *100% cotton*
Color: *white*
Original packaging: *1/50*



LACUNA

MADE IN EUROPE

EN ISO 13688

GASTRO

8GASTKKB

KUVARSKA KAPA GASTRO PRO LINE, VISOKA
Materijal: 8GASTKKB: 65% poliester, 35% pamuk
8GASTKKBCO: 100% pamuk
Veličina: univerzalna
Boja: bela
Originalno pakovanje: 1/50

COOKING CAP GASTRO PRO LINE, HIGH
Material: 8GASTKKB: *65% polyester, 35% cotton*
8GASTKKBCO: *100% cotton*
Size: *universal*
Color: *white*
Original packaging: *1/50*



LACUNA

MADE IN EUROPE

EN ISO 13688



GASTRO

8GASTPOB

KECELJA GASTRO SA OTVOROM ZA VRAT
Materijal: 8GASTPOB: 65% poliester, 35% pamuk
8GASTPOBCO: 100% pamuk
Veličina: univerzalna
Originalno pakovanje: 1/50

APRON GASTRO CLASSIC AROUND NECK, WHITE
Material: 8GASTPOB: *65% polyester, 35% cotton*
8GASTPOBCO: *100% cotton*
Size: *universal*
Original packaging: *1/50*



LACUNA

MADE IN EUROPE

CE EN ISO 13688

GASTRO

8GASTPKB

KECELJA KRATKA GASTRO CLASSIC
Materijal: 8GASTPKB: 65% poliester, 35% pamuk
8GASTPKBCO: 100% pamuk
Veličina: univerzalna
Originalno pakovanje: 1/50

APRON GASTRO CLASSIC SHORT, WHITE
Material: 8GASTPKB: *65% polyester, 35% cotton*
8GASTPKBCO: *100% cotton*
Size: *universal*
Original packaging: *1/50*



LACUNA

MADE IN EUROPE

CE EN ISO 13688

ODEĆA ZA SPECIJALNE VREMENSKE USLOVE

CLOTHING FOR SPECIAL WEATHER CONDITIONS

LACUNA coverguard

ODEĆA ZA SPECIJALNE VREMENSKE USLOVE

Asortiman odeće za specijalne vremenske uslove kao što su kiša, sneg, hladnoća i vetar, karakterizuju vodonepropusne tkanine i premazi, pa sneg ili kiša klize po površini tkanine; ne upijaju se u tkaninu pa odeća ostaje suva.

SPECIFIC WEATHER CONDITIONS CLOTHING

Our range of clothing for specific weather conditions such as rain, snow, cold and wind are made from fabrics with waterproof coating which is slick on the surface of material so nothing is absorbed into fabrics and clothes stay dry.



LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check at www.lacuna.hr*
Na www.lacuna.hr možete videti proširen izbor iz LACUNA ponude/*Full Lacuna range available at www.lacuna.hr*



KISHA - ODIELO NYLON-PVC
KISHA - PVC SUIT

5KISSG	5KISSY	5KISSB
zelena/*green*	žuta/*yellow*	plava/*blue*

Materijal: poliamid sa slojem PVC-a, vodonepropusan;
Debljina: 0,18 mm;
Šavovi: šiveni i lepljeni;
Boja: tamnoplava, zelena, žuta;
Originalno pakovanje: 1/10

JAKNA: zatvaranje zatvaračem, visoki ovratnik sa skrivenom, odjeljivom kapuljačom
PANTALONE: elastične u struku

Material: *poliamid with PVC layer, waterproof*
Thickness: *0.18 mm*
Seams: *sewn and glued;*
Color: *dark blue, green yellow*
Original packaging: *1/10*

JACKET: *zip closure, high collar with hidden removable hood*
PANTS: *elastic waist*



LACUNA

EN ISO 13688

VELIČINA/*SIZE*	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ZELENO/*GREEN*	5KISSGM	5KISSGL	5KISSGXL	5KISSGXXL	5KISSGXXXL
ŽUTO/*YELLOW*	5KISSYM	5KISSYL	5KISSYXL	5KISSYXXL	5KISSYXXXL
PLAVO/*BLUE*	5KISSBM	5KISSBL	5KISSBXL	5KISSBXXL	5KISSBXXXL

REGEN - ODIELO PU
REGEN - PU SUIT

5REGB
plava/*blue*

Materijal: 100% poliuretan,
Original pakovanje: 1/20
JAKNA
Kapuljača: elastično pričvršćena;
Zatvaranje: sa patent zatvaračem;
Džepovi: 2 džepa sa horizontalnim zatvaranjem;
Pričvršćivanje: elastično;
PANTALONE
Struk: elastično pričvršćen;
Nogavice: elastično pričvršćene

Material: *100% polyurethane*
Original packaging: *1/20*
JACKET
Hood: *adjustable with elastic band*
Closing: *with zipper*
Pockets: *2 pockets with horizontal closing*
Attachment: *elastic*
PANTS
Waist: *elastic waistband*
Legs: *adjustable with elastic band*



LACUNA

EN ISO 13688

VELIČINA/*SIZE*	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
ODIELO PU/*PU SUIT*	5REGBM	5REGBL	5REGBXL	5REGBXXL	5REGBXXXL

RAINY - ODIELO PVC
RAINY - OBLAČILA PVC

5RAISY žuta/*yellow*

5RAISG zelena/*green*

Materijal: dvostruki PVC premaz na pamuku, vodootporno
Dobljina: 0,32
Originalno pakovanje: 1/10
JAKNA
Kapuljača: elastično pričvršćena
Zatvaranje: sa patent zatvaračem
Džepovi: 2 džepa sa horizontalnim zatvaranjem
Pričvršćivanje: elastično
PANTALONE
Struk: elastično pričvršćen
Nogavice: elastično pričvršćene
Originalno pakovanje: 1/10

Material: *cotton with double PVC coating, waterproof*
Range: *0.32*
Original packaging: *1/10*
JACKET
Hood: *adjustable with elastic band*
Closing: *with zipper*
Pockets: *2 pockets with horizontal closing*
Attachment: *elastic*
PANTS
Waist: *elastic waistband*
Legs: *adjustable with elastic band*



LACUNA

EN ISO 13688

VELIČINA/*SIZE*	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ZELENO/*GREEN*	5RAISYM	5RAISYL	5RAISYXL	5RAISYXXL	5RAISYXXXL
ŽUTO/*YELLOW*	5RAISGM	5RAISGL	5RAISGXL	5RAISGXXL	5RAISGXXXL

RAINY - OGRTAČ PVC
RAINY - PVC COAT

5RAICY žuta/*yellow*

5RAICG zelena/*green*

Materijal: dvostruki PVC premaz na pamuku, vodootporno
Dobljina: 0,32
Duljina: 120 cm
Zatvaranje: sa patent zatvaračem
Kapuljača: elastično pričvršćena
Džepovi: 2 vanjska
Originalno pakovanje: 1/10

Material: *cotton with double PVC coating, waterproof*
Thickness: *0.32*
Length: *120 cm*
Closing: *with zipper*
Hood: *adjustable with elastic band*
Pockets: *2 external*
Original packaging: *1/10*



LACUNA

EN ISO 13688

VELIČINA/*SIZE*	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ZELENO/*GREEN*	5RAICYM	5RAICYL	5RAICYXL	5RAICYXXL	5RAICYXXXL
ŽUTO/*YELLOW*	5RAICGM	5RAICGL	5RAICGXL	5RAICGXXL	5RAICGXXXL

MIX & MATCH











KISHA - OGRTAČ NYLON-PVC
KISHA - COAT NYLON-PVC

5KISCB
plava/*blue*

Materijal: poliamid sa slojem pvc-a, vodonepropusan
Zatvaranje: patent zatvarač
Kapuljača: pripojena, s vrpcom za zatezanje
Rukavi: s unutarnje strane elastična zaštita od vjetra
Džepovi: 2 vanjska
Hlače: elastična gumica u struku, na nogama dole metalnim drukerima
Veličine: M-3XL
Originalno pakovanje: 1/20

Material: *polyamide with pvc layer, waterproof*
Closure: *zipper*
Hood: *attached, with string*
Sleeves: *elastic protection against wind on the inside*
Pockets: *2 external*
Pants: *elastic waistband, legs with metal pressbuttons*
Sizes: *M-3XL*
Original packaging: *1/20*



LACUNA

EN ISO 13688

VELIČINA/*SIZE*	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
OGRTAČ NYLON-PVC/*ONYLON-PVC COAT*	5KISCBM	5KISCBL	5KISCBXL	5KISCBXXL	5KISCBXXXL

RAINET

5RAC120

Materijal: 100% poliester
Reflektirajuće trake: dve vodoravne trake na središnjem delu i dve na rukavima
Zatvaranje: dugmad
zatvaračem prekrivenim blendom
Boja: tamno plava
Veličine: S - XXXL
Originalno pakovanje: 1/10

Material: *100% polyester*
Reflective tape: *two belts bands and two bands on sleeves*
Closure: *buttons*
Color: *navy blue*
Size: *S-XXXL*
Original packaging: *1/10*



coverguard

NOVO
NEW

EN17353:2020

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
PVC OGRTAČ/*PVC COAT*	5RAC12000S	5RAC12000M	5RAC12000L	5RAC1200XL	5RAC1202XL	5RAC1203XL

BEAVER

57630

Materijal: 60% pamuk, 40% poliestersko vlakno, vodoodbojan
Podstava: 100% poliestersko krzno
Zatvaranje: patent zatvarač sa preklopom na drukere
Kapuljača: uklonjiva, na drukere, s podstavljenim krznom
Pričvršćivanje: elastično
Veličina: S-XXXL
Boja: plava
Original pakovanje: 1/10

Material: *60% cotton, 40% polyester fibers, water repellent*
Lining: *100% polyester fur*
Closure: *zipper with flap and pressbutons*
Hood: *removable, with pressbuttons, lined with fur*
Fastening: *elastic fastening*
Size: *S-XXXL*
Color: *blue*
Original packaging: *1/10*





EN 342:2017

VELIČINA/*SIZE*	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
BEAVER PARKA	57629	57630	57631	57632	57633	57634

BEAVER

57650

Materijal: 60 % pamuk, 40 % poliestersko vlakno, vodoodbojan
Podstava: 100 % poliestersko vlakno
Zatvaranje: podesive naramenice, patent zatvarač
Nogavice: retroreflektivni pojas s prednje I stražnje strane
Veličina: S-XXXL
Boja: plava
Original pakovanje: 1/10

Material: *60% cotton, 40% polyester fibers, water repellent*
Lining: *100% polyester fiber*
Closure: *adjustable straps, zipper*
Legs: *reflective strips on the front and back*
Size: *S-XXXL*
Color: *blue*
Original packaging: *1/10*





EN 342:2017

VELIČINA/*SIZE*	40/42 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
FARMER PANTALONE/BIB & BRACE PANTS	57649	57650	57651	57652	57653	57654

BEAVER

57620

Materijal: 60% pamuk, 40% poliestersko vlakno,vodoodbojan
Podstava: 100 % poliestersko krzno
Zatvaranje: patent zatvarač
Kapuljača: s podstavljenim krznom
Nogavice: zatvarač s vanjske strane od stopala do list, retroreflektivni pojas s prednje i stražnje strane
Veličina: S-XXXL
Boja: plava
Original pakovanje: 1/5

Material: *60% cotton, 40% polyester fibers, and repulsive*
Lining: *100% polyester fur*
Closure: *zipper*
Hood: *with fur lining*
Legs: *zipper on the outside feet to shins reflective strip on the front and back*
Size: *S-XXXL*
Color: *blue*
Original packaging: *1/5*



EN 342:2017

VELIČINA/*SIZE*	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
BEAVER ODELO/BEAVER COVERALL	57619	57620	57621	57622	57623	57624

MULTISAFE ZAŠTITNA ODEĆA
MULTISAFE CLOTHING

LACUNA

MULTISAFE ZAŠTITNA ODEĆA

Kako bi zaštitila ljude u okruženju visokog rizika, Lacuna se specijalizovala u dizajnu i proizvodnji MULTISAFE radne zaštitne odeće. Naša multsafe odeća značajno smanjuje šanse za ozbiljne povrede u slučaju nezgode. Zaštitna odeća Lacuna MULTISAFE se deli na multinorm odeću i zaštitnu odeću kod rada sa motornom pilom.
Naši multisafe proizvodi ispunjavaju evropske standarde koji se odnose na otpornost na vatru i antistatičke karakteristike, zavarivanje, zaštitu od električnog luka i hemikalija: EN 14116, 11612, 1149-5, 11611 i 13034. Neki naši multi-norm proizvodi su takođe u skladu sa EN 20471 i obezbeđuju visoku vidljivost danju i noću.
Radna odeća MULTINORM je podeljena u nekoliko grupa, u zavisnosti od vrste i stepena rizika kojem su radnici izloženi:EXTREME, HIGH, REGULAR. Naša najnovija kolekcija CHAINSAW je u skladu sa najnovijom regulativom (EU) 2016/425 Evropskog parlamenta i Veća i usklađena je sa evropskim standardom EN 381, zaštitna odeća za korisnike motornih pila.

MULTISAFE CLOTHING

To protect people in high-risk environments, Lacuna specializes in the design and manufacture of protective clothing MULTISAFE. Our multisafe protective clothing reduce significantly the possibility of injuries in accidents. Protective Lacuna MULTISAFE clothing are catalogued as multi-purpose clothing and protective clothing when using a chainsaw.
Our products comply with European fire standards in resistance and antistatic properties, chemical protection, welding safety equipment and coating: EN 14116, 11612, 1149-5, 11611 and 13034. Some of our many standard products fit as well EN 20471 and provide high visibility, day and night.
MULTINORM workwear is divided into several groups, depending on the type and level of risk to which workers are exposed to: EXTREME, HIGH, REGULAR. Our last collection CHAINSAW complies with the latest Regulation (EU) 2016/425 of the European Parliament and of the Council and is in line with the European norm EN 381, protective clothing for motor saws.

LACUNA ne odgovara za eventualne štamparske greške u katalogu./*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check at www.lacuna.hr*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full Lacuna range available at www.lacuna.hr*



MULTISAFE ZAŠTITNA ODJEĆA

MULTISAFE PROTECTIVE WORKWEAR

Lacuna multinorm proizvodi su u skladu sa standardom **EN ISO 13688:2013** (zaštitna odeća - opšti zahtevi) kao i Evropskim standardima koji se odnose na zapaljive i antistatičke karakteristike, zavarivanje, zaštitu od električnog luka i hemikalija: EN 11612, EN 1149-5, EN 11611, EN 61482-1-2, EN 13034. Neki od naših proizvoda sa više standarda su takođe u skladu sa EN 20471, i nude dobru vidljivost, danju i noću.

Radna odeća **MULTINORM** je podeljena u nekoliko, grupa, u zavisnosti od vrste i stepena rizika kojem su radnici izloženi na: EXTREME, HIGH, REGULAR.

Postoje dva različita načina za proizvodnju vatrootpornih tkanina, a asortiman Lacuna Multinorm nudi odevne komade izrađene od obe vrste tkanina, hemijski obrađene tkanine i inherentne tkanine. Inherentna tkanina znači da je tkanina sama tkana od vatrootpornih vlakna, pa je zaštita od plamena već ugrađena u tkaninu. Ove karakteristike su doživotne i ne mogu se „oprati". Naša hemijski tretirana FR tkanina je tretirana PROBAN®-om, što pruža dobru zaštitu i još uvek omogućuje tkanini da zadrži svoju mekoću i prozračnost.

PROBAN® se ne može se ukloniti pranjem već se uklanja samo mehaničkim abrazijom ili pogrešnim pranjem. Bezbednost i visok nivo zaštite u kreiranju optimalne radne odeće je 100% fokus Lacune. Iz tog razloga preporučujemo da za taj odevni predmet pratite uputstva za negu i korišćenje.

Lacunina **CHAINSAW** kolekcija za rad sa motornom pilom je u skladu sa najnovijom Regulativom **(EU) 2016/425** Evropskog parla menta i Veća i sa evropskim usklađenim standardima.

Zbog visoke opasnosti od povređivanja, preporuka je da se u radu sa motornim pilama nosi isključivo zaštitna odeća; zato je Lacuna razvila **CHAINSAW** kolekciju koja je isključivo namenjena radnicima koji rade sa pogonskim motornim pilama. Osim bezbednosti koja je najvažnija, fokus ove kolekcije je na udobnosti, kvalitetu i dizajnu.

*Lacuna multinorm products are accordance with the standard **EN ISO 13688:2013** (protective clothing-general requirements) and European standards concerning flame retardant and antistatic properties, welding, protection against electric arc flashovers and chemicals: EN 11612, EN 1149-5, EN 11611, EN 61482-1-2, EN 13034. Some of our multi-norm products also comply with EN 20471 to offer a good visibility, day and night.*

***MULTINORM** work clothing is divided into several, groups, depending on the type and degree of risk the workers are exposed to: EXTREME, HIGH, REGULAR.*

There are two different methods for producing flame-retardant fabrics, and the Lacuna Multinorm range offers garments made in both kinds of fabric, chemical treated fabric and inherent fabric. Inherent fabric means that the fabric itself is woven from flameretardant fibres, so the flame protection is built into the fabric. These properties are life-long, and cannot be "washed out". Our chemically treated FR fabric is treated with PROBAN®, which provides good protection and still lets the fabric keeps its softness and breathability. There is a direct link between the fibre and PROBAN®, so the treatment cannot be removed over time.

***PROBAN®** It can not be removed by washing and can only be removed by mechanical abrasion or rendered ineffective through incorrect laundering . The safety and high level of protection are the 100% focus for Lacuna, to give you the optimal workwear.*

Therefore, we strongly recommend you only use the garment for its recommended life and you follow the care instructions.

*Lacuna **CHAINSAW** collection are in conformity with newest Regulatin **(EU) 2016/425** of the European Parliament and of the Council and with the European harmonised standards.*

*Safety practices generally recommend that chainsaw users wear protective clothing,while operating chainsaws which is extremly danger. Therefor Lacuna developed **CHAINSAW** collection which can workers use during working with chainsaw. Besides safety which is the most important for chainsaw collection, our goal it to offer the best products with focus on comfort, fit, quality and design.*

INDUSTRIJA UPOTREBE/*INDUSTRY APPLICATIONS*

Naftna industrija
Petroleum industry


Metalna industrija
Metal industry

Energetika
Energetic

Hemijska industrija
Chemical Industry

Tablica za određivanje veličine jakna/pantalona/*Size chart jacket/pants*

VELIČINA/*SIZE*	**S**		**M**		**L**		**XL**		**XXL**	
	44	**46**	**48**	**50**	**52**	**54**	**56**	**58**	**60**	**62**
A Visina/*Height* (cm)	170 - 174		174-178		178-182		182-186		186-190	
B Opseg grudi/*Chests*(cm)	90-94		98-102		106-110		114-118		122-129	
C Opseg struka/*Waist* (cm)	78-82		86-90		94-99		102-109		114-119	



STANDARDI

STANDARDI



EN ISO 11612:2015

Zaštitna odeća, sertifikovana u skladu sa standardom ISO 11612 štiti od kratkog dodira sa toplotom i plamenom. Standard je podeljen u različite kategorije, gde kodne oznake označavaju koje zahteve za zaštitu od toplote i gasa odevni predmet ispunjava. Svaka kategorija dodatno je podeljena u različite nivoe, u zavisnosti od nivoa zaštite.
(A1) Ograničeno širenje plamena
(A2) Ograničeno širenje plamena, opšiveni uzorci
(B) Konvektivna toplota, stepeni 1-3 gde je 3 najbolji
(B) Radijacijska toplota, stepeni 1-4 gde je 4 najbolji
(D)Prskanje livenog aluminijuma, stepeni 1-3 gde je 3 najbolji
(E)Prskanje livenog gvožđa, stepeni 1-3 gde je 3 najbolji
(F)Kontaktna toplina, stepeni 1-3 gde je 3 najbolji

Protective clothing certified to ISO 11612 protects against brief contact with heat and flame. The standard is divided into diferent categories, where the code letters indicate which heat and flame requirements the garment ful ls. Each category is subdivided into di erent levels, depending on how good the protection is.
(A1) Limitedflame spread
(A2) Limited flame spread, hemmed specimens
(B) Convective heat, scale 1-3 where 3 is the best
(C) Radiant heat, scale 1-4, where 4 is best
(D) Molten aluminium splash, scale 1-3 where 3 is the best
(E) Molten iron splash, scale 1-3 where 3 is the best
(F) Contact Heat, scale 1-3 where 3 is the best



EN ISO 11611:2015

Zaštitna odeća, sertifikovana u skladu sa standardom ISO 11611 pruža zaštitu od prskanja (male kapljice livenog metala) i kratkog kontakta sa plamenom. Klasa 1 - štiti protiv manje opasnih zavarivačkih tehnika i situacija, koje uzrokuju niže nivoe prskanja i radijacijske toplote. Klasa 2 - štiti protiv manje rizičnijih zavarivačkih tehnika i situacija, koje uzrokuju više nivoe prskanja i radijacijske toplote.
(A1) Ograničeno širenje plamena
(A2) Ograničeno širenje plamena, opšiveni uzorci

Protective clothing certified to EN 11611 provides protection against spatter (small splashes of molten metal) and brief contact with flame.
Class 1 - Protects against less hazardous welding techniques and situations, causing lower spatter and radiant heat
Class 2 - Protects against riskier welding techniques and situations, which causes higher levels of spatter and radiant heat
(A1) Limited flame spread
(A2) Limited flame spread, hemmed Specimens



EN 1149-5:2008

Zaštitna odeća, sertifikovana u skladu sa standardom EN 1149 , . pruža zaštitu protiv elektrostatičkog elektriciteta i ogra- ničava mogući rizik od zapaljenja. Odevni predmet je potrebno koristiti kao deo uzemljenja električnog sistema kako bi se sprečilo nastajanje iskri.

Protective clothing certified to EN 1149-5 provides protection against electrostatic build up and limits the potential risk of ignition. The garment should be used as a part of an earthed electrical system to prevent sparks.



IEC 61482-1-2:2014; EN 61482-1-2:2014

Zaštitna odeća, sertifikovana u skladu sa standardom EN 61482- 1-2, pruža zaštitu od toplotnog efekta električnog luka. Ovaj standard pokazuje da li odevni predmet štiti od toplotnog efekta električnog luka i deli se u klase. Klasa 1 - Zaštita od toplotnog efekta električnog luka 4kA. Klasa 2 - Zaštita od toplotnog efekta električnog luka 7kA. Odevni predmet se testira pri naponu električnog luka od otprilike 400 V sa dužinom luka od 500 ms.

Protective clothing certified to EN61482-1-2 provides protection against the thermal hazards of an electric arc. The standard tells if the garment protects against electric arc and it is divided into classes.
Class 1 - Protection against electric arc 4kA
Class 2 - Protection against electric arc 7kA
The garment is tested at an arc voltage of up to approximately 400 V with an arc duration of 500 ms.



EN 13034:2005+A1:2009 (TYPE 6)

Zaštitna odeća, sertifikovana u skladu sa standardom EN 13034 pruža zaštitu od tečnih hemikalija i namenjena je za upotrebu ako su rizici procenjeni kao niski i nije potrebna potpuna nepropusnost za tečnosti, tj. kad ljudi koji nose odeću mogu na vreme preduzeti odgovarajuće radnje ako njihova odeća postane kontaminirana. Niski rizici mogu biti potencijalna izloženost malim količinama raspr šene telnosti ili slučajno prskanje, u malom obimu.

Protective clothing to EN 13034 provides protection against liquid chemicals and is intended for use if the risks are assessed as low and a full liquid permeation barrier is not necessary, i.e. when wearers are able to take timely adequate action if their clothing becomes contaminated. Low risks could be a potential exposure to small quantities of spray or accidental, low volume, splashes.



EN ISO 20471:2013

Zaštitna odeća, sertifikovana u skladu sa standardom ISO 471, pruža visoku vidljivost u opasnim situacijama tokom celog dana. Zahtevi su postavljeni za osvetljenost i refleksiju. Odevni predmet je sertifikovan s obzirom na površinu vidljivog površinskog materijala.

Protective clothing certified to EN 471 provides high visibility in dangerous situations during all hours of the day. Requirements are set for luminance and reflection. The garment is certified relative to the area of visible surface material.



EN 381

Evropski standard EN 381, u skladu sa zahtevima za zaštitnom odećom za radnike koji rukuju motornim pilama. Standard je podeljen u dva dela a svaki je vezan uz zaštitu određenog dela tela.
EN 381-5 - Zahtevi za zaštitnike nogu EN 381-11 - Zahtevi za gornji deo tela

The European standard EN 381 complies with protective clothing for chainsaw users.This norm is divided into different parts (or designs).
Each part treats a specific part of the body
EN 381-5 — Requirements for leg protectors
EN 381-11 — Requirements for upper part of the body

EREBUS

HIGH MULTINORM
WORKING RISK ENVIROMENTS

Proizvedeno od **TenCate Tecasafe® Plus** tkanine. Zaštitna odjeća proizvedena od tkanine s najboljim rezultatima na testu. Šivano negorivim koncem te označeno negorivim reflektirajućim trakama.

Sastav: 79% pamuk, 20% poliester, 1% statička vlakna
Težina: 350 g/m²

*Developed with **TenCate Tecapro® fabric.** Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.*

***Composition:** 79% cotton, 20% polyester, 1% static fiber*
***Weight:** 350 g/m²*

Standardna boja/*Standard color*

River
Navy

Pranje u domaćinstvu/*Household laundry*

60 P

Industrijsko pranje/*Industrial Wash*

75°

EREBUS

MN/ERB

ZAŠTITNA RADNA JAKNA
Jakna klasičnoga kroja sa ruskom kragnom. Prekriveno zatvaranje na drukere. Prsni džepovi sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije u zapešću. U području ramena i na završecima rukava reflektirajuća traka.

PROTECTIVE WORK JACKET
Classic blouse with a Russian collar. Flap pockets with pressbuttons. Folding pockets on chest. Front lower pockets, closing with a flap. Possibility of wrist adjustment. Reflective strips on shoulders and sleeves.

LACUNA

MADE IN EUROPE

REGULAR FITTING





EN 11612 EN 11611 EN 1149

EN 61482 EN 13034

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 13688

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/ERBRS	MN/ERBRM	MN/ERBRL	MN/ERBRXL	MN/ERBRXXL
NAVY	MN/ERBNS	MN/ERBNM	MN/ERBNL	MN/ERBNXL	MN/ERBNXXL

EREBUS

MN/ERP

ZAŠTITNE FARMER PANTALONE
Zatvaranje- jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE WORK BIB&BRACE PANTS
Closing one-way zipper, button on the belt on the waist. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



LACUNA

MADE IN EUROPE

REGULAR FITTING



EN 11612 EN 11611 EN 1149

EN 61482 EN 13034

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 13688

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/ERPRS	MN/ERPRM	MN/ERPRL	MN/ERPRXL	MN/ERPRXXL
NAVY	MN/ERPNS	MN/ERPNM	MN/ERPNL	MN/ERPNXL	MN/ERPNXXL

EREBUS

MN/ERT

ZAŠTITNE KLASIČNE PANTALONE
Zatvaranje jednosmjerni zatvarač, gumb u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na koljenima. Straga džep s preklopom. Džep za alat.

PROTECTIVE WORK PANTS
Closing one-way zipper, button on the belt. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



LACUNA

MADE IN EUROPE

REGULAR FITTING



EN 11612 EN 11611 EN 1149

EN 61482 EN 13034

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 13688

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/ERTRS	MN/ERTRM	MN/ERTRL	MN/ERTRXL	MN/ERTRXXL
NAVY	MN/ERTNS	MN/ERTNM	MN/ERTNL	MN/ERTNXL	MN/ERTNXXL

MERU

HIGH MULTINORM
WORKING RISK ENVIROMENTS

Proizvedeno od TenCate Tecasafe® Plus tkanine. Zaštitna odjeća proizvedena od tkanine s najboljim rezultatima na testu. Šivano negorivim koncem te označeno negorivim reflektirajućim trakama.

Sastav: 79% pamuk, 20% poliester, 1% statik
Težina: 260 g/m^2

Developed with TenCate Tecapro® fabric. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition: *79% cotton, 20% polyester, 1% static fiber*
Weight: *260 g/m^2*

Standardna boja/*Standard color*

Navy
Papaya

Pranje u domaćinstvu/*Household laundry*

Industrijsko pranje/*Industrial Wash*

75°

MERU

MN/MEB

ZAŠTITNA RADNA JAKNA
Jakna klasičnoga kroja sa ruskom kragnom. Prekriveno zatvaranje na drukere. Prsni džepovi sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije u ručnom zglobu. U području ramena i na završecima rukava reflektujuća traka.

PROTECTIVE WORK JACKET
Classic blouse with a Russian collar. Overlapping closure with pressbuttons. Chest flap pockets. Front sewn in flap lower pockets. Possibility of regulation at wrists. Shoulders and sleeves with reflectice strips.

LACUNA

MADE IN EUROPE

REGULAR FITTING





EN 11612 EN 11611 EN 1149

EN 61482 EN 13034

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 13688

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/MEBNS	MN/MEBNM	MN/MEBNL	MN/MEBNXL	MN/MEBNXXL
PAPAYA	MN/MEBPS	MN/MEBPM	MN/MEBPL	MN/MEBPXL	MN/MEBPXXL

MERU

MN/MEP

ZAŠTITNE FARMER PANTALONE
Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep s preklopom. Džep za alat.

PROTECTIVE WORK BIB&BRACE PANTS
Closing one-way zipper, button on the waist. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on knees. Back flap pocket. Tool pocket.



LACUNA

MADE IN EUROPE

REGULAR FITTING



EN 11612 EN 11611 EN 1149

EN 61482 EN 13034

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 13688

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/MEPNS	MN/MEPNM	MN/MEPNL	MN/MEPNXL	MN/MEPNXXL
PAPAYA	MN/MEPPS	MN/MEPPM	MN/MEPPL	MN/MEPPXL	MN/MEPPXXL

MERU

MN/MET

ZAŠTITNE KLASIČNE PANTALONE
Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Iza džep sa preklopom. Džep za alat.

PROTECTIVE WORK PANTS
Closing one-way zipper, button on the waist. Double stitches. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



LACUNA

MADE IN EUROPE

REGULAR FITTING



EN 11612 EN 11611 EN 1149

EN 61482 EN 13034

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 13688

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
NAVY	MN/METNS	MN/METNM	MN/METNL	MN/METNXL	MN/METNXXL
PAPAYA	MN/METPS	MN/METPM	MN/METPL	MN/METPXL	MN/METPXXL



MERU 2

HIGH MULTINORM
WORKING RISK ENVIROMENTS

Proizvedeno od **TenCate Tecasafe® Plus** tkanine. Zaštitna odeća proizvedena od tkanine sa najboljim rezultatima na testu. Šiveno negorivim koncem i označeno negorivim reflektujućim trakama.

Sastav: 79% pamuk, 20% poliester, 1% statička vlakna
Težina: 260 g/m²

*Developed with T**enCate Tecapro® fabric.** Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.*

***Composition:** 79% cotton, 20% polyester, 1% static fiber*
***Weight:** 260 g/m²*

Standardna boja/*Standard color*

HV žuta/*HV yellow*

Pranje u domaćinstvu/*Household laundry*

Industrijsko pranje/ *Industrial Wash*

75°

MERU 2

MN/ME2BY

ZAŠTITNA RADNA JAKNA
Jakna klasičnog kroja sa ruskom kragnom. Prekriveno zatvaranje na drukere. Prsni džepovi sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju preklopom. Mogućnost regulacije na ručnom zglobu. U području ramena i na završecima rukava reflektujuća traka.

PROTECTIVE WORK JACKET
Classic cut blouse with Russian collar. Covered closure with pressbuttons. Chest flap pockets. Sewn front lower pockets closed with a flap. Possibility of regulation in wrist. In the shoulder area and at the ends of the sleeves are reflective tapes.

LACUNA

MADE IN EUROPE

REGULAR FITTING







EN 11612 EN 11611 EN 1149

EN 61482 EN 13034 EN 20471

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 20471

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
HV YELLOW	MN/ME2BYS	MN/ME2BYM	MN/ME2BYL	MN/ME2BYXL	MN/ME2BYXXL

MERU 2

MN/ME2PY

ZAŠTITNE FARMER PANTALONE
Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE WORK BIB&BRACE PANTS
Closing one-way zipper, button on the belt on the waist. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on knees. Back flap pocket. Tool pocket.



LACUNA

MADE IN EUROPE

REGULAR FITTING



EN 11612 EN 11611 EN 1149

EN 61482 EN 13034 EN 20471

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 20471

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
HV YELLOW	MN/ME2PYS	MN/ME2PYM	MN/ME2PYL	MN/ME2PYXL	MN/ME2PYXXL

MERU 2

MN/ME2TY

ZAŠTITNE KLASIČNE PANTALONE
Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE CLASSIC PANTS
Closing one-way zipper, button at the waist. Double seams. Flap plastron pocket. Obliquely sewn pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



LACUNA

MADE IN EUROPE

REGULAR FITTING



EN 11612 EN 11611 EN 1149

EN 61482 EN 13034 EN 20471

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 20471

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
HV YELLOW	MN/ME2TYS	MN/ME2TYM	MN/ME2TYL	MN/ME2TYXL	MN/ME2TYXXL





ETNA

HIGH MULTINORM
WORKING RISK ENVIROMENTS

Proizvedeno od **TenCate Tecasafe® Plus** tkanine. Zaštitna odeća proizvedena od tkanine sa najboljim rezultatima na testu. Šiveno negorivim koncem i označeno negorivim reflektujućim trakama.

Sastav: 99% pamuk, 1% statička vlakna
Težina: 335 g/m²

*Developed with **TenCate Tecapro® fabric.** Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.*

***Composition:** 99% cotton, 1% static fiber*
***Weight:** 335 g/m²*

Standardna boja/*Standard color*

Kobalt blue
Ink blue

Pranje u domaćinstvu/*Household laundry*

Industrijsko pranje/*Industrial Wash*

75°

ETNA

MN/ETB

ZAŠTITNA RADNA JAKNA
Bluza klasičnoga kroja sa ruskom kragnom. Prekriveno zatvaranje na drukere. Prsni džepovi sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije u ručnom zglobu. U području ramena i na završecima rukava reflektujuća traka.

PROTECTIVE WORK JACKET
Classic cut jacket with Russian collar. Closing with pressbuttons Chest flap pockets. Front sewn in flap lower pockets. Possibility of regulation in the wrist. In the shoulder area and at the ends of the sleeves reflective tape.

LACUNA

MADE IN EUROPE

REGULAR FITTING





EN 11612 EN 11611 EN 1149

TENCATE protectivefabrics

TENCATE Tecapro®

CE EN ISO 13688

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
KOBALT BLUE	MN/ETBKBS	MN/ETBKBM	MN/ETBKBL	MN/ETBKBXL	MN/ETBKBXXL
INK BLUE	MN/ETBIBS	MN/ETBIBM	MN/ETBIBL	MN/ETBIBXL	MN/ETBIBXXL

ETNA

MN/ETP

ZAŠČITNE FARMER PANTALONE
Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE WORK BIB&BRACE PANTS
Closing one-way zipper, button on the belt. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



LACUNA

MADE IN EUROPE

REGULAR FITTING



EN 11612 EN 11611 EN 1149

TENCATE protectivefabrics

TENCATE Tecapro®

EN ISO 13688

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
KOBALT BLUE	MN/ETPKBS	MN/ETPKBM	MN/ETPKBL	MN/ETPKBXL	MN/ETPKBXXL
INK BLUE	MN/ETPIBS	MN/ETPIBM	MN/ETPIBL	MN/ETPIBXL	MN/ETPIBXXL

ETNA

MN/ETT

ZAŠTITNE KLASIČNE PANTALONE
Zatvaranje - jednosmerni zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep sa preklopom. Džep za alat.

PROTECTIVE WORK PANTS
Closing one-way zipper, button on the belt. Double stitching. Flap plastron pocket. Oblique pockets. Reinforcement on the knees. Back flap pocket. Tool pocket.



LACUNA

MADE IN EUROPE

REGULAR FITTING



EN 11612 EN 11611 EN 1149

TENCATE protectivefabrics

TENCATE Tecapro®

EN ISO 13688

VELIČINA/*SIZE*	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
KOBALT BLUE	MN/ETTKBS	MN/ETTKBM	MN/ETTKBL	MN/ETTKBXL	MN/ETTKBXXL
INK BLUE	MN/ETTIBS	MN/ETTIBM	MN/ETTIBL	MN/ETTIBXL	MN/ETTIBXXL



ODEĆA VISOKE VIDLJIVOSTI
REFLECTIVE WORKWEAR

LACUNA coverguard

ODEĆA VISOKE VIDLJIVOSTI

Odeća visoke vidljivosti ima za cilj vizuelnu signalizaciju na prisutnost korisnika koji istu nosi, kako danju tako i noću. Reflektujući materijali i fluorescentne boje od kojih je izrađena odeća visoke vidljivosti omogućuju identifikaciju učesnika u saobraćaju u uslovima otežane vidljivosti. HI-VIZ radna odeća je obavezna za radnike koji rade na održavanju puteva i autoputeva, saobraćajne policajce, radnike na aerodromima, radnike u pomorskom saobraćaju, radnike na železničkim i autobuskim stanicama.

REFLECTIVE WORKWEAR

The purpose of high visibility clothing is to make the presence of the person wearing it highly noticeable, day and night. Reflective materials and fluorescent paints, designed for high visibility clothing, allow the users to be visible even in poor visibility conditions. HI-VIS work clothes are mandatory for employees on road and highway maintenance, traffic police officers, employees at airports, in maritime trafic and bus stations.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check at www.lacuna.hr*
Na www.lacuna.hr možete videti proširen izbor iz LACUNA ponude/*Full Lacuna range available at www.lacuna.hr*



HI-VIZ

High visibility


NAŠ IZBOR MATERIJALA *OUR CHOICE OF MATERIALS*



Pleteno poliestersko vlakno
Knitted polyester fiber



Vodootporno poliestersko vlakno Oxford sa premazom neprozirnog PU
Oxford waterproof polyester fibers with opaque PU coating



Neprozirni poliuretan
Opaque polyurethane



Breathane®
prozirni poliuretan
Breathane® Breathable polyurethane

VISOKO VIDLJIVI MATERIJALI
Signalizirajuća odeća je izrađena je od reflektujućih materijala koji dozvoljavaju reflektiranje svetlosti na optimalan način. Osnovni materijal je izrađen u fluoroscentnim bojama kako bi odeća bila što vidljivija. Fluoroscentne boje deluju dublje od ostalih standardnih boja i čine čoveka koji ih nosi vidljivijim danju. Retroreflektivni materijal deluje kao reflektor šaljući svetlo koje izvire kod slabog izvora nazad tom izvoru, čineći pri tome objekt lagano vidljivim, čak i u slučaju slabog svetla.
Kombinovani materijal istovremeno predstavlja karakteristike fluoroscentnog i retroreflektujućeg materijala (nije ponuđen u našoj kolekciji).

HIGH-VISIBLE MATERIALS
Signal clothing is made of reflective materials that allow light to be reflected in an optimal way. The base material is made o fluorescent colors, and clothes are as visible as possible. Fluorescent colors work deeper than other, standard colors and should make the person wearing them more visible during the day.
The reflective material acts as a reflector that emits light from a weak source back to the source, while the object is slightly visible even in low light.
The combined material simultaneously represents the properties of fluorescent and reflective material (not available in our collection).

EN ISO 20471:2013 Evropski standard za Hi-Viz
European standard for HI-VIZ

Odeća visoke vidljivosti namenjena je vizuelnoj signalizaciji prisutnosti čoveka, kako danju tako i noću.

High visibility clothing is intended to visually signals the presence of persons during the day and at night.

HI-VIZ

High visibility

MODELI I STEPENI VIDLJIVOSTI

Odeća visoke vidljivosti je podeljena u tri klase. Svaka klasa zahteva minimalno osnovnog materijala, kao i retroreflektujućeg materijala ili kombinaciju jednog i drugog prema donjoj tabeli.

KLASA 3 sadrži najveći nivo vidljivosti, a tu spadaju jakne sa dugim rukavima, parke, kabanice i odela.

KLASA 2 sadrži srednji nivo vidljivosti koju možemo videti na prslucima ili jaknama bez retroreflektujućih traka na rukavima.

KLASA 1 sadrži najmanji stepen vidljivosti npr. na pantalonama bez jakne, majicama ili manjim proizvodima (rukavicama ili kapama).

PATTERNS AND LEVELS OF VISIBILITY


Reflective clothing is divided into three classes. Each class requires at least a basic material as well as reflective materials or a combination of both following the table below.

Class 3 contains the highest level of visibility, and this includes jackets with long sleeves, parkas, raincoats and suits.

Class 2 contains the midle level of visibility that can be found on jackets or blazers without reflective straps on the sleeves.

Class 1 contains the lowest level of visibility and can be seen at pants without jackets, T-shirts or small items (gloves or hats).

	ODJEĆA/*CLOTHES* **CLASS 3**	ODJEĆA/*CLOTHES* **CLASS 2**	ODJEĆA/*CLOTHES* **CLASS 1**
OSNOVNI MATERIJAL *BASIC MATERIAL*	0,80 m²	0,50 m²	0,14 m²
RETROREFLEKTIRAJUĆI MATERIJAL *RETROREFLECTIVE MATERIAL*	0,20 m²	0,13 m²	0,10 m²
KOMBINIRANI MATERIJAL *COMBINED MATERIAL*			0,20 m²



Označavanje /*Označevanje*

ljivosti je označena oznakom koju prikazuje piktogram, a koji pokazuje i stepen kvaliteta.
Broj X pored piktograma ukazuje na klasu površine pozadine materijala prema gornjoj tabeli.

High visibility signaling clothing is marked with a sign which is shown by a pictogram that also shows the degree of quality. The number X next to the pictogram indicates the surface area class of the material according to the table above.

STANDARD HRN EN ISO 20471:2013
STANDARD EN ISO 20471:2013

Načini ispitivanja i zahtevi za signalizirajuću odeću visoke vidljivosti koju koriste profesionalci. Sertifikovana ovim standardima, odeća vizualno ukazuje na prisutnost korisnika, kako bi ga druga lica primetila u opasnim situacijama.
Zahtevi za performanse obuhvataju boju, retrorefleksije, minimalnu površinu i materijal za pozicioniranje. Postoje 3 klase signalizirajuće odeće, definisane na osnovu korišćene površine za «propratne materijale» (fluorescentni materijal u boji) i «retroreflektujući materijal» u manjem obimu.

Test methods and requirements for high visibility signaling clothing used by professionals.
Clothes certified by these standards visually indicate the presence of the user, in order for them to be noticeable in dangerous situations.
Requirements include color, retro reflections, minimal surface area and material for positioning. There are 3 classes of clothing signaling defined on the basis of the surface used for "accompanying materials" (colored fluorescent material) and "retro reflective material" to a lesser extent.

NORMA
HRN EN ISO 20471:2013

STANDARD
EN ISO 20471:2013

Novi standard **EN20471** pruža nove dokaze koji će dodatno povećati bezbednost korisnika. Među promenama, sledeće nam se čini najznačajnije: Odeća koja pokriva samo torzo (prsluci, prsluk) mora imati najmanje retroreflektujuću horizontalnu traku oko torza, uz dopunu drugog horizontalnog pojasa oko torza ili dve trake koje povezuje horizontalnu traku od napred prema nazad kroz ramena. Odeća koja pokriva telo i ruke (prsluci, jakne, majice,) mora imati najmanje retroreflektujuću horizontalnu traku oko torza, uz nadopunu drugog horizontalnog pojasa oko torza ili dve trake, horizontalne, napred-nazad preko ramena. Ako rukav ne dozvoljava razlikovanje trake torza, rukav treba biti opšiven trakom.
Ako rukav ne dozvoljava razlikovanje trake torza, rukav treba biti opšiven sa dve trake. Ako se radi o dugim rukavima, oni moraju biti opšiveni sa dve trake.
Odeća koja pokriva noge (pantalone) mora imati dve trake oko svake noge.
Odeća Klase 3 mora:
- Pokriti torzo
- Mora imati ili duge rukave ili nogavice, ili oboje, sa trakama.

Test na postojanost boje na trenje i znoj materijala odeće visoke vidljivosti i kontrast potreban je za sertifikaciju.
Test na puštanje boje kod pranja/ pranja u hemijskoj čistionici /pranje i peglanje materijala odeće visoke vidljivosti i kontrast, potreban je za sertifikaciju.
Test otpornosti na vodene pare je potreban za sertifikaciju.

Definisan je novi logo:
Logo:



Prethodni logo:



Postoji više referenci kvaliteta retroreflektujućih traka na etiketi proizvoda, ali samo u klasi proizvoda:

PRIJE:



POSLE:



Konačno, novi standard u Dodatku A širi informacije koje se odnose na rizik i identifikuje odgovarajuću klasu odeće:

Brzina vozila	Tip korisnika	Nivo rizika	Klasa odjeće
> 60km/h	Pasivan	Visok	3 prema EN ISO 20471
≤ 60km/h	Pasivan	Visok	2 prema EN ISO 20471
≤ 30km/h	Pasivan	Visok	1 prema EN ISO 20471
≤ 60km/h	Aktivan	Umjeren	—
≤ 15km/h	Pasivan	Umjeren	—

Pasivan korisnik: osoba na cesti koja ne sudjeluje u kontroli prometa.
PRIMJER: radnik na cesti, osoba u hitnoj situaciji.

Aktivan korisnik: osoba koja se kreće po cesti i usredotočena je na promet.
PRIMJER: biciklist, pješak

The new EN20471 standard offers new evidence that will continue to increase user safety. Among the changes, we consider the following to be the most important: Clothing that covers only the torso (jackets, vests) must have at least reflective horizontal lines around the torso, with the addition of another horizontal strap around the torso or two straps connected by a horizontal band front to back through the shoulders.
Clothing covering the body and arms (vests, jackets, T-shirts,) must have at least a reflective horizontal strip around the torso complemented with the second horizontal strip around the torso or two strips horizontally back and forth along the shoulders. If the sleeve does not allow the torso to be distinguished, the sleeve must be surrounded by a strap. If the sleeve does not allow the torso to be distinguished, the sleeve should be surrounded by two straps. When it comes to long term sleevemust be have two bands.
Clothes covering the legs (pants) should have two straps on legs.
Clothing class 3 must:

- Cover upper body
- It must have long sleeves or legs or both with straps. Visibility and contrast are required to test the resistance of colors for the clothing material for certification.
Testing on dyes for washing / dry cleaning / washing and ironing clothing material requires high visibility and contrast for certification. A water vapor resistance test is required for certification.

A new logo has been set:
Logo:



Previous logo:



There are several references to the quality of tape reflections on the product label, but only in the product class:

BEFORE:



AFTER:



Finally, the new standard in Appendix A disseminates risk-related information and identifies the appropriate class of clothing:

Vehicles speed	*Type of user*	*Risk level*	*Clothes class*
> 60km/h	*Passive*	*High*	*3 according EN ISO 20471*
≤ 60km/h	*Passive*	*High*	*3 according EN ISO 20471*
≤ 30km/h	*Passive*	*High*	*3 according EN ISO 20471*
≤ 60km/h	*Active*	*Moderate*	*—*
≤ 15km/h	*Passive*	*Moderate*	*—*

Passive user: a person on the road who does not participate in the control of the traffic.
EXAMPLE: road worker, person in emergency.

Active user: a person walking on the road and is focused on traffic.
EXAMPLE: cyclist, pedestrian.


PRONAĐITE SVOJU VELIČINU
FIND YOUR SIZE


Odredite veličinu/*Determine size*
A, B ili C/*A, B or C*
Meere u cm/*Measures in cm*

A **PRSA/*CHEST***


B **STRUK/*WAIST***

C **BOKOVI/*HIPS***







Za jakne, parke, prsluke i veste/*For jackets, parkas, vests and sweaters*
A or B



Za pantalone, kratke pantalone i farmer pantalone/*For pants, shorts and jeans*
B or C



Za kombinezon/*For overalls*
A, B or C



MUŠKARCI/*MEN*

VELIČINA/*SIZE*	**36**	**38**	**40**	**42**	**44**	**46**	**48**	**50**	**52**	**54**	**56**	**58**	**60**	**62**	**64**	**66**
A prsa/*chest*	81	88	89	96	97	104	105	112	113	120	121	128	129	136	137	144
B struk/*waist*	69	76	77	84	85	92	93	100	101	108	109	116	117	124	125	132
C bokovi/*hips*	85	92	93	100	101	108	109	116	117	124	125	132	133	140	141	148
Slovne o./*Letter code*	**XS**		**S**		**M**		**L**		**XL**		**XXL**		**XXXL**		**XXXXL**	
Brojčane o./*Number codes*	**0**		**1**		**2**		**3**		**4**		**5**		**6**		**7**	

HI-VIZ

MODELI I STEPENI VIDLJIVOSTI

OZNAČAVANJE
Dajući kakarterističnost standardnoj odeći, istu prilagođavamo potrebama lica koje je nosi, kao i kompanije ili kupaca; međutim, istovremeno pojačavamo vlastiti imidž i osećaj pripadnosti kompaniji. Svi modeli koje ćete naći u ovom katalogu su posebno označeni.
Pažnja pri odabiru klase: preporučljivo je ponovno ispitati odeću visoke vidljivosti nakon što je jednom označena.

TEHNIKE OZNAČAVANJA:

VEZ
Vezenje nudi najčvršću i najprestižniju personalizaciju. Danas se to radi pomoću kompjutera i zbog toga je potrebno napraviti kompjuterski program vezenja.
Moderne mašine dozvoljavaju vezenje sa do 12 različitih boja na istom logu. Rezultat je odličan. Može biti korišten (ko,LOGO?) na bilo kojem tekstilnom materijalu, ali mora imati otvor na podstavi, kako bi dao bolji rezultat. Svakako oprezno sa vodootpornom odećom.

ŠTAMPA
Direktno štampanje jednom ili više boja. Mastilo prolazi kroz ekran sa predmetom poput strugala. Na tamnim podlogama je potrebno prvo primeniti belu boju (koja zahteva komplementarnu boju). Mastilo za štampanje takođe mora biti posebno, tamnije za lakše obeležavanje ili fotografski sjajno kako bi bilo vidljivo u mraku. To je najstarija i najkorišćenija tehnika obeležavanja. Za manje serije, ta tehnika se više ne radi; istu je zamenilo vezenje, koje je, zahvaljujući kompjuterima, postalo vrlo efikasno. Može biti primenjeno na velikom broju tekstilnog materijala.

INDIREKTNO DIGITALNO ŠTAMPANJE NA TEKSTIL.
Logo, iako u nekoliko boja, štampan je na posebnoj podlozi ili postupkom reprografije (laser). Postavlja se na proizvod vrućim pritiskom. Taj postupak se najčešće koristi na svetlijoj jednobojnoj podlozi (bela ili bež). Mnoge opcije su moguće, sve dok je podloga otporna na temperaturu (oko 160°C u 15 sekundi u zavisnosti od podloge). Idealan proces za male serije ili kada kompleks 4 boje ne dozvoljava direktnu aplikaciju na podlogu.
Napomena: Uvek treba utvrditi mogućnost označavanja svakog modela i napraviti test-označavanje pre štampanja serije.



PATTERNS AND LEVELS OF VISIBILITY

LABELLING
With the personalsation of the standard clothing, we adapt it to the needs of the person wearing it, the company or customers and at the same time we strengthen our own image and sense of belonging to the company. All models you will find in this catalog are specially labelled. Carefull in choosing the mark: it is recommended to re-examine the clothes once high visibility is labelled.

LABELLING TECHNIQUES:

EMBROIDERY
Embroidery offers the strongest and most prestigious personalization.
Today, it is done using a computer, so it must be done with computer embroidery program. Modern machines allow you to embroider up to 12 different colors
on the same logo. The result is excellent. It can be used on any textile, but there must have an opening in the lininig to get a better result. Be careful with waterproof clothing.

PRINT
Direct printing with one or more colors. The ink passes through the screen with an object like a scraper. On dark surfaces it is necessary to first apply white (which requires a complementary color). The printing ink must also be special, darker for brighter markings or photo-gloss to be visible in the dark. This is the oldest and most commonly used labeling technique. For smaller batches that technique was abandoned and was replaced by embroidery, which thanks to computers have become very efficient. It can be used for a large number of textile materials.

INDIRECT DIGITAL PRINTING ON TEXTILES.
The logo, although in several colors, is printed on a special base or by the process of reprography (laser). It is placed on a product by hot pressure. This procedure is most often used on a lighter onecolor background (white or beige). Many options are possible if the material is temperature resistant (approximately 160°C in 15 seconds, depending on the material). Ideal procedure for small batches or when the complex of 4 colors does not allow direct application to the material.
Note: Always specify the labels of each model and do a test labelling before batch printing.



ANTILA

7ANTIY **7ANTIO**

SIGNALNA FLIS JAKNA ANTILA
Materijal: 100% poliester
Reflektujuće trake: ušivene – 2 oko tela + 2 na rukavima
Rukavi: fiksni sa elastičnim manžetnama
Kragna: visoka
Posebne karakteristike: mekan i topao flis materijal sa visokom vidljivošću, elastičnim manžetnama, podesivim donjim rubom i funkcionalnim rasporedom džepova za dodatnu udobnost i praktičnost.

ANTILA HIGH VISIBILITY FLEECE JACKET
Material: *100% polyester*
Reflective tapes: *sewn-on – 2 around the body + 2 on the sleeves*
Sleeves: *fixed with elastic cuffs*
Collar: *high collar*
Special features: *soft and warm high-visibility fleece material with elastic cuffs, adjustable bottom hem, and a functional pocket layout for added comfort and practicality.*

LACUNA

NOVO *NEW*



3
EN ISO 20471
Jakna/*Jacket*

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
ŽUTA/*YELLOW*	7ANTIYS	7ANTIYM	7ANTIYL	7ANTIYXL	7ANTIYXXL	7ANTIYXXXL
NARANČASTA/*ORANGE*	7ANTIOS	7ANTIOM	7ANTIOL	7ANTIOXL	7ANTIOXXL	7ANTIOXXXL



PEGASI

7PEGAY **7PEGAO**

SIGNALNA SOFTSHELL JAKNA PEGASI
Materijal: troslojni softshell – 100% poliester + TPU membrana + mikroflis
Reflektujuće trake: segmentirane reflektujuće trake
Rukavi: fiksni
Zatvaranje: centralni rajsferšlus
Džepovi: 2 donja sa rajsferšlusom + 1 grudni džep sa rajsferšlusom + 2 velika unutrašnja donja džepa
Kragna: visoka
Posebne karakteristike: kontrastni delovi na ramenima i donjem delu, mekan i elastičan materijal koji pruža zaštitu od blažih vremenskih uslova, mogućnost kombinovanja sa drugim odevnim komadima.

PEGASI HIGH-VISIBILITY SOFTSHELL JACKET
Material: *3-layer softshell – 100% polyester + TPU membrane + microfleece*
Reflective tapes: *segmented reflective strips*
Sleeves: *fixed*
Closure: *central zipper*
Pockets: *2 lower zip pockets + 1 chest zip pocket + 2 large inner lower pockets*
Collar: *high collar*
Special features: *contrasting panels on the shoulders and lower section, soft and elastic material providing protection against light weather conditions, compatible with layering with other garments.*



LACUNA

NOVO *NEW*

3
EN ISO 20471
Jakna/*Jacket*

VELIČINA/*SIZE*	**S**	**M**	**L**	**XL**	**XXL**	**XXXL**
ŽUTA/*YELLOW*	7PEGAYS	7PEGAYM	7PEGAYL	7PEGAYXL	7PEGAYXXL	7PEGAYXXXL
NARANČASTA/*ORANGE*	7PEGAOS	7PEGAOM	7PEGAOL	7PEGAOXL	7PEGAOXXL	7PEGAOXXL

PERSEI

7PERSY **7PERSO**

SIGNALIZIRAJUĆI SOFTSHELL PRSLUK PERSEI
Materijal: 3-slojni softshell – 100% poliester + TPU membrana + mikroflis
Reflektujuće trake: segmentirane reflektujuće trake
Zatvaranje: centralni rajsferšlus
Džepovi: 2 donja džepa sa rajsferšlusom + 1 grudni džep sa rajsferšlusom + 2 velika unutrašnja donja džepa
Kragna: visoka
Posebne karakteristike: kontrastni delovi na ramenima i donjem delu, mekan i elastičan materijal koji pruža zaštitu od blažih vremenskih uslova, mogućnost kombinovanja sa drugim odevnim predmetima.

PERSEI HIGH-VISIBILITY SOFTSHELL VEST
Material: *3-layer softshell – 100% polyester + TPU membrane + microfleece*
Reflective tapes: *segmented reflective tapes*
Closure: *central zipper*
Pockets: *2 lower zip pockets + 1 chest zip pocket + 2 large inner lower pockets*
Collar: *high collar*
Special features: *contrast panels on the shoulders and lower part, soft and flexible material providing protection against mild weather conditions, can be combined with other garments.*



LACUNA

NOVO *NEW*

CE 2
EN ISO 20471

VELIČINA/*SIZE*	**S**	**M**	**L**	**XL**	**XXL**	**XXXL**
ŽUTA/*YELLOW*	7PERSYS	7PERSYM	7PERSYL	7PERSYXL	7PERSYXXL	7PERSYXXXL
NARANČASTA/*ORANGE*	7PERSOS	7PERSOM	7PERSOL	7PERSOXL	7PERSOXXL	7PERSOXXXL

CETUS

7CETUY | 7CETUO

2 u 1, SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA CETUS
Materijal: PU premazani poliester 300D Oxford
Postava: 100% poliester
Reflektujuće trake: segmentirane reflektujuće trake
Rukavi: odvojivi
Kragna: visoka
Posebne karakteristike: fiksna kapuljača integrisana u kragnu, rajsferšlus do vrha kragne
Veličine: S–XXXL

2-in-1 HI-VIS SAFETY JACKET CETUS
Material: *PU coated 300D Oxford polyester*
Lining: *100% polyester*
Reflective tapes: *segmented reflective tapes*
Sleeves: *detachable*
Collar: *high collar*
Special features: *fixed hood integrated into the collar, zipper extending to the top of the collar*
Sizes: *S–XXXL*



LACUNA

NOVO NEW

3 EN ISO 20471 Jakna/*Jacket*

2 EN ISO 20471 Prsluk/*Vest*

EN 343 3 1

EN14058:2017 0.363 m²K/W 1x.3.x

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
ŽUTA/*YELLOW*	7CETUYS	7CETUYM	7CETUYL	7CETUYXL	7CETUYXXL	7CETUYXXXL
NARANČASTA/*ORANGE*	7CETUOS	7CETUOM	7CETUOL	7CETUOXL	7CETUOXXL	7CETUOXXXL

ATRIA

7ATRIY | 7ATRIO

SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ PARKA ATRIA
Materijal: PU obloženi poliester 300D Oxford
Postava: 100% poliester
Reflektujuće trake: segmentirane reflektujuće trake
Rukavi: fiksni
Ovratnik: visok
Posebne karakteristike: kapuljača fiksna, integrisana u ovratnik, rajsferšlus do kraja ovratnika
Veličine: S–XXXL
Originalno pakovanje: 1/10

ATRIA HI-VIS PROTECTIVE PARKA
Material: *PU-coated 300D Oxford polyester*
Lining: *100% polyester*
Reflective strips: *segmented reflective strips*
Sleeves: *fixed*
Collar: *high collar*
Special features: *fixed hood integrated into the coll zipper up to the top of the collar*
Sizes: *S–XXXL*
Original packaging: *1/10*



LACUNA

NOVO NEW

3 EN ISO 20471

EN 343 3 1

EN 342:2017 0.363 m²K/W 1x.3.x

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
ŽUTA/*YELLOW*	7ATRIYS	7ATRIYM	7ATRIYL	7ATRIYXL	7ATRIYXXL	7ATRIYXXXL
NARANČASTA/*ORANGE*	7ATRIOS	7ATRIOM	7ATRIOL	7ATRIOXL	7ATRIOXXL	7ATRIOXXXL

TAURUS

7TAURY **7TAURO**

4 u 1, SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ PARKA TAURUS
Materijal: PU obloženi poliester 300D Oxford
Postava: 100% poliester
Reflektujuće trake: segmentirane reflektujuće trake
Rukavi: odvojivi na unutrašnjoj jakni
Ovratnik: visok
Posebne karakteristike: unutrašnja jakna sa uklonjivim rukavima i prslukom, kapuljača fiksna integrisana u ovratnik, rajsferšlus do kraja ovratnika
Veličine: S–XXXL

4-in-1 HI-VIS PROTECTIVE PARKA TAURUS
Material: *PU-coated 300D Oxford polyester*
Lining: *100% polyester*
Reflective strips: *segmented reflective strips*
Sleeves: *detachable on the inner jacket*
Collar: *high collar*
Special features: *inner jacket with removable sleeves and vest, fixed hood integrated into the collar, zipper up to the top of the collar*
Sizes: *S–XXXL*



LACUNA

NOVO *NEW*

CE 3 EN ISO 20471 Parka 4u1/*Parka 4v1* Parka/*Parka*

2 EN ISO 20471 Prsluk/*Vest*

EN 343 3 1

EN 342:2017 0.363 m²K/W 1x.3.x

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
ŽUTA/*YELLOW*	7TAURYS	7TAURYM	7TAURYL	7TAURYXL	7TAURYXXL	7TAURYXXXL
NARANČASTA/*ORANGE*	7TAUROS	7TAUROM	7TAUROL	7TAUROXL	7TAUROXXL	7TAUROXXXL



KANATA

7KANY **7KANO**









4U1 SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ PARKA KANATA

Materijal: PU obložen poliester 300D Oxford
Podstava: 100% poliester
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača
Veličine: S - XXXXL
Originalno pakovanje: 1/10

UNUTARNJA JAKNA

Materijal: PU obložen poliester 300D Oxford
Podstava: flis 100% poliester
Reflektirajuće trake: dve vodoravne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: na skidanje
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem, vareni šavovi



4IN1 SIGNAL PROTECTIVE HI-VIZ PARKA KANATA

Material: *PU coated polyester 300D Oxford*
Lining: *100% polyester*
Reflective strips: *two horizontal strips, two vertical*
Sleeves: *attached*
Collar: *high*
Special features: *shutter closure, welded seams, fixed hidden hood*
Sizes: *S-XXXXL*
Original packaging: *1/10*

INNER JACKET
Material: *PU coated polyester 300D Oxford*
Lining: *fleece 100% polyester*
Reflective strips: *two horizontal strips, two vertical over the shoulder and two on each sleeve*
Sleeves: *removable*
Collar: *high*
Special features: *zipper closure, welded seams*

4u1

coverguard



CE



EN ISO 20471
Parka 4u1/*Parka 4in1*
Parka/*Parka*



EN ISO 20471
Telovnik/*Vest*

EN 343



EN 342:2017



0.363 m²K/W
1x.3.x

VELIČINA/*SIZE*	**40/42 S**	**44/46 M**	**48/50 L**	**52/54 XL**	**56/58 XXL**	**60/62 XXXL**	**64/66 4XL**
ŽUTO/PLAVO *YELLOW/BLUE*	7KANYS	7KANYM	7KANYL	7KANYXL	7KANYXXL	7KANYXXXL	7KANY4XL
NARANDŽASTO/PLAVO *ORANGE/BLUE*	7KANOS	7KANOM	7KANOL	7KANOXL	7KANOXXL	7KANOXXXL	7KANO4XL

KETA

7KETY **7KETO**



SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA KETA

Materijal: PU obložen poliester 300D Oxford
Podstava: 100% poliester
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača
Veličine: S - XXXXL
Originalno pakovanje: 1/10

SIGNAL PROTECTIVE HI-VIZ JACKET KETA

Material: *PU coated polyester 300D Oxford*
Lining: *100% polyester*
Reflective strips: *two horizontal strips, two vertical over the shoulder and two on each sleeve*
Sleeves: *attached*
Collar: *high*
Special features: *shutter closure, welded seams, fixed hidden hood*
Sizes: *S - XXXXL*
Original packaging: *1/10*

coverguard

CE 3 EN ISO 20471

EN 343 3 1

EN 342:2017 0.352m² K/W x.3.x

VELIČINA/*SIZE*	**40/42 S**	**44/46 M**	**48/50 L**	**52/54 XL**	**56/58 XXL**	**60/62 XXXL**	**64/66 4XL**
ŽUTO/PLAVO *YELLOW/BLUE*	7KETYS	7KETYM	7KETYL	7KETYXL	7KETYXXL	7KETYXXXL	7KETY4XL
NARANDŽASTO/PLAVO *ORANGE/BLUE*	7KETOS	7KETOM	7KETOL	7KETOXL	7KETOXXL	7KETOXXXL	7KETO4XL

ROADWAY

7ROAY **7ROAO**



SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA ROADWAY
Materijal: PU obložen poliester 300D Oxford
Podstava: 100% poliester
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača
Veličine: S - XXL
Originalno pakovanje: 1/10

SIGNAL PROTECTIVE HI-VIZ JACKET ROADWAY
Material: *PU coated polyester 300D Oxford*
Lining: *100% polyester*
Reflective strips: *two horizontal strips, two vertical over the shoulder and two on each sleeve*
Sleeves: *attached*
Collar: *high*
Special features: *shutter closure, welded seams, fixed hidden hood*
Sizes: *S - XXL*
Original packaging: *1/10*

coverguard

CE 2 EN ISO 20471
Veličina S/*Size S*

3 EN ISO 20471
Veličina M/*Size M*

EN 342
0.4m² K/W
x.2.x

VELIČINA/*SIZE*	44/46 M	48/50 L	52/54 XL	56/58 XXL
ŽUTO/PLAVO *YELLOW/BLUE*	7ROAYM	7ROAYL	7ROAYXL	7ROAYXXL
NARANDŽASTO/PLAVO *ORANGE/BLUE*	7ROAOM	7ROAOL	7ROAOXL	7ROAOXXL

HI WAY EXTRA

7HWXY **7HWXO**







2U1 SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA EXTRA HI-WAY
Materijal: PU obložen poliester 300D Oxford
Podstava: 100% poliester
Reflektirajuće trake: dve horizontalne trake, dve okomite na ramenima i po dve na svakom rukavu
Rukavi: na skidanje
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem, vareni šavovi, sakrivena kapuljača
Veličine: S - XXXXL
Originalno pakovanje: 1/10

2U1 SIGNAL PROTECTIVE HI-VIZ JACKET EXTRA HI-WAY
Material: *PU coated polyester 300D Oxford*
Lining: *100% polyester*
Reflective strips: *two horizontal strips, two vertical over the shoulder and two on each sleeve*
Sleeves: *removable*
Collar: *high*
Special features: *shutter closure, welded seams, fixed hidden hood*
Sizes: *S-XXXXL*
Original packaging*: 1/10*

coverguard

CE EN 343 3 1 Jakna/*Jacket*

2 EN ISO 20471 Jakna/*Jacket*

2u1

EN 14058 0.352m² K/W 1.3.xxx Jakna/*Jacket*

VELIČINA/*SIZE*	**40/42 S**	**44/46 M**	**48/50 L**	**52/54 XL**	**56/58 XXL**	**60/62 XXXL**
ŽUTO/PLAVO *YELLOW/BLUE*	7HWXYS	7HWXYM	7HWXYL	7HWXYXL	7HWXYXXL	7HWXYXXXL
NARANDŽASTO/PLAVO *ORANGE/BLUE*	7HWXOS	7HWXOM	7HWXOL	7HWXOXL	7HWXOXXL	7HWXOXXXL

SPEKTAR 2

7SPEK2JY **7SPEK2JO**

SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA SPEKTAR II
Materijal: 60% poliestersko vlakno, 36% pamuk, 4% elastan, 250 g/m²
Reflektivne trake: dvije vodoravne trake na donjem dijelu prednjice i po dvije na svakom rukavu
Rukavi: fiksni
Ovratnik: visok
Posebne karakteristike: zatvaranje na rajsferšlus
Veličine: S–XXXL
Originalno pakovanje: 1/10

SIGNAL HIGH-VIS JACKET SPEKTAR II
Material: *60% polyester fibre, 36% cotton, 4% elastane, 250 g/m²*
Reflective strips: *two horizontal strips on the lower front part and two on each sleeve*
Sleeves: *fixed*
Collar: *high*
Special features: *zipper closure*
Sizes: *S–XXXL*
Original packaging: *1/10*



LACUNA

NOVO *NEW*

REGULAR FITTING

CE 2 EN ISO 20471

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
ŽUTA/*YELLOW*	7SPEK2JYS	7SPEK2JYM	7SPEK2JYL	7SPEK2JYXL	7SPEK2JYXXL	7SPEK2JYXXXL
NARANČASTA/*ORANGE*	7SPEK2JOS	7SPEK2JOM	7SPEK2JOL	7SPEK2JOXL	7SPEK2JOXXL	7SPEK2JOXXXL

SPEKTAR 2

7SPEK2PY **7SPEK2PO**

SIGNALIZIRAJUĆE ZAŠTITNE HI-VIZ PANTALONE SPEKTAR
Materijal: 60% poliestersko vlakno, 36% pamuk, 4% elastan, 250 g/m²
Reflektivne trake: dvije vodoravne trake na svakoj nogavici
Posebne karakteristike: zatvaranje rajsferšlusom prekrivenim preklopom (blendom)
Veličine: S–XXXL
Originalno pakovanje: 1/10

SIGNAL HIGH-VIS PROTECTIVE TROUSERS SPEKTAR
Material: *60% polyester fibre, 36% cotton, 4% elastane, 250 g/m²*
Reflective strips: *two horizontal strips on each leg*
Special features: *zipper closure covered with a flap*
Sizes: *S–XXXL*
Original packaging: *1/10*



LACUNA

NOVO *NEW*

REGULAR FITTING

CE 2 EN ISO 20471

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
ŽUTA/*YELLOW*	7SPEK2PYS	7SPEK2PYM	7SPEK2PYL	7SPEK2PYXL	7SPEK2PYXXL	7SPEK2PYXXXL
NARANČASTA/*ORANGE*	7SPEK2POS	7SPEK2POM	7SPEK2POL	7SPEK2POXL	7SPEK2POXXL	7SPEK2POXXXL

SPEKTAR HI VIZ

7SPEKJY

SIGNALIZIRAJUĆA ZAŠTITNA HI-VIZ JAKNA SPEKTAR Materijal: 65% poliester, 35% pamuk, 245 g/m²
Reflektirajuće trake: dve horizontalne trake na donem delu prednjice i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem
Veličine: S - XXXL
Originalno pakovanje: 1/10

SPEKTAR SIGNAL PROTECTIVE HI-VIZ JACKET
Material: *65% polyester, 35% cotton, 245 g/m²*
Reflective lines: *two horizontal lines at the lower front and two on each sleeve*
Sleeves: *attached*
Collar: *high*
Special features: *zipper closing*
Sizes: *S-XXXL*
Original packaging: *1/10*





LACUNA

MADE IN EUROPE

REGULAR FITTING

TENCATE protectivefabrics

TENCATE Tecapro®

POLY COTTON

CE 2

EN ISO 20471

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
RADNA JAKNA/*WORK JACKET*	7SPEKJYS	7SPEKJYM	7SPEKJYL	7SPEKJYXL	7SPEKJYXXL	7SPEKJYXXXL

SPEKTAR HI VIZ

7SPEKPY

SIGNALIZIRAJUĆE ZAŠTITNE HI-VIZ PANTALONE SPEKTAR
Materijal: 65% poliester, 35% pamuk, 245 g/m²
Reflektirajuće trake: dve horizontalne trake na svakoj nogavici
Posebne karakteristike: zatvaranje patent zatvaračem prekrivenim blendom
Veličine: S - XXXL
Originalno pakovanje: 1/10

SPEKTAR SIGNAL PROTECTIVE HI-VIZ PANTS
Material: *65% polyester, 35% cotton, 245 g/m²*
Reflective strips: *two horizontal lines on each leg*
Special features: *zipper closure*
Sizes: *S-XXXL*
Original packaging: *1/10*



LACUNA

MADE IN EUROPE

REGULAR FITTING

TENCATE protectivefabrics

TENCATE Tecapro®

POLY COTTON

CE 2

EN ISO 20471

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
PANTALONE/PANTS	7SPEKPYS	7SPEKPYM	7SPEKPYL	7SPEKPYXL	7SPEKPYXXL	7SPEKPYXXXL

SPEKTAR HI VIZ

7SPEKBY

SIGNALIZIRAJUĆE ZAŠTITNE FARMER HI-VIZ PANTALONE SPEKTAR
Materijal: 65% poliester, 35% pamuk, 245 g/m²
Reflektirajuće trake: dve horizontalne trake na svakoj nogavici
Posebne karakteristike: zatvaranje patent zatvaračem prekrivenim blendom
Veličine: S - XXXL
Originalno pakovanje: 1/10

SPEKTAR SIGNAL PROTECTIVE HI-VIZ BIB&BRACE PANTS
Material: *65% polyester, 35% cotton, 245 g/m²*
Reflective strips: *two horizontal lines on each leg*
Special features: *zipper closure*
Sizes: *S-XXXL*
Original packaging: *1/10*



LACUNA

MADE IN EUROPE

REGULAR FITTING

TENCATE protectivefabrics

TENCATE Tecapro®

POLY COTTON

CE

2

EN ISO 20471

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
FARMER PANTALONE/*BIB & BRACE PANTS*	7SPEKBYS	7SPEKBYM	7SPEKBYL	7SPEKBYXL	7SPEKBYXXL	7SPEKBYXXXL



HYDRA

7HYDY **7HYDO**



SIGNALIZIRAJUĆE HI-VIZ KIŠNO ODELO HYDRA

JAKNA
Materijal: PU obložen poliester 300D Oxford
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača
Veličine: S - XXXXL
Originalno pakovanje: 1/10

HLAČE
Vanjski Materijal: PU obložen poliester 300D Oxford
Reflektirajuće trake: dve vodoravne trake na svakoj nogavici
Posebne karakteristike: zatvaranje na patent zatvarač prekriven blendom, guma u struku

SIGNAL RAIN SUIT HYDRA

JACKET
Material: *PU coated polyester 300D Oxford*
Reflective strips: *two horizontal strips, two vertical over the shoulder and two on each sleeve*
Sleeves: *attached*
Collar: *high*
Special features: *shutter closure, welded seam fixed hidden hood*
Sizes: *S-XXXXL*
Original packaging: *1/10*

PANTS
Material: *PU coated polyester 300D Oxford*
Reflective strips: *two horizontal lines on each legs*
Special features: *zipper covered with opening, elastic at the waist*

EN 343 3 1
Set/*Set*

3
EN ISO 20471
Jakna/*Jacket*

1
EN ISO 20471
Hlače/*Pants*

VELIČINA/*SIZE*	**40/42 S**	**44/46 M**	**48/50 L**	**52/54 XL**	**56/58 XXL**	**60/62 XXXL**
ŽUTO/PLAVO *YELLOW/BLUE*	7HYDYS	7HYDYM	7HYDYL	7HYDYXL	7HYDYXXL	7HYDYXXXL
NARANDŽASTO/PLAVO *ORANGE/BLUE*	7HYDOS	7HYDOM	7HYDOL	7HYDOXL	7HYDOXXL	7HYDOXXXL

HI WAY

7HWRY



SIGNALIZIRAJUĆE HI-VIZ KIŠNO ODELO HI-WAY

JAKNA
Materijal: PU obložen poliester 150D Oxford
Reflektirajuće trake: dve horizontalne trake, dve okomite preko ramena i po dve na svakom rukavu
Rukavi: fiksni
Ovratnik: visoki
Posebne karakteristike: zatvaranje zatvaračem koji je prekriven blendom, vareni šavovi, fiksna sakrivena kapuljača
Veličine: S - XXXL
Originalno pakovanje: 1/10

HLAČE:
Vanjski Materijal: PU obložen poliester 300D Oxford
Reflektirajuće trake: dve vodoravne trake na svakoj nogavici
Posebne karakteristike: zatvaranje na patent zatvarač prekriven blendom, guma u struku

SIGNAL HI-WIZ RAIN CLOTHES HI-WAY

JACKET
Material: *PU coated polyester 150D Oxford*
Reflective strips: *two horizontal strips, two vertical over the shoulder and two on each sleeve*
Sleeves: *attached*
Collar: *high*
Special features: *closing withzipper, welded seams, fixed hidden hood*
Sizes: *S-XXXL*
Original packaging: *1/10*

PANTS
Material: *PU coated polyester 300D Oxford*
Reflective strips: *two horizontal lines on each leg*
Special features: *zipper covered with opening, elastic at the waist*

coverguard

EN 343 3 1
Set/*Set*

3
EN ISO 20471
Jakna/*Jacket*

1
EN ISO 20471
Hlače/*Pants*

VELIČINA/*SIZE*	**40/42 S**	**44/46 M**	**48/50 L**	**52/54 XL**	**56/58 XXL**	**60/62 XXXL**
ŽUTO/PLAVO *YELLOW/BLUE*	7HWRYS	7HWRYM	7HWRYL	7HWRYXL	7HWRYXXL	7HWRYXXXL

HI WAY

70500

SIGNALIZIRAJUĆI ZAŠTITNI HI-VIZ PRSLUK ŽUTI

Vanjski materijal: PU obložen poliester 300D Oxford
Podstava: flis 100% poliester
Reflektirajuće trake: dve horizontalne trake i dve okomite preko ramena
Ovratnik: visok ovratnik
Posebne karakteristike: prsluk se može nositi na dve strane, zatvaranje zatvaračen do ovratnika
Veličine: M - XXXL
Originalno pakovanje: 1/10
SIGNAL PROTECTIVE VEST YELLOW

Material: *PU coated polyester 300D Oxford*
Lining: *fleece 100% polyester*
Reflective strips: *two horizontal and two vertical over the shoulders*
Collar: *High collar*
Special features*: the vest can be worn on two sides, the zipper closing up to the collar*
Sizes: *M-XXXL*
Original packaging: *1/10*



coverguard

CE 2
EN ISO 20471

VELIČINA/*VELIKOST*	**44/46 M**	**48/50 L**	**52/54 XL**	**56/58 XXL**	**60/62 XXXL**
ŽUTI/*RUMENI*	70500	70501	70502	70503	70504

ŠILT KAPA

57307

Ne štiti od padajućih predmeta!
Materijal: 65% poliestersko vlakno, 35% pamuk

Zaštitni šilt: ABS
Vanjski jastuci: EVA
Unutarnji jastuci: polietilen
Metalne zračnice
Original pakovanje: 1/60

Does not protect against falling objects!
Material: *65% polyester fiber, 35% cotton*

Protective shield: *ABS*
Outer cushions: *EVA*
Inner cushions: *polyethylene*
Metal tubes
Original packaging: *1/60*

coverguard



CE EN 812

KOMO

7KOMY | 7KOMO

MAJICA VISOKE VIDLJIVOSTI KOMO
Materijal: pique pletivo – 55% pamuk, 45% poliester, 150 g/m^2
Dodatak: retroreflektivne trake, 2 okomite i jedna horizontalna
Kragna: V-izrez
Veličine: S–XXXL

HIGH-VISIBILITY T-SHIRT KOMO
Material: *pique knit – 55% cotton, 45% polyester, 150 g/m^2*
Additional features: *retroreflective strips, 2 vertical and 1 horizontal*
Neckline: *V-neck*
Sizes: *S–XXXL*



NOVO *NEW*

EN ISO 20471:2013 + A1:2016
CLASS 2

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
ŽUTA/*YELLOW*	7KOMYS	7KOMYM	7KOMYL	7KOMYXL	7KOMYXXL	7KOMYXXXL
NARANČASTA/*ORANGE*	7KOMOS	7KOMOM	7KOMOL	7KOMOXL	7KOMOXXL	7KOMOXXXL

YARD

7YAVY | 7YAVO

MAJICA VISOKE VIDLJIVOSTI YARD
Materijal: 100% poliester, 140 g/m^2
Dodatak: retroreflektivne trake, 2 okomite i 2 horizontalne
Kragna: V-izrez
Veličine: S–XXXL

HIGH-VISIBILITY T-SHIRT YARD
Material: *100% polyester, 140 g/m^2*
Additional features: *retroreflective strips, 2 vertical and 2 horizontal*
Neckline: *V-neck*
Sizes: *S–XXXL*



EN ISO 20471:2013 + A1:2016
CLASS 2

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
ŽUTA/*YELLOW*	7YAVYS	7YAVYM	7YAVYL	7YAVYXL	7YAVYXXL	7YAVYXXXL
NARANČASTA/*ORANGE*	7YAVOS	7YAVOM	7YAVOL	7YAVOXL	7YAVOXXL	7YAVOXXXL

SUNO

7SUNY	7SUNO

MAJICA VISOKE VIDLJIVOSTI SUNO
Materijal: pique pletivo – 100% poliester, 140 g/m², UPF40+
Dodatak: retroreflektivne trake, 2 okomite, 1 horizontalna + 2 trake na rukavima
Kragna: V-izrez
Veličine: S–XXXL

HIGH-VISIBILITY T-SHIRT SUNO
Material: *pique knit – 100% polyester, 140 g/m², UPF40+*
Additional features: *retroreflective strips, 2 vertical, 1 horizontal + 2 strips on sleeves*
Neckline: *V-neck*
Sizes: *S–XXXL*



NOVO *NEW*

EN ISO 20471:2013 + A1:2016

CLASS 2 (S)nCLASS 3 (M+)

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
ŽUTA/*YELLOW*	7SUNYS	7SUNYM	7SUNYL	7SUNYXL	7SUNYXXL	7SUNYXXXL
NARANČASTA/*ORANGE*	7SUNOS	7SUNOM	7SUNOL	7SUNOXL	7SUNOXXL	7SUNOXXXL

SOMO

5SOM16R	5SOM17R

MAJICA VISOKE VIDLJIVOSTI SUMO
Materijal: bird-eye pletivo – 50% pamuk, 50% reciklirani poliester GRS, 150 g/m², UPF40+
Dodatak: retroreflektivne trake, 2 okomite, 1 horizontalna + 2 trake na rukavima
Kragna: V-izrez
Veličine: S–4XL

HIGH-VISIBILITY T-SHIRT SUMO
Material: *bird-eye knit – 50% cotton, 50% recycled polyester GRS, 150 g/m², UPF40+*
Additional features: *retroreflective strips, 2 vertical, 1 horizontal + 2 strips on sleeves*
Neckline: *V-neck*
Sizes: *S–4XL*



NOVO *NEW*

EN ISO 20471:2013 + A1:2016

CLASS 2 (S)nCLASS 3 (M+)

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL	4XL
ŽUTA/*YELLOW*	5SOM16R00S	5SOM16R00M	5SOM16R00L	5SOM16R0XL	5SOM16R2XL	5SOM16R3XL	5SOM16R4XL
NARANČASTA/*ORANGE*	5SOM17R00S	5SOM17R00M	5SOM17R00L	5SOM17R0XL	5SOM17R2XL	5SOM17R3XL	5SOM17R4XL

LEONIS

7LEONYU | 7LEONOU

MESH PRSLUK – CIJELA POVRŠINA OD MESH TKANINE
Materijal: fluorescentni poliester – mrežasta tkanina, 120 g/m²
Reflektivne trake: dvije ušivene vodoravne reflektivne trake
Veličine: ONE SIZE
Originalno pakovanje: 1/50

MESH VEST – ENTIRE SURFACE MADE OF MESH FABRIC
Material: *fluorescent polyester – mesh fabric, 120 g/m²*
Reflective strips: *two sewn-on horizontal reflective strips*
Sizes: *ONE SIZE*
Original packaging: *1/50*

LACUNA

NOVO NEW



CE 2
EN ISO 20471

AVIOR

7AVIOY | 7AVIOO

SIGNALIZIRAJUĆE NARAMENICE AVIOR
Materijal: 100% poliester
Veličina: univerzalna – podesiva

SIGNALLING HI-VIS SUSPENDERS AVIOR
Material: *100% polyester*
Size: *universal – adjustable*

LACUNA

NOVO NEW



2
EN ISO 17353:2020
type B3

CE EN ISO 13688

KANES

7KANEY **7KANEO**

SIGNALIZIRAJUĆI ZAŠTITNI HI-VIZ PRSLUK KANES

Materijal: 100% poliester, 120 g/m²
Reflektirajuće trake: dve horizontalne trake
Posebne karakteristike: dolazi u više veličina
Veličine: S-XXXL
Originalno pakovanje: 1/50

KANES SIGNAL PROTECTIVE VEST
Material: *100% polyester, 120g/m²*
Reflective strips*: two horizontal strips*
Special features: *available in several sizes*
Sizes: *S-XXXL*
Original packaging: *1/50*





CE 2 EN ISO 20471

VELIČINA/*SIZE*	**S**	**M**	**L**	**XL**	**XXL**	**XXXL**
ŽUTI/*YELLOW*	7KANEYS	7KANEYM	7KANEYL	7KANEYXL	7KANEYXXL	7KANEYXXXL
NARANDŽASTI/*ORANGE*	7KANEOS	7KANEOM	7KANEOL	7KANEOXL	7KANEOXXL	7KANEOXXXL

KANES MESH

7KANMYU **7KANMOU**

SIGNALIZIRAJUĆI ZAŠTITNI HI-VIZ PRSLUK KANES MESH

Materijal: fluorescentni poliester - kombinacija Mrežaste i pune tkanine, 120 g/m²
Reflektirajuće trake: dve horizontalne trake
Veličine: ONE SIZE
Originalno pakovanje: 1/50

KANES MESH SIGNAL PROTECTIVE VEST
Material*: fluo polyester - combination polyester mesh/polyester knit, 120g/m²*
Reflective strips: *two horizontal strips*
Size: *ONE SIZE*
Original packaging: *1/50*



CE 2 EN ISO 20471

VELIČINA/*SIZE*	
ŽUTI/*YELLOW*	ONE SIZE
NARANDŽASTI/*ORANGE*	ONE SIZE

OUTDOOR I PROMOTIVNI ARTIKLI

OUTDOOR AND PROMOTIONAL ITEMS

GETOUT™ ROLY LACUNA coverguard JHK T-SHIRT

OUTDOOR I PROMOTIVNI ARTIKLI

Lacuna outdoor odeća je dizajnirana za zaštitu u svakodnevnim aktivnostima, tokom rada ili u slobodno vreme. Visoki kvalitet i raznolikost materijala učiniće vaš rad i slobodno vreme prijatnijim u različitim vremenskim uslovima. Želja za očuvanjem slobode kretanja, bezbednost i udobnost su glavni ciljevi outdoor asortimana. Za vašu bezbednost i udobnost brinemo praćenjem trendova i inovacijama na području novih tehnologija tkanina i razvijamo visokokvalitetno dizajnirane i funkcionalne proizvode visokih tehničkih karakteristika.

OUTDOOR AND PROMOTIONAL ITEMS

Lacuna outdoor clothing is designed to protect you during your daily activities at work or in your free time. High quality and a variety of materials make your work and leisure enjoyable in various weather conditions. The desire to maintain freedom of movements well as safety and comfort are the main goals of the outdoor program.
We take care of your safety and comfort by following trends and innovations in the field of new fabric technologies, developing high-quality design for our functional products of top technical properties.

LACUNA ne odgovara za eventualne štamparske greške u katalogu./*LACUNA is not responsible for misprints in the catalogue.*
Poslednje važeće cene molimo proverite na LACUNA B2B./*Last valid recommended prices check at www.lacuna.hr*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude./*Full LACUNA range available at www.lacuna.hr*





SPEKTAR

5SPEKBK
crna/*black*

5SPEKNY
plava/*blue*



SPEKTAR-SOFTSHELL JAKNA
Materijal: 96% poliester, 4% elastan (Spandex), TPU - 3 sloja, 310 g/m²
Podstava: 100% poliester flis
Zatvaranje: patentni zatvarač
Rukavi: elastična manžetna
Ovratnik: brušen mikro polarni flis
Originalno pakovanje: 1/10

SPEKTAR-SOFTSHELL JACKET
Material: *96% polyester, 4% elastane (Spandex), TPU - 3 layers, 310 g/m²*
Lining: *100% polyester fleece*
Fastening: *zipper*
Sleeves: *elastic cuffs*
Collar: *brushed micro polar fleece*
Original packaging: *1/10*

GETOUT™

M

8000MM&4000MVP

VELIČINA/*SIZE*	**S**	**M**	**L**	**XL**	**XXL**	**XXXL**
CRNA/*BLACK*	5SPEKBKS	5SPEKBKM	5SPEKBKL	5SPEKBKXL	5SPEKBKXXL	5SPEKBKXXXL
PLAVA/*BLUE*	5SPEKNYS	5SPEKNYM	5SPEKNYL	5SPEKNYXL	5SPEKNYXXL	5SPEKNYXXXL



WILLIAM

5WILLBK crna/*black*	5WILLNY plava/*blue*	5WILLRD crvena/*red*



WILLIAM-SOFTSHELL JAKNA
Materijal: 96% poliester, 4% Spandex, TPU membrana, 310 g/m², 3 sloja
Podstava: 100% poliester
Zatvaranje: vodootporni patentni zatvarač
Kapuljača: s elastičnim stezanjem
Rukavi: elastična manžetna s Velcro® trakama
Ovratnik: četkani mikropolarni flis
Originalno pakovanje: 1/10

WILLIAM-SOFTSHELL JACKET
Material: *96% polyester, 4% Spandex, TPU membrane, 310 g/m², 3 layers*
Lining: *100% polyester*
Fastening: *waterproof zipper*
Hood: *with elastic tightening*
Sleeves: *elastic cuffs with velcro® straps*
Collar: *brushed micropolar fleece*
Original packaging: *1/10*

GETOUT™

8000MM&3000MVP

VELIČINA/*SIZE*	XS	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5WILLBKXS	5WILLBKS	5WILLBKM	5WILLBKL	5WILLBKXL	5WILLBKXXL	5WILLBKXXXL
CRVENA/*RED*	5WILLRDXS	5WILLRDS	5WILLRDM	5WILLRDL	5WILLRDXL	5WILLRDXXL	5WILLRDXXXL
PLAVA/*BLUE*	5WILLNYXS	5WILLNYS	5WILLNYM	5WILLNYL	5WILLNYXL	5WILLNYXXL	5WILLNYXXXL



ROLAND

5ROLBK
crna/*black*


5ROLRD/5ROLWRD
crvena/*red*



ROLAND-SOFTSHELL JAKNA
Materijal: 96% poliester, 4% Spandex, TPU membrana, 310 g/m², 3 sloja
Podstava: 100% poliester
Zatvaranje: vodootporni patentni zatvarač
Rukavi: elastična manžetna s Velcro® trakama
Ovratnik: brušeni mikro polarni flis
Originalno pakovanje: 1/10


ROLAND-SOFTSHELL JACKET
Material: *96% polyester, 4% Spandex, Membrane TPU, 310 g/m², 3 layers*
Lining: *100% polyester*
Fastening: *waterproof zipper*
Sleeves: *elastic cuffs with Velcro® straps*
Collar: *brushed triangular micropolar fleece*
Original packaging: *1/10*

GETOUT™



8000MM&1000MVP

VELIČINA/*SIZE*		XS	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	MUŠKA/*MEN*	5ROLBKXS	5ROLBKS	5ROLBKM	5ROLBKL	5ROLBKXL	5ROLBKXXL	5ROLBKXXXL
CRVENA/*RED*	MUŠKA/*MEN*	5ROLRDXS	5ROLRDS	5ROLRDM	5ROLRDL	5ROLRDXL	5ROLRDXXL	5ROLRDXXXL
	ŽENSKA/*FEMALE*	5ROLWRDXS	5ROLWRDS	5ROLWRDM	5ROLWRDL	5ROLWRDXL	5ROLWRDXXL	



OTTA

5OTTAJC
crna/*black*

GETOUT

NOVO
NEW






SOFTSHELL JAKNA OTTA
Spoljašnji materijal: softshell tkanina, 95% poliester, 5% elastin (Spandex), 310 g/m^2
Postava: 100% poliester / **Srednji sloj:** TPU membrana
Zatvaranje: patent zatvarač
Kapuljača: fiksna
Originalno pakovanje: 1/10

OTTA SOFTSHELL JACKET
Outer material: *softshell fabric, 95% polyester, 5% elastane (Spandex), 310 g/m^2*
Lining: *100% polyester /* ***Middle layer:*** *TPU membrane*
Closure: *zipper*
Hood: *fixed*
Original packaging: *1/10*

U

8000MM&3000MVP

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5OTTAJCS	5OTTAJCM	5OTTAJCL	5OTTAJCXL	5OTTAJCXXL	5OTTAJCXXXL



SPEKTAR WINTER

5SPEKWWBK
crna/*black*

SPEKTAR WINTER-SOFTSHELL ZIMSKA JAKNA - ŽENSKA
Materijal: 96% poliester, 4% elastan (Spandex), TPU 3 sloja 100D, 310 g/m², 8000MM&4000MM
Utopljenje: 100% poliester
Zatvaranje: vodootporni zatvarač
Kapuljača: odvojiva zatvaračem
Rukavi: elastične manžetne
Originalno pakovanje: 1/10

SPEKTAR WINTER-SOFTSHELL WINTER JACKET - WOMEN
Material: *96% polyester, 4% elastane (Spandex), TPU 3 layers 100D, 310 g/m², 8000MM in 4000MM*
Lining: *100% polyester*
Fastening: *waterproof zipper*
Hood: *detachable with zipper*
Sleeves*: elastic cuffs*
Original packaging: *1/10*



GETOUT™

W

8000MM&4000MVP

VELIČINA/*SIZE*	XS	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5SPEKWWBKXS	5SPEKWWBKS	5SPEKWWBKM	5SPEKWWBKL	5SPEKWWBKXL	5SPEKWWBKXXL	5SPEKWWBKXXXL

SPEKTAR WINTER

5SPEKWBK
crna/*black*

5SPEKWNY
plava/*blue*

5SPEKWRD
crvena/*red*

SPEKTAR WINTER-SOFTSHELL ZIMSKA JAKNA - MUŠKA
Materijal: 96% poliester, 4% elastan (Spandex), TPU 3 sloja 100D, 310 g/m², 8000MM&4000MM
Punjenje: 100% poliester
Zatvaranje: vodootporni zatvarač
Kapuljača: odvojiva zatvaračem
Rukavi: elastične manžetne
Originalno pakovanje: 1/10

SPEKTAR WINTER-SOFTSHELL WINTER JACKET - MEN
Material: *96% polyester, 4% elastane (Spandex), TPU 3 layers 100D, 310 g/m², 8000MM in 4000MM*
Lining: *100% polyester*
Fastening: *waterproof zipper*
Hood: *detachable with zipper*
Sleeves: *elastic cuffs*
Original packaging: *1/10*



GETOUT™

M

8000MM&4000MVP

VELIČINA/*SIZE*	XS	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5SPEKWBKXS	5SPEKWBKS	5SPEKWBKM	5SPEKWBKL	5SPEKWBKXL	5SPEKWBKXXL	5SPEKWBKXXXL
PLAVA/*BLUE*	5SPEKWNYXS	5SPEKWNYS	5SPEKWNYM	5SPEKWNYL	5SPEKWNYXL	5SPEKWNYXXL	5SPEKWNYXXXL
CRVENA/*RED*	5SPEKWRDXS	5SPEKWRDS	5SPEKWRDM	5SPEKWRDL	5SPEKWRDXL	5SPEKWRDXXL	5SPEKWRDXXXL



BARTON


5BARTBK crna/*black*	5BARTGM siva/*grey*	5BARTNY plava/*blue*

BARTON-SOFTSHELL PRSLUK
Materijal: 96% poliester, 4% elastan (Spandex), 280 g/m², 2 sloja
Podstava: 100% poliester
Zatvaranje: vodootporni patentni zatvarač
Kragna: brušeni mikro flis
Originalno pakovanje: 1/10

BARTON-SOFTSHELL VEST
Material: *96% polyester, 4% elastane (Spandex), 280 g/m², 2 layers*
Lining: *100% polyester*
Fastening: *waterproof zipper*
Collar: *brushed micro fleece*
Original packaging: *1/10*

GETOUT™





VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5BARTBKS	5BARTBKM	5BARTBKL	5BARTBKXL	5BARTBKXXL	5BARTBKXXXL
SIVA/*GREY*	5BARTGMS	5BARTGMM	5BARTGML	5BARTGMXL	5BARTGMXXL	5BARTGMXXXL
PLAVA/*BLUE*	5BARTNYS	5BARTNYM	5BARTNYL	5BARTNYXL	5BARTNYXXL	5BARTRNYXXXL

QUEBEC


SS6438BK crna/*black*	SS6438NY plava/*blue*	SS6438RD crvena/*red*

QUEBEC-SOFTSHELL PRSLUK
Materijal: 92% poliester, 8% elastan, 300 g/m², 2 sloja
Podstava: 100% poliester
Zatvaranje: vodootporni patentni zatvarač
Kragna: brušeni mikro flis
Originalno pakovanje: 1/15


QUEBEC - SOFTSHELL VEST
Material: *92% polyester, 8% elastane, 300 g/m², 2 layers*
Lining: *fleece 100% polyester*
Closure: *inverted zipper*
Collar: *brushed microfleece*
Original packaging: *1/15*

ROLY





VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	SS6438BKS	SS6438BKM	SS6438BKL	SS6438BKXL	SS6438BKXXL	SS6438BKXXXL
PLAVA/*BLUE*	SS6438NYS	SS6438NYM	SS6438NYL	SS6438NYXL	SS6438NYXXL	SS6438NYXXXL
CRVENA/*RED*	SS6438RDS	SS6438RDM	SS6438RDL	SS6438RDXL	SS6438RDXXL	SS6438RDXXXL



BONETE

5BONJ	5BONJW
crna/*black*	crna/*black*

BONETE JAKNA
Materijal: 100% najlon 20D ripstop
Podstava: 100% najlon
Punjenje: 100% poliester
Zatvaranje: patentni zatvarač
Kapuljača: obložena, pričvršćena
Rukavi: s elastičnom manžetnom
Originalno pakovanje: 1/10

BONETE JACKET
Material: *100% nylon 20D ripstop*
Lining: *100% nylon*
Padding: *100% polyester*
Fastening: *zipper*
Hood: *padded, attached*
Sleeves: *with elastic cuffs*
Original packaging: *1/10*



GETOUT



8000MM&4000MVP

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
MUŠKA JAKNA/*MEN'S JACKET*	5BONJS	5BONJM	5BONJL	5BONJXL	5BONJXXL	5BONJXXXL
ŽENSKA JAKNA/*WOMEN'S VEST*	5BONJWS	5BONJWM	5BONJWL	5BONJWXL	5BONJWXXL	5BONJWXXXL

BONETE II

5BONEMC	5BONEMP	5BONEWC
crna/*black*	plava/*blue*	crna/*black*

BONETE II PRSLUK
Materijal: 100% najlon 20D ripstop
Podstava: 100% najlon
Punjenje: 100% poliester
Zatvaranje: patentni zatvarač
Originalno pakovanje: 1/10

BONETE II VEST
Material: *100% nylon 20D ripstop*
Lining: *100% nylon*
Padding: *100% polyester*
Fastening: *zipper*



GETOUT

NOVO
NEW



8000MM&4000MVP

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
MUŠKI PRSLUK/*MEN'S JACKET*	5BONEMCS	5BONEMCM	5BONEMCL	5BONEMCXL	5BONEMCXXL	5BONEMCXXXL
MUŠKI PRSLUK/*MEN'S JACKET*	5BONEMPS	5BONEMPM	5BONEMPL	5BONEMPXL	5BONEMPXXL	5BONEMPXXXL
ŽENSKI PRSLUK/*WOMEN'S VEST*	5BONEWCS	5BONEWCW	5BONEWCL	5BONEWCXL	5BONEWCXXL	5BONEWCXXXL



NORWAY

RA5090BK crna/*black*	RA5090NY plava/*blue*	RA5091BK crna/*black*	RA5091NY plava/*blue*

NORWAY MUŠKE I ŽENSKE JAKNE
Materijal: 100% poliester
Podstava: 100% poliester
Punjenje: 100% poliester
Zatvaranje: patentni zatvarač
Kapuljača: obložena, pričvršćena
Rukavi: s elastičnom manžetnom
Originalno pakovanje: 1/10

NORWAY MEN'S AND WOMEN'S JACKET
Material: *100% polyester*
Lining: *100% polyester*
Padding: *100% polyester*
Fastening: *zipper*
Hood: *padded, attached*
Sleeves: *with elastic cuffs*
Original packaging: *1/10*





VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
MUŠKA JAKNA/*MEN'S JACKET*	RA5090BKS	RA5090BKM	RA5090BKL	RA5090BKXL	RA5090BKXXL	RA5090BKXXXL
MUŠKA JAKNA/*MEN'S JACKET*	RA5090NYS	RA5090NYM	RA5090NYL	RA5090NYXL	RA5090NYXXL	RA5090NYXXXL
ŽENKA JAKNA/*WOMEN'S JACKET*	RA5091BKS	RA5091BKM	RA5091BKL	RA5091BKXL	RA5091BKXXL	RA5091BKXXXL
ŽENSKA JAKNA/*WOMEN'S JACKET*	RA5091NYS	RA5091NYM	RA5091NYL	RA5091NYXL	RA5091NYXXL	RA5091NYXXXL

OSLO

RA5092BK crna/*black*	RA5092NY plava/*blue*	RA5093BK crna/*black*	RA5093NY plava/*blue*

OSLO MUŠKI I ŽENSKI PRSLUCI
Materijal: 100% poliester
Podstava: 100% poliester
Punjenje: 100% poliester
Zatvaranje: patentni zatvarač
Originalno pakovanje: 1/10

OSLO MEN'S AND WOMEN'S VEST
Material: *100% polyester*
Lining: *100% polyester*
Padding: *100% polyester*
Fastening: *zipper*
Original packaging: *1/10*





VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
MUŠKI PRSLUK/*MEN'S VEST*	RA5092BKS	RA5092BKM	RA5092BKL	RA5092BKXL	RA5092BKXXL	RA5092BKXXXL
MUŠKI PRSLUK/*MEN'S VEST*	RA5092NYS	RA5092NYM	RA5092NYL	RA5092NYXL	RA5092NYXXL	RA5092NYXXXL
ŽENSKI PRSLUK/*WOMEN'S VEST*	RA5093BKS	RA5093BKM	RA5093BKL	RA5093BKXL	RA5093BKXXL	RA5093BKXXXL
ŽENSKI PRSLUK/*WOMEN'S VEST*	RA5093NYS	RA5093NYM	RA5093NYL	RA5093NYXL	RA5093NYXXL	RA5093NYXXXL

YAKI

5YAK010
crna/*black*

YAKI JAKNA
Vanjski materijal: 100% prirodni streč poliester + TPU membrane 100 g/m²
Vodonepropusnost: 5000 mm
Prozračnost: 400 g/m²/24h
Podstava: 100% Poliester
Punjenje: 100% Poliester 230 g/m²
Zatvaranje: patentni zatvarač
Kapuljača: fiksna, skrivena u kragni, sa elastičnom vezicom i stoperima
Originalno pakovanje: 1/10

YAKI JACKET
Exterior material: *100% natural stretch polyester + TPU membrane 100 g/m²*
Watertightness: *5000 mm*
Breathability: *400 g/m²/24h*
Lining: *100% Polyester*
Padding: *100% Polyester 230 g/m²*
Closure: *zipper*
Hood: *fixed, hidden in the collar, with elastic drawstring and stoppers*
Original packaging: *1/10*





CE **EN ISO 13688**

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
JAKNA YAKI/*JACKET*	5YAK01000S	5YAK01000M	5YAK01000L	5YAK0100XL	5YAK0102XL	5YAK0103XL

TATAKI

5TAT010
crna/*black*

TATAKI PRSLUK
Spoljašnji materijal: 100% prirodni streč poliester + TPU membrane 100 g/m²
Vodonepropusnost: 5000 mm
Prozračnost: 400 g/m²/24h
Podstava: 100% Poliester
Punjenje: 100% Poliester 230 g/m²
Zatvaranje: patentni zatvarač
Originalno pakovanje: 1/10

TATAKI VEST
Outer material: *100% natural stretch polyester + TPU membrane 100 g/m²*
Watertightness: *5000 mm*
Breathability: *400g/m²/24h*
Lining: *100% Polyester*
Padding: *100% Polyester 230 g/m²*
Closure: *zipper*
Original packaging: *1/10*





CE **EN ISO 13688**

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
PRSLUK TATAKI/*VEST*	5TAT01000S	5TAT01000M	5TAT01000L	5TAT0100XL	5TAT0102XL	5TAT0103XL

SUMI

5SUM010
crna/*black*

SUMI JAKNA
Spoljnji materijal: 100% Naylon RIPSTOP (2,5 mm) 40 g/m²
Podstava: 100% Naylon 75 g/m²
Punjenje: 100% Poliester 180 g/m² (tijelo) + 100% Poliester 80 g/m² (rukavi) - Patentirana termalna tehnologija®
Pojačanja: troslojni SOFTSHELL (100% Priorodni strech poliester + TPU membrane + Flis 230 g/m²)
Zatvaranje: patent zatvarač
Originalno pakovanje: 1/10

SUMI JACKET
External material: *100% nylon RIPSTOP (2.5 mm) 40g m²*
Lining: *100% nylon 75 g/m²*
Padding: *100% Polyester 180 g/m² (body) + 100% Polyester, 80 g/m² (sleeves) - Patented thermal technology®*
Reinforcements: *three-layer SOFTSHELL (100% Natural stretch polyester + TPU membrane + Fleece 230 g/m²)*
Fastening: *zipper*
Original packaging: *1/10*



CE **EN ISO 13688**

VELIČINA/*SIZE*	**S**	**M**	**L**	**XL**	**XXL**	**XXXL**
JAKNA SUMI/*JACKET*	5SUM01000S	5SUM01000M	5SUM01000L	5SUM0100XL	5SUM0102XL	5SUM0103XL





PRIME

5PRIM
crna/*black*

PRIME JAKNA 3u1
Spoljašnji materijal: 100% poliamid Taslan 320D, PU sloj, propušta vazduh, vodonepropusan, 2000 mm, 3000 mvp, vareni šavovi
Podstava: 100% poliamid, mrežasto pletivo
Podloga: crna vesta odeljiva zatvaračem, polarni flis 280 g/m², 100% poliestersko vlakno
Zatvaranje: dvosmerni patent zatvarač sa preklopom
Kapuljača: fiksirana, sakrivena, podstavljena, s trakom za pritezanje
Rukavi: 100% poliamid Taffeta, elastična manžetna, 2 drukera za pričvršćenje polarne veste
Pričvršćenje: unutrašnje, elastična podesiva vezica
Originalno pakovanje: 1/10

PRIME JACKET 3in1
Outer material: *100% polyamide Taslan 320D, PU layer, air permeable, waterproof, 2000 mm, 3000 mvp, welded seams*
Lining: *100% polyamide, mesh*
Padding: *detachable black vest with zipper, polar fleece 280 g/m², 100% polyester fiber*
Closure: *two-way zipper with flap*
Hood: *fixed, concealed, fitted, with drawstring*
Sleeves: *100% polyamide Taffeta, elastic cuff, 2 pressbuttons for attaching the polar vest*
Fastening: *internal, elastic adjustable strap*
Original packaging: *1/10*



M

2000MM&300MVP

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5PRIMS	5PRIMM	5PRIML	5PRIMXL	5PRIMXXL	5PRIMXXXL


LIEB

BERGEN FLEX

5BERTJC crna/*black*

5BERTJS siva/*grey*

TECH FLIS JAKNA BERGEN FLEX
Spoljašnji materijal: 100% poliester, 255 g/m²
Zatvaranje: patent zatvarač
Kragna: visoka
Originalno pakovanje: 1/10

TECH FLEECE JACKET BERGEN FLEX
Outer material: *100% polyester, 255 g/m²*
Closure: *zipper*
Collar: *high collar*
Original packaging: *1/10*

LACUNA

NOVO *NEW*



VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5BERTJCS	5BERTJCM	5BERTJCL	5BERTJCXL	5BERTJCXXL	5BERTJCXXXL
SIVA/*GREY*	5BERTJSS	5BERTJSM	5BERTJSL	5BERTJSXL	5BERTJSXXL	5BERTJSXXXL

BERGEN FLEX

5BERWJC crna/*BLACK*

JAKNA BERGEN FLEX
Spoljašnji materijal: 100% poliamid sa PU premazom, vodootporan, zrakopropustan
Postava: 100% poliester, 200 g/m²
Zatvaranje: rajsferšlus
Kragna: visoka
Originalno pakovanje: 1/10

BERGEN FLEX JACKET
Outer material: *100% polyamide with PU coating, waterproof, breathable*
Lining: *100% polyester, 200 g/m²*
Closure: *zipper*
Collar: *high collar*
Original packaging: *1/10*

LACUNA

NOVO *NEW*



VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5BERWJCS	5BERWJCM	5BERWJCL	5BERWJCXL	5BERWJCXXL	5BERWJCXXXL

BERGEN FLEX

5BERGGM siva/*grey*

5BERGNY plava/*blue*

SOFTSHELL JAKNA BERGEN FLEX
Spoljašnji materijal: softshell tkanina, 78% poliester, 15% akril, 5% viskoza, 2% vuna, 460 g/m²
Postava: 100% poliester
Zatvaranje: patent zatvarač
Kragna: visoka
Originalno pakovanje: 1/10

BERGEN FLEX SOFTSHELL JACKET
Outer material: *softshell fabric, 78% polyester, 15% acrylic, 5% viscose, 2% wool, 460 g/m²*
Lining: *100% polyester*
Closure: *zipper*
Collar: *high collar*
Original packing: *1/10*






LACUNA

NOVO *NEW*

U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
SIVA/*GREY*	5BERGGMS	5BERGGMM	5BERGGML	5BERGGMXL	5BERGGMXXL	5BERGGMXXXL
PLAVA/*BLUE*	5BERGNYS	5BERGNYM	5BERGNYL	5BERGNYXL	5BERGNYXXL	5BERGNYXXXL





RONDO

5RONWTC crna/*black*	5RONWTP plava/*blue*	5RONWTZ zelena/*green*	5RONWTS siva/*grey*

RONDO PRSLUK
Materijal: 65% poliester, 35% pamuk
Podstava: 100% poliamid
Punjenje: 100% poliester, 200 g/m²
Zatvaranje: patentn zatvarač i drukeri
Originalno pakovanje: 1/10

RONDO VEST
Material: *65% polyester, 35% cotton*
Lining: *100% polyamide*
Padding: *100% polyester, 200 g/m²*
Fastening: *zipper,press stud buttons*
Original packaging: *1/10*

LACUNA



M

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5RONWTCS	5RONWTCM	5RONWTCL	5RONWTCXL	5RONWTCXXL	5RONWTCXXXL
PLAVA/*BLUE*	5RONWTPS	5RONWTPM	5RONWTPL	5RONWTPXL	5RONWTPXXL	5RONWTPXXXL
ZELENA/*GREEN*	5RONWTZS	5RONWTZM	5RONWTZL	5RONWTZXL	5RONWTZXXL	5RONWTZXXXL
SIVA/*GREY*	5RONWTSS	5RONWTSM	5RONWTSL	5RONWTSXL	5RONWTSXXL	5RONWTSXXXL

PORTE

5PORTNY plava/*blue*	5PORTBK crna/*black*

PORTE PRSLUK
Materijal: 100% najlon
Podstava: 100% poliester
Punjenje: 100% poliester
Zatvarač: patent zatvarač
Zatezanje: u struku, elastična sa strane
Originalno pakovanje: 1/10

PORTE VEST
Material: *100% nylon*
Lining: *100% polyester*
Padding: *100% polyester*
Fastening: *zipper*
Tightening: *in the waist, elastic*
Original packaging: *1/10*

GETOUT



M

VELIČINA/*SIZE*	XS	S	M	L	XL	XXL	XXXL
PLAVA/*BLUE*	5PORTNYXS	5PORTNYS	5PORTNYM	5PORTNYL	5PORTNYXL	5PORTNYXXL	5PORTNYXXXL
CRNA/*BLACK*	5PORTBKXS	5PORTBKS	5PORTBKM	5PORTBKL	5PORTBKXL	5PORTBKXXL	5PORTBKXXXL



NORTH TECH

5NORWJC
plava/*blue*

5NORWJP
crna/*black*

3U1 JAKNA NORTH TECH
Spoljašnji materijal: 100% poliamid sa PU premazom
Postava: 100% poliester, 155 g/m²
Posebne karakteristike: odvojiva flis jakna
Zatvaranje: patent zatvarač
Kapuljača: odvojiva sa elastičnim stezanjem
Originalno pakovanje: 1/10

NORTH TECH 3-IN-1 JACKET
Outer material: *100% polyamide with PU coating*
Lining: *100% polyester, 155 g/m²*
Special features: *detachable fleece jacket*
Closure: *zipper*
Hood: *detachable with elastic adjustment*
Original packaging: *1/10*

LACUNA

NOVO
NEW



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5NORWJCS	5NORWJCM	5NORWJCL	5NORWJCXL	5NORWJCXXL	5NORWJCXXXL
PLAVA/*BLUE*	5NORWJPS	5NORWJPM	5NORWJPL	5NORWJPXL	5NORWJPXXL	5NORWJPXXXL

NORTH TECH

5NORTGH
crno-plava/
black-blue

5NORTGP
plava/*blue*

5NORTGS
crno-zelena/
black-green

PRSLUK NORTH TECH
Spoljašnji materijal: 100% poliester, 240 g/m²
Postava: 100% poliester
Zatvaranje: rajsferšlus
Kragna: visoka
Originalno pakovanje: 1/10

NORTH TECH VEST
Outer material: *100% polyester, 240 g/m²*
Lining: *100% polyester*
Closure: *zipper*
Collar: *high collar*
Original packaging: *1/10*

LACUNA

NOVO
NEW



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNO-PLAVA/BLACK-BLUE	5NORTGHS	5NORTGHM	5NORTGHL	5NORTGHXL	5NORTGHXXL	5NORTGHXXXL
PLAVA/BLUE	5NORTGPS	5NORTGPM	5NORTGPL	5NORTGPXL	5NORTGPXXL	5NORTGPXXXL
CRNO-ZELENA/BLACK-GREEN	5NORTGSS	5NORTGSM	5NORTGSL	5NORTGSXL	5NORTGSXXL	5NORTGSXXXL

VODAN

5VODWTP plava/*blue*

5VODWTS siva/*gray*

VODAN PRSLUK
Materijal: 100% poliester sa PVC oblogom, vodootporan
Podstava: polarni flis 200 g/m², 100% poliester
Zatvaranje: patent zatvarač do vrha kragne
Pričvršćivanje: elastično sa strane
Originalno pakovanje: 1/20

VODAN VEST
Material: *100% polyester with PVC coating, waterproof*
Lining: *polar fleece 200 g/m², 100% polyester*
Fastening: *zipper to the top of the collar*
Tightening: *elastic on the sides*
Original packaging: *1/20*



LACUNA

POLAIRE
FLEECE POLAR

M

VELIČINA/*SIZE*	S	M	L	XL	XXL
PLAVA/*BLUE*	5VODWTPS	5VODWTPM	5VODWTPL	5VODWTPXL	5VODWTPXXL
SIVA/*GRAY*	5VODWTSS	5VODWTSM	5VODWTSL	5VODWTSXL	5VODWTSXXL

TURA

5TURWTP plava/*blue*

5TURWTC crna/*black*

TURA JAKNA
Materijal: 100% poliester OXFORD 210T, sa PVC slojem
Odvojiva jakna od krzna: 70% akril, 30% poliester
Podstava: 100% poliester;
Rukavi: prekriveni poliamid 60 g/m², skidač
Zatvaranje: dvosmerni patent zatvarač
Kapuljača: skrivena u kragni, podesiva
Originalno pakovanje: 1/10

TURA JACKET
Material: *100% OXFORD 210T polyester, with PVC layer*
Detachable fur jacket: *70% acrylic, 30% polyester*
Lining: *100% polyester*
Sleeves: *60 g/m² polyamide coated, removable*
Fastening: *2-way zipper*
Hood: *hidden in the collar, adjustable*
Original packaging: *1/10*



LACUNA

M

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
PLAVA/*BLUE*	5TURWTPS	5TURWTPM	5TURWTPL	5TURWTPXL	5TURWTPXXL	5TURWTPXXXL
CRNA/*BLACK*	5TURWTCS	5TURWTCM	5TURWTCL	5TURWTCXL	5TURWTCXXL	5TURWTCXXXL


WORKER

5WORB plava/*blue*

5WORG siva/*gray*

WORKER JAKNA
Spoljašnji materijal: 100% poliester Ripstop, PVC sloj, vodonepropusna, vareni šavovi, reflektujuće trake
Podstava: gore crni polarni flis, 100% poliester, dole 100% poliamid
Zatvaranje: patent zatvarač sa Velcro preklopom;
Kapuljača: skrivena, podstavljena, podesiva elastičnom vezicom
Rukavi: elastična manžetna, pričvršćenje
Pričvršćenje u struku: elastično napred
Pričvršćenje na dnu: elastično sa unutrašnje strane
Originalno pakovanje: 1/10

WORKER JACKET
External material: *100% polyester Ripstop, PVC layer, waterproof, welded seams, reflective tape*
Lining: up: *black polar fleece, 100% polyester; down: 100% polyamide*
Fastening: *zipper with Velcro straps*
Hood: *hidden, padded, adjustable with elastic tightening*
Sleeves: *elastic cuffs*
Belt fastening: *front elastic*
Tightening: *elastic on the inside*
Original packaging: *1/10*



LACUNA



VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
PLAVA/*BLUE*	5WORBS	5WORBM	5WORBL	5WORBXL	5WORBXXL	5WORBXXXL
SIVA/*GRAY*	5WORGS	5WORGM	5WORGL	5WORGXL	5WORGXXL	5WORGXXXL


WORKER

5WORWB plava/*blue*

5WORWG siva/*gray*

PRSLUK WORKER
Spoljašnji materijal: 100% poliester ripstop sa PVC premazom, vodootporno, vareni šavovi, reflektujuće trake
Podstava: gore: polarni flis 280 g/m2, 100 % poliester; dole: 120 g/m2, 100% poliester
Zatvaranje: sa zatvaračem
Pričvršćenje: elastično
Kragna: uspravna
Originalno pakovanje: 1/10

WORKER VEST
External material: *100% polyester ripstop with coating of PVC, waterproof, welded seams, reflective strips*
Lining: up: *polar fleece 280 g/m², 100% polyester, down: 120 g/m² 100% polyester*
Fastening: *zipper*
Tightening: *elastic*
Collar: *upright*
Original packaging: *1/10*



LACUNA



VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
PLAVA/*BLUE*	5WORWBS	5WORWBM	5WORWBL	5WORWBXL	5WORWBXXL	5WORWBXXXL
SIVA/*GRAY*	5WORWGS	5WORWGM	5WORWGL	5WORWGXL	5WORWGXXL	5WORWGXXXL

GOMA

5GOM450
siva/*gray*

GOMA JAKNA
Materijal: RIPSTOP (5mm) 100% Poliester sa PVC premazom
Vodonepropusni vareni šavovi.
Podstava: 100% Poliester flis 300 g/m2 (telo)
Punjenje: 100% Poliester 180 g/m2 (rukavi i pojas)
Pojačanja i detalji: OXFORD 100% Poliester 300D
Zatvaranje: patent zatvarač sa Velcro preklopom
Rukavi: sa manžetnom i Velcro
Originalno pakovanje: 1/10

GOMA JACKET
Material: *RIPSTOP (5mm) 100% polyester with PVC coating*
Waterproof welded seams
Lining: *100% polyester fleece 300 g/m² (body)*
Padding: *100% polyester 180 g/m2 (sleeves and belt)*
Reinforcements and details: *OXFORD 100% polyester 300D*
Fastening: *zipper with Velcro*
Sleeves: *with the cuff, can also be Velcro*
Original packaging: *1/10*





8000MM+3000MVP

CE **EN ISO 13688**

VELIČINA/*SIZE*	**S**	**M**	**L**	**XL**	**XXL**	**XXXL**
JAKNA/*JACKET*	5GOM45000S	5GOM45000M	5GOM45000L	5GOM4500XL	5GOM4502XL	5GOM4503XL

YUZU

5YUZ450
siva/*gray*

5YUZ310
crna/*black*

YUZU PARKA
Materijal: RIPSTOP (5mm) 100% Poliester sa PVC premazom
Vodonepropusni vareni šavovi.
Podstava: 100% Poliester flis 300 g/m² (telo);
Punjenje: 100% Poliester 180 g/m2 (rukavi i pojas)
Pojačanja i detalji: OXFORD 100% Poliester 300D
Zatvaranje: patent zatvaračem sa Velcro preklopom
Rukavi: sa manžetom i Velcro čičkom
Originalno pakovanje: 1/10

YUZU PARKA
Material: *RIPSTOP (5 mm) 100% polyester with PVC coating*
Waterproof welded seams.
Lining: *100% polyester fleece 300 g/m² (body)*
Padding: *100% polyester 180g/m² (sleeves and belt)*
Reinforcements and details: *OXFORD 100% polyester 300D*
Fastening: *zipper with Velcro*
Sleeves: *with the cuff, can also be Velcro*
Original packaging: *1/10*





8000MM+5000MVP

CE **EN ISO 13688**

VELIČINA/*SIZE*	**S**	**M**	**L**	**XL**	**XXL**	**XXXL**
SIVA/*GRAY*	5YUZ45000S	5YUZ45000M	5YUZ45000L	5YUZ4500XL	5YUZ4502XL	5YUZ4503XL
CRNA/*BLACK*	5YUZ31000S	5YUZ31000M	5YUZ31000L	5YUZ3100XL	5YUZ3102XL	5YUZ3103XL

AZUKI

5AZU450
siva/*gray*

AZUKI PRSLUK
Materijal: RIPSTOP (5mm) 100% Poliester sa PVC premazom
Vodonepropusni vareni šavovi
Podstava: 100% Poliester flis 300 g/m² (telo);
Punjenje: 100% Poliester 180 g/m2 (rukavi i pojas)
Pojačanja i detalji: OXFORD 100% Poliester 300D
Zatvaranje: patent zatvarač sa Velcro preklopom
Originalno pakovanje: 1/10

AZUKI VEST
Material: *RIPSTOP (5mm) 100% polyester with PVC coating*
Waterproof welded seams.
Lining: *100% polyester fleece 300 g/m² (body)*
Padding: *100% polyester 180 g/m²*
Reinforcements and details: *OXFORD 100% polyester 300D*
Closing: *zipper with Velcro*
Original packaging: *1/10*



8000MM+3000MVP

EN ISO 13688

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
PRSLUK/*VEST*	5AZU45000S	5AZU45000M	5AZU45000L	5AZU4500XL	5AZU4502XL	5AZU4503XL



MIKAN

5MIK350
siva/*gray*

5MIK120
tamno plava/
navy

MIKAN JAKNA
Spoljašnji materijal: 70% pamuk, 30% poliester. 300g/m^2
Ripstop (5mm): 100% Poliester sa PVC premazom. 300g/m^2 na laktovima i džepu
Podstava: 100% poliester
Zatvaranje: patentni zatvarač
Originalno pakovanje: 1/10

MIKAN JACKET
Outer material: *80% cotton, 20% Polyester, 300 g/m^2*
Ripstop (5mm): *100% Polyester with PVC coating, 300 g/m2 on elbows and pocket*
Lining: *100% polyester*
Closure: *zipper*
Original packaging: *1/10*



8000MM+3000MVP

EN ISO 13688

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
SIVA/*GRAY*	5MIK35000S	5MIK35000M	5MIK35000L	5MIK3500XL	5MIK3502XL	5MIK3503XL
TAMNO PLAVA/*NAVY*	5MIK12000S	5MIK12000M	5MIK12000L	5MIK1200XL	5MIK1202XL	5MIK1203XL

KIJI

5KIJ01000
crna/*black*

KIJI JAKNA
Spoljašnji materijal: 70% pamuk, 30% poliester, 300 g/m^2
Ojačanje: 300D Oxford
Zatvaranje: patent zatvarač
Rukavi: ojačani na laktovima, manžetne 95% pamuk, 5% elastin
Originalno pakovanje: 1/10

KIJI JACKET
External material: *70% cotton, 30% poliester, 300g/m^2*
Reinforcement: *300D Oxford*
Fastening: *zipper*
Sleeves: *elbow reinforcement, cuff 95% cotton, 5% elastane*
Original packaging: *1/10*



8000MM+3000MVP

EN ISO 13688

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
JAKNA/*JACKET*	5KIJ01000S	5KIJ01000M	5KIJ01000L	5KIJ0100XL	5KIJ010XXL	5KIJ0103XL

WANI

5WAN01000
crna/*black*

WANI PARKA 3U1
Spoljašnji materijal: Ripstop 4 mm, 100% poliester sa PVC premazom, 280 g/m^2,Oxford 300D
Podstava: mrežica, 100% poliester 70 g/m^2, tafeta 100% poliester 55 g/m^2
Zatvaranje: patent zatvarač sakriven ispod klapne
Kapuljača: fiksna, skrivena u kragni

ODELJIVA TROSLOJNA SOFTSHELL JAKNA.
Materijal: 94% Poliester 6% Elastin + TPU membrane 300g/m^2
Originalno pakovanje: 1/10

WANI PARKA 3U1
Outer material: *Ripstop 4 mm, 100% polyester PVC coated, 280 g/m^2, Oxford 300D waterproof fabric with waterproof seams*
Lining: *mesh, 100% polyester 70 g/m^2, taffeta 100% polyester 55 g/m2*
Closure: *zipper hidden under the flap*
Hood: *fixed hidden in the collar*

DETACHABLE THREE-LAYER SOFTSHELL JACKET
Material: *94% Polyester 6% Elastane + TPU membrane, 300 g/m^2*
Original packaging: *1/10*







8000MM+5000MVP

EN ISO 13688

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
JAKNA/*JACKET*	5WAN01000S	5WAN01000M	5WAN01000L	5WAN0100XL	5WAN0102XL	5WAN0103XL

PANDA

5PDA01000
crna/*black*

PANDA PARKA
Spoljašnji materijal: 250D+200D poliester sa PU premazom, 110 g/m²
Podstava: 100% poliester tafeta, 55 g/m²
Punjenje: 100% poliester, 160g/m²
Zatvaranje: patent zatvarač skriven ispod klapne
Kapuljača: fiksna sakrivena u kragni
Originalno pakovanje: 1/10

PANDA PARKA
External material: *250D + 200D PU polyester 110 g/m²*
Lining: *100% polyester taffeta, 55 g/m²*
Padding: *100% polyester, 160 g/m²*
Fastening: *zipper hidden under fold*
Hood: *attached to the collar*
Original packaging: *1/10*



8000MM+3000MVP

EN ISO 13688

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL	4XL
JAKNA/*JACKET*	5PDA01000S	5PDA01000M	5PDA01000L	5PDA01000XL	5PDA0102XL	5PDA0103XL	5PDA0104XL





PACIFIC FLEX

5PACIJC
crna/*black*

SOFTSHELL JAKNA PACIFIC FLEX
Spoljašnji materijal: softshell tkanina, 100% poliester, 330 g/m²
Postava: 100% poliester / **Srednji sloj:** TPU membrana
Zatvaranje: patent zatvarač skriven ispod preklopa
Posebne karakteristike: reflektujući detalji, odvojiva kapuljača
Kragna: visoka
Originalno pakovanje: 1/10

PACIFIC FLEX SOFTSHELL JACKET
Outer material: *softshell fabric, 100% polyester, 330 g/m²*
Lining: *100% polyester /* ***Middle layer:*** *TPU membrane*
Closure: *zipper hidden under flap*
Special features: *reflective details, detachable hood*
Collar: *high collar*
Original packaging: *1/10*

LACUNA

NOVO
NEW



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5PACIJCS	5PACIJCM	5PACIJCL	5PACIJCXL	5PACIJCXXL	5PACIJCXXXL


VILI-CAR

MOTION

5MOTIJP plava/*blue*

5MOTIJZ zelena/*green*

TECH FLIS JAKNA MOTION
Spoljašnji materijal: 95% poliester, 5% elastin (Spandex), 300 g/m²
Postava: 100% poliester
Zatvaranje: patent zatvarač
Kragna: visoka
Originalno pakovanje: 1/10

MOTION TECH FLEECE JACKET
Outer material: *95% polyester, 5% elastane (Spandex), 300 g/m²*
Lining: *100% polyester*
Closure: *zipper*
Collar: *high collar*
Original packaging: *1/10*





GETOUT

NOVO *NEW*

U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
PLAVA/*BLUE*	5MOTIJPS	5MOTIJPM	5MOTIJPL	5MOTIJPXL	5MOTIJPXXL	5MOTIJPXXXL
ZELENA/*GREEN*	5MOTIJZS	5MOTIJZM	5MOTIJZL	5MOTIJZXL	5MOTIJZXXL	5MOTIJZXXXL

MOTION

5MOTIGP plava/*blue*

5MOTIGZ zelena/*green*

TECH FLIS PRSLUK MOTION
Spoljašnji materijal: 95% poliester, 5% elastin (Spandex), 300 g/m²
Postava: 100% poliester
Zatvaranje: patent zatvarač
Kragna: visoka
Originalno pakovanje: 1/10

MOTION TECH FLEECE VEST
Outer material: *95% polyester, 5% elastane (Spandex), 300 g/m²*
Lining: *100% polyester*
Closure: *zipper*
Collar: *high collar*
Original packaging: *1/10*





GETOUT

NOVO *NEW*

U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
PLAVA/*BLUE*	5MOTIGPS	5MOTIGPM	5MOTIGPL	5MOTIGPXL	5MOTIGPXXL	5MOTIGPXXXL
ZELENA/*GREEN*	5MOTIGZS	5MOTIGZM	5MOTIGZL	5MOTIGZXL	5MOTIGZXXL	5MOTIGZXXXL


LACUNA
STAY PROTECTED







DYNAMIC

5DYJMGM
siva/*grey*

5DYJMNY
plava/*blue*

DYNAMIC FLIS VESTA
Materijal: 100% pleteni flis
Zatvaranje: patent zatvarač
Rukavi: elastična manžetna
Originalno pakovanje: 1/10

DYNAMIC FLEECE JACKET
Material: *100% knitted fleece*
Fastening: *zipper*
Sleeves: *elastic cuffs*
Original packaging: *1/10*

GETOUT



M

VELIČINA/*SIZE*	XS	S	M	L	XL	XXL	XXXL
MUŠKA VESTA/*MEN'S JACKET*	5DYJMGMS	5DYJMGMM	5DYJMGML	5DYJMGMXL	5DYJMGMXL	5DYJMGMXXL	5DYJMGMXXXL
MUŠKA VESTA/*MEN'S JACKET*	5DYJMNYS	5DYJMNYM	5DYJMNYL	5DYJMNYXL	5DYJMNYXL	5DYJMNYXXL	5DYJMNYXXXL

NEVIS

5NEVIJS
siva/*grey*

FLIS JAKNA NEVIS
Materijal: 100% poliester, 320 g/m²
Zatvaranje: patent zatvarač
Originalno pakovanje: 1/10

NEVIS FLEECE JACKET
Material: *100% polyester, 320 g/m²*
Closure: *zipper*
Original packaging: *1/10*

LACUNA

NOVO
NEW



U

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
SIVA/*GREY*	5NEVIJSS	5NEVIJSM	5NEVIJSL	5NEVIJSXL	5NEVIJSXXL	5NEVIJSXXXL



WARMY

5WARNY
plava/*blue*

WARMY FLIS VESTA
Materijal: mikro polarni flis 450 g/m², 100% poliestersko vlakno
Zatvaranje: patent zatvarač
Rukavi: elastična manžetna
Pričvršćenje na dnu: elastično sa unutrašnje strane
Originalno pakovanje: 1/10

WARMY FLEECE SWEATER
Material: *micro polar fleece 450 g/m², 100% polyester fibers*
Fastening: *zipper*
Sleeves: *elastic cuffs*
Fastening: *elastic on the inside*
Original packaging: *1/10*



GETOUT

POLAIRE
FLEECE POLAR

U

VELIČINA/*SIZE*	XS	S	M	L	XL	XXL	XXXL
PLAVA/*BLUE*	5WARNYXS	5WARNYS	5WARNYM	5WARNYL	5WARNYXL	5WARNYXXL	5WARNYXXXL

LUCIANE

SM1195
muška/*men*

SM1196
ženska/*woman*

LUCIANE FLIS VESTA
Materijal: 100% mikro flis poliester, 300 g/m²
Zatvaranje: patent zatvarač
Džepovi: dva bočna + levi rukav
Originalno pakovanje: 1/15

LUCIANE FLEECE SWEATSHIRT
Material: *100% micro fleece polyester, 300 g/m²*
Fastening: *zipper*
Pockets: *two on sides + left sleeve*
Original packaging: *1/15*



ROLY

W M RD NY

	VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
MUŠKA/*MEN*	PLAVA/*BLUE*	SM1195NYS	SM1195NYM	SM1195NYL	SM1195NYXL	SM1195NYXXL	SM1195NYXXXL
	CRVENA/*RED*	SM1195RDS	SM1195RDM	SM1195RDL	SM1195RDXL	SM1195RDXXL	SM1195RDXXXL
ŽENSKA/*WOMAN*	PLAVA/*BLUE*	SM1196NYS	SM1196NYM	SM1196NYL	SM1196NYXL	SM1196NYXXL	SM1196NYXXXL
	CRVENA/*RED*	SM1196RDS	SM1196RDM	SM1196RDL	SM1196RDXL	SM1196RDXXL	SM1196RDXXXL

POLAR

FLRA300
muška/*men*

FLRL300
ženska/*woman*





POLAR FLIS VESTA
Materijal: 100% poliester, 300 g/m² sa antipiling obradom
Zatvaranje: patent zatvarač
Džepovi: dva bočna
Originalno pakovanje: 1/15

POLAR FLEECE SWEATSHIRT
Material: *100% polyester, 300 g/m² with anti-peeling treatment*
Closure: *zipper*
Pockets: *two on side*
Original packaging: *1/15*

JHK T-SHIRT

RB RD BK GM NY

W M

	VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
MUŠKA/*MEN*	CRNA/*BLACK*	FLRA300BKS	FLRA300BKM	FLRA300BKL	FLRA300BKXL	FLRA300BKXXL	FLRA300BKXXXL
	SIVA/*GRAY*	FLRA300GMS	FLRA300GMM	FLRA300GML	FLRA300GMXL	FLRA300GMXXL	FLRA300GMXXXL
	PLAVA/*BLUE*	FLRA300NYS	FLRA300NYM	FLRA300NYL	FLRA300NYXL	FLRA300NYXXL	FLRA300NYXXXL
	K.PLAVA/*ROYAL BLUE*	FLRA300RBS	FLRA300RBM	FLRA300RBL	FLRA300RBXL	FLRA300RBXXL	FLRA300RBXXXL
	CRVENA/*RED*	FLRA300RDS	FLRA300RDM	FLRA300RDL	FLRA300RDXL	FLRA300RDXXL	FLRA300RDXXXL
ŽENSKA/*WOMAN*	CRNA/*BRACK*	FLRL300BKS	FLRL300BKM	FLRL300BKL	FLRL300BKXL	FLRL300BKXXL	
	SIVA/*GRAY*	FLRL300GMS	FLRL300GMM	FLRL300GML	FLRL300GMXL	FLRL300GMXXL	
	PLAVA/*BLUE*	FLRL300NYS	FLRL300NYM	FLRL300NYL	FLRL300NYXL	FLRL300NYXXL	
	K.PLAVA/*ROYAL BLUE*	FLRL300RBS	FLRL300RBM	FLRL300RBL	FLRL300RBXL	FLRL300RBXXL	
	CRVENA/*RED*	FLRL300RDS	FLRL300RDM	FLRL300RDL	FLRL300RDXL	FLRL300RDXXL	

CLOUD

5CLOUJC crna/*black*	5CLOUJP plava/*blue*	5CLOUJS siva/*grey*

FLIS JAKNA CLOUD
Materijal: 100% poliester, 280 g/m²
Zatvaranje: patent zatvarač
Originalno pakovanje: 1/10

CLOUD FLEECE JACKET
Material: *100% polyester, 280 g/m²*
Closure: *zipper*
Original packaging: *1/10*

GETOUT™

NOVO *NEW*



U

VELIČINA/*SIZE*	XS	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5CLOUJCXS	5CLOUJCS	5CLOUJCM	5CLOUJCL	5CLOUJCXL	5CLOUJCXXL	5CLOUJCXXXL
PLAVA/*BLUE*	5CLOUJPXS	5CLOUJPS	5CLOUJPM	5CLOUJPL	5CLOUJPXL	5CLOUJPXXL	5CLOUJPXXXL
SIVA/*GREY*	5CLOUJSXS	5CLOUJSS	5CLOUJSM	5CLOUJSL	5CLOUJSXL	5CLOUJSXXL	5CLOUJSXXXL

CLOUD

5CLOUVC crna/*black*	5CLOUVP plava/*blue*	5CLOUVS siva/*grey*

FLIS PRSLUK CLOUD
Materijal: 100% poliester, 280 g/m²
Zatvaranje: patent zatvarač
Originalno pakovanje: 1/10

CLOUD FLEECE VEST
Material: *100% polyester, 280 g/m²*
Closure: *zipper*
Original packaging: *1/10*

GETOUT™

NOVO *NEW*



U

VELIČINA/*SIZE*	XS	S	M	L	XL	XXL	XXXL
CRNA/*BLACK*	5CLOUVCXS	5CLOUVCS	5CLOUVCM	5CLOUVCL	5CLOUVCXL	5CLOUVCXXL	5CLOUVCXXXL
PLAVA/*BLUE*	5CLOUVPXS	5CLOUVPS	5CLOUVPM	5CLOUVPL	5CLOUVPXL	5CLOUVPXXL	5CLOUVPXXXL
SIVA/*GREY*	5CLOUVSXS	5CLOUVSS	5CLOUVSM	5CLOUVSL	5CLOUVSXL	5CLOUVSXXL	5CLOUVSXXXL

ODDA

5ODDABK	5ODDABR	5ODDAGM	5ODDAPB
crna/*black*	smeđa/*brown*	siva/*grey*	petrol plava/*petrol blue*

GETOUT™

NOVO *NEW*



ZIMSKA KAPA ODDA
Spoljašnji materijal: 100% akril
Originalno pakovanje: 1/100

ODDA WINTER HAT
Outer material: *100% acrylic*
Original packaging: *1/100*

BOJA/*COLOR*	ARTIKL/*ITEM*	ŠIFRA/*CODE*
CRNA/*BLACK*		5ODDABK
SMEĐA/*BROWN*		5ODDABR
SIVA/*GREY*		5ODDAGM
PETROL PLAVA/*PETROL BLUE*		5ODDAPB

FLOR

5FLORBK crna/*black*

5FLORLG siva/*grey*

ZIMSKA KAPA FLOR
Spoljašnji materijal: 100% akril
Originalno pakovanje: 1/100

FLOR WINTER HAT
Outer material: *100% acrylic*
Original packaging: *1/100*

GETOUT

NOVO *NEW*



U

BOJA/*COLOR*	ŠIFRA/*CODE*
CRNA/*BLACK*	5FLORBK
SIVA/*GREY*	5FLORLG

SKEI

5SKEIBK crna/*black*

5SKEIPB petrol plava/*petrol blue*

ZIMSKA KAPA SKEI
Spoljašnji materijal: 100% akril
Originalno pakovanje: 1/100

SKEI WINTER HAT
Outer material: *100% acrylic*
Original packaging: *1/100*

GETOUT

NOVO *NEW*



U

BOJA/*COLOR*	ŠIFRA/*CODE*
CRNA/*BLACK*	5SKEIBK
PETROL PLAVA/*PETROL BLUE*	5SKEIPB


Ani Marie

SAILOR

5KZWTP plava/*blue* | **5KZWTC** crna/*black* | **5KZWTS** siva/*gray*

ZIMSKA KAPA SAILOR
Materijal: 100% akril
Originalno pakovanje: 10/60

SAILOR WINTER CAP
Material: *100% acryl, 40 g/m*
Original packaging: *10/60*



GETOUT

U

BOJA/*COLOR*	ŠIFRA/*CODE*
PLAVA/*BLUE*	5KZWTP
CRNA/*BLACK*	5KZWTC
SIVA/*GRAY*	5KZWTS

NORTH

5NORTBK crna/*black* | **5NORTNY** plava/*blue*

ZIMSKA KAPA NORTH
Materijal: 100% akril
Originalno pakovanje: 10/60

NORTH WINTER CAP
Material: *100% acryl*
Original packaging: *10/60*



GETOUT

U

BOJA/*COLOR*	ŠIFRA/*CODE*
CRNA/*BLACK*	5NORTBK
PLAVA/*BLUE*	5NORTNY



GETOUT

5GET/II siva/*gray*	5GET/IV siva/*gray*	5GET/V crna/*black*



ZIMSKE KAPE GETOUT
Materijal: 100% akril, 60 g/m²
Originalno pakovanje: 10/60

GETOUT WINTER CAPS
Material: *100% acryl, 60 g/m²*
Original packaging: *10/60*

8000MM&4000MVP

BOJA/*COLOR*	ARTIKL/*ITEM*	ŠIFRA/*CODE*
SIVA/*GRAY*	**GETOUT II**	5GET /II
SIVA/*GRAY*	**GETOUT IV**	5GET/IV
CRNA/*BLACK*	**GETOUT V**	5GET/V



MAJICE KRATKI RUKAV MUŠKE

T-SHIRT SHORT SLEEVE MEN

OLIB

5OLIB

Materijal: 100% pamuk
siva – 85% pamuk / 15% viskoza
Težina: 150 g/m²
Kragna: elastična rebrasta
Veličina: S–XXXL
Originalno pakovanje: 1/100

Material: *100% cotton*
Grey – 85% cotton / 15% viscose
Weight: *150 g/m²*
Collar: *elastic ribbed collar*
Size: *S–XXXL*
Original packaging: *1/100*

GETOUT

NOVO
NEW



M

S M L XL XXL XXXL

WH RB BK GM NY RD

T-SHIRT

TSRA150

Materijal: 100% pretprani pamuk
Težina: 155 g/m², bijela 150 g/m² +/-5%
Originalno pakovanje: 1/100

Material: *100% pre-washed cotton*
Weight: *155g/m2, white 150 g/m² +/-5%*
Original packaging: *1/100*

***Grey melange:** 85% pamuk/15% viskoza
***Ash melange:** 98% pamuk/2% viskoza

***Grey melange:** 85% cotton/15% viscose
***Ash melange:** 98% cotton/2% viscose

***4xl, 5xl: WH, BK, GM, NY, RD**

JHK T-SHIRT




M

S XS M L XL XXL XXXL

WH BK FG SY NY BG AS RB KG GM SK LY OR RD

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	XS	S	M	L	XL	XXL	XXXL
A	68	70	72	74	76	78	83
B	48	51	53,5	56	58	61	66
TOLERANCE +/-5%							





MAJICE KRATKI RUKAV ŽENSKE

T-SHIRT SHORT SLEEVE WOMEN

SILBA

5SILB

Materijal: 100% pamuk
Težina: 150 g/m²
Kragna: elastična rebrasta
Veličina: S–XXXL
Originalno pakovanje: 1/100

Material: *100% cotton*
Weight: *150 g/m²*
Collar: *elastic ribbed collar*
Size: *S–XXXL*




GETOUT

NOVO
NEW

WH
RB
BK
RD
NY

W

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	XS	S	M	L	XL	XXL	XXXL
A	68	70	72	74	76	78	83
B	48	51	53,5	56	58	61	66
TOLERANCE +/-5%							



T-SHIRT

TSRLCMF

Materijal: 100% češljani pamuk
Težina: 145 g/m² +/-5%
Originalno pakovanje: 1/100

Material: *100% combed cotton*
Weight: *145 g/m² +/-5%*
Original packaging: *1/100*

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose*

JHK T-SHIRT






S
M
L
XL
XXL

WH
FU
BK
KG
RD
NY
SY
OR
RB
GM
SK

W

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	S	M	L	XL	XXL
A	60	62	64	66	68
B	42	44	46	48	50
TOLERANCE +/-5%					





MAJICE DUGI RUKAV MUŠKE I ŽENSKE

T-SHIRT LONG SLEEVE MEN AND WOMEN

T-SHIRT

TSRA150LS

Materijal: 100% češljani pretprani pamuk
Težina: 155-160 g/m² +/-5%
Originalno pakovanje: 1/50

Material: *100% combed pre-washed cotton*
Weight: *155-160 g/m² +/-5%*
Original packaging: *1/50*

***Grey melange:** 85% pamuk/15% viskoza
Grey melange: *85% cotton/15% viscose*




WH
BK
NY
RB
RD
GM

S M L XL XXL XXXL

M

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	S	M	L	XL	XXL	XXXL
A	70	72	74	76	82	84
B	52	54	56	60	64	66
TOLERANCE +/-5%						



T-SHIRT

TSRLCMFLS

Materijal: 100% pretprani pamuk
Težina: 155 g/m², +/-5%
Originalno pakovanje: 1/50

Material: *100% pre-washed cotton*
Weight: *155 g/m² +/-5%*
Original packaging: *1/50*




WH
BK
NY
RD
GM

S M L XL XXL

W

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	S	M	L	XL	XXL
A	61	63	65	67	69
B	42	44	46	48	50
TOLERANCE +/-5%					





POLO MAJICE KRATKI RUKAV MUŠKE I ŽENSKE/

POLO T-SHIRTS MEN AND WOMEN SHORT SLEEVE

POLO

PORA210

Materijal: 100% češljani pretprani pamuk
Težina: 210 g/m² +/-5%
Originalno pakovanje: 1/50

Material: *100% combed pre-washed cotton*
Weight: *210 g/m2 +/-5%*
Original packaging: *1/50*

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose*

M





DUŽINA/ŠIRINA/*LENGTH/WIDTH*	S	M	L	XL	XXL	XXXL
A	70	72	74	76	82	84
B	51	53	55	59	63	64
TOLERANCE +/-5%						

POLO

POPL200

Materijal: 100% češljani pretprani pamuk
Težina: 200 g/m² +/-5%
Originalno pakovanje: 1/50

Material: *100% combed pre-washed cotton*
Weight: *200 g/m² +/-5%*
Original packaging: *1/50*

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose*

W





DUŽINA/ŠIRINA/*LENGTH/WIDTH*	S	M	L	XL	XXL	XXXL
A	61	63	65	67	69	73
B	42	44	46	48	50	54
TOLERANCE +/-5%						



POLO MAJICE DUGI RUKAV MUŠKE I ŽENSKE/

POLO T-SHIRTS LONG SLEEVE MEN AND WOMEN

POLO

PORA210LS

Materijal: 100% češljani pretprani pamuk
Težina: 210 g/m² +/-5%
Originalno pakovanje: 1/50

Material: *100% combed pre-washed cotton*
Weight: *210 g/m² +/-5%*
Original packaging: *1/50*

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose*




WH
BK
NY
RB
SK
RD
GM

S M L XL XXL XXXL

M

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	S	M	L	XL	XXL	XXXL
A	70	72	74	76	82	84
B	52	54	56	60	64	66
TOLERANCE +/-5%						



POLO

POPL200LS

Materijal: 100% češljani pretprani pamuk
Težina: 200 g/m² +/-5%
Originalno pakovanje: 1/50

Material: *100% combed pre-washed cotton*
Weight: *200 g/m² +/-5%*
Original packaging: *1/50*

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose*




WH
BK
NY
RD

S M L XL XXL

W

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	S	M	L	XL	XXL
A	61	63	65	67	69
B	42	44	46	48	50
TOLERANCE +/-5%					





HOODIE & SWEATSHIRT/ *HOODIE & SWEATSHIRT*

HOODIE

SWUAHOOD

Materijal: 65% Poliester/35% pamuk
Težina: 290 g/m² +/-5%
Originalno pakovanje: 1/25

Material: *65% polyester/35% cotton*
Weight: *290 g/m² +/-5%*
Original packaging: *1/25*


***Grey melange:** 61% pamuk/31% poliester/ 8%viskoza*
****Grey melange:*** *61% cotton/31% polyester/ 8% viscose*



XS S L M XL XXL

M

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	XS	S	M	L	XL	XXL
A	67	69	70	71	72	74
B	52	54	56	58	60	62
TOLERANCE +/-5%						



BK NY RB RD GM

ANNAPURNA

SU1104

Materijal: 100% pamuk
Težina: 260 g/m² +/-5%
Originalno pakovanje: 1/30

Material: *100% combed pre-washed cotton*
Weight: *260 g/m² +/-5%*
Original packaging: *1/30*

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose*




S M L XL XXL

BK NY RD GM

M

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	S	M	L	XL	XXL
A	64	67	70	73	76
B	50	53	56	59	62
TOLERANCE +/-5%					



ANNAPURNA

SU1111

Materijal: 100% pamuk
Težina: 260 g/m² +/-5%
Originalno pakovanje: 1/30

Material: *100% combed pre-washed cotton*
Weight: *260 g/m² +/-5%*
Original packaging: *1/30*

***Grey melange:** 85% pamuk/15% viskoza
***Grey melange:** 85% cotton/15% viscose*




S M L XL XXL

BK NY RD GM

W

DUŽINA/ŠIRINA/*LENGTH/WIDTH*	S	M	L	XL	XXL
A	66	67	68	69	70
B	48	51	54	57	60
TOLERANCE +/-5%					





KAPE/
CAPS

URANUS

GO7041

Materijal: 100% pamuk, 170 g/m², 5 panela
Kopčanje: čičak
Boja: bela, plava, crna, kraljevsko plava, crvena
Veličina: univerzalna
Originalno pakovanje: 1/300

Material: *100% cotton, 170 g/m², 5 panels*
Fastening: *zipper*
Color: *white, blue, black, royal, red*
Size: *universal*
Original packaging: *1/300*






BOJA/*BARVA*	U
BELA/*WHITE*	GO7041WH
PLAVA/*BLUE*	GO7041NY
KRALJEVSKO PLAVA/*ROYAL BLUE*	GO7041RB
CRVENA/*RED*	GO7041RD
CRNA/*BLACK*	GO7041BK

ORLANDO

KA011

Materijal: 100% pamuk, 260 g/m², 6 panela
Kopčanje: metalna kopča
Sandwich šilt: obod u kontrastnoj boji
Veličina: univerzalna
Originalno pakovanje: 1/100

Material: *100% cotton, 260 g/m² 6 panels*
Buckle: *metal clasp*
Sandwich visor: *rims in a contrasting color*
Size: *universal*
Original packaging: *1/100*



BOJA/*COLOR*	U
BELO/PLAVA/*WHITE/NAVY*	KA011WHNY
CRVENO/BIJELA/*RED/WHITE*	KA011RDWH
T.ZELENO/BEŽ/*FOREST GREEN/BEIGE*	KA011FGBE
CRNO/ BELA/*BLACK/WHITE*	KA011BKWH
CRNO/CRNA/*BLACK/BLACK*	KA011BKBK

BOJA/*COLOR*	U
T.SIVA/CRNA/*DARK GRAY/BLACK*	KA011DGBK
PLAVO/PLAVA/*NAVY/NAVY*	KA011NYNY
CRVENO/CRNA/*RED/BLACK*	KA011RDBK
PLAVO/BELA/*NAVY/WHITE*	KA011NYWH
BELA/CRVENA/*WHITE/RED*	KA011WHRD

FIRST

KA034

Materijal: 100% pamuk, 155 g/m², 5 panela
Kopčanje: plastična kopča
Veličina: univerzalna
Originalno pakovanje: 1/100

Material: *100% cotton, 155 g/m² 5 panels*
Buckle: *plastic clasp*
Size: *universal*
Original packaging: *1/100*



BOJA/*COLOR*	U
CRNA/*BLACK*	KA034BK
ZELENA/*GREEN*	KA034FG
PLAVA/*BLUE*	KA034NY
NARANDŽASTA/*ORANGE*	KA034OR

BOJA/*COLOR*	U
KRALJEVSKO PLAVA/*ROYAL NAVY*	KA034RB
CRVENA/*RED*	KA034RD
BELA/*WHITE*	KA034WH

BROKULA CAREWEAR

BROKULA CAREWEAR

Brokula proizvodi su nastali od prirodnih, organskih i održivih materijala: Organski pamuk – pamuk uzgojen isključivo ekološkim procesima, od negenetski modifikovanih biljaka, bez korišćenja ikakvih sintetičkih hemikalija (đubriva i pesticida).
Lyocell Tencel Sun (UV zaštita) – vlakno izrađeno od prirodne sirovine (pulpe) drveta, 100% biorazgradivo. Dodatak pigmenta minerala, osigurava dugoročnu zaštitu od štetnog UV zračenja. Učinak zaštite je stabilan i nakon učestalog pranja i uticaja vlage.
Elastan ili Lycra – u sastavu materijala, sa 4% maksimalno je prisuno sintetičko vlakno koje materijalima produžava trajnost/nošenje.
“Green mark” – garancija ekološke i društvene osveštenosti i delovanja sa stvarnim ekološkim učincima.
Društvena odgovornost – doprinos održivom razvoju – odgovorno delovanje u svim fazama poslovanja u odnosu na društvo, životnu sredinu i prirodu. Boje za pletivo ne sadrže hemijska sredstva štetna za kožu.
Boje za štampu – proizvedene u skladu sa najvišim ekološkim standardima, ISO 14001 i Oeko-Tex Standard 100.

BROKULA CAREWEAR

Brokula products are made from natural, organic and sustainable materials: Organic cotton - Cotton grown exclusively in environmentally-friendly ways, from non-genetically modified plants, without use of any synthetic chemicals (fertilizers and pesticides).
Lyocell Tencel Sun (UV protection) - fibers from natural raw materials, wood cellulose, 100% biodegradable. The addition of mineral pigment provides long-term protection against harmful UV radiation. The protective effect is permanent even after frequent washing and use in wet conditions. Elastane or lycra – maximum 45% in the structure of the material, synthetic fibers that extend the material‘s durability/use.
'Green mark' - a guarantee of environmental and social awareness and effects to the environment.
Social responsibility - contribution to sustainable development - responsible action in all phases of business in relation to society, the environment and nature. Knitting dyes - do not contain chemicals harmful to skin.
Printing inks - produced in harmony with the highest environmental standards, ISO 14001 and Oeko-Tex Standard 100.

LACUNA ne odgovara za eventualne tiskarske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cijene molimo provjerite na LACUNA B2B/*Last valid recommended prices check at www.lacuna.hr*
Na www.lacuna.hr možete vidjeti prošireni izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*





ORGANSKI PAMUK I EKOLOŠKA ODRŽIVOST

Odabirući pamuk iz **organskog** umesto iz konvencionalnog uzgoja, doprinosite zaštiti životne sredine, smanjujete potrošnju vode, energije i emisiju gasova staklene bašte.

Uzgoj organskog pamuka pomaže očuvanju zdravog tla, ekosistema i ljudi jer je utemeljen na prirodnim procesima, izbegava veštačke intervencije i još važnije uzgoj organskog pamuka ne dozvoljava upotrebu otrovnih hemikalija ili GMO-a. Uzgoj organskog pamuka smanjuje negativan uticaj na životnu sredinu.

Brokula proizvodi izrađenih su od prirodnih, organskih i ekološki održivih tkanina.

Pamučna odeća je organska samo ako je sertifikovana prema standardu organskog pamuka. GOTS (Global Organic Textile Standard) prati sadržaj organske sirovine u odeći i obezbeđuje da njena obrada bude društveno i ekološki održiva.

OE 100 Standard se primenjuje za proizvode od 100% organskog pamuka, uključujući i konac za šivenje. OE 100 zahteva organski uzgoj pamuka i kriterijume za pravilno rukovanje i transport organskog pamuka kroz ceo proces obrade tekstila.

OCS Blended se koristi za proizvode koji sadrže najmanje 5% organskog materijala pomešanog sa konvencionalnim pamukom ili sintetskim sirovinama.

TENCEL - prirodna celulozna vlakna iz jezgre stabla eukaliptusa.

ORGANIC COTTON AND ENVIRONMENTAL SUSTAINABILITY

*By choosing **organic** cotton, instead of the regular, we contribute to the preservation of the environment, reduction in the consumption of water, energy and greenhouse gas emissions.*

Growing organic cotton helps maintaining healthy soils, ecosystems and people because it is natural, excludes artificial interventions and does not allow the use of toxic chemicals or GMOs.
Growing organic cotton reduces negative environmental impact.

Brokula products are made from natural, organic and environmentally sustainable fabrics.

Cotton clothing is organic only if it is certified according to the standard for organic cotton. The GOTS (Global Organic Textile Standard) ensures that the processing of organic raw materials is socially and environmentally sustainable.

OE 100 Standard applies to products made of 100% organic cotton, including sewing threads. OE 100 requires the cultivation of organic cotton and establishes criteria for the proper handling and transport of organic cotton throughout the whole process.

OCS Blended applies to products containing at least 5% organic material mixed with conventional cotton or synthetic raw materials.

TENCEL- natural cellulose fibers from the core of the eucalyptus tree.





VIS

BRKL/MM160

MUŠKA MAJICA KRATKI RUKAV VIS
MEN'S SHORT-SLEEVED T-SHIRT VIS

Materijal: 100% organski pamuk, 160 g/m² GOTS certifikat
Veličina: S-XXL
Originalno pakovanje: 1/100

Material: *100% organic cotton, 160 g/m² GOTS certificate*
Size: *S-XXL*
Original packaging: *1/100*



WH
BK
NY
BR
G

Finoća
Fineness

Izuzetno prijatno za nošenje
Extremely comfortable to wear

Odlično pristajanje
Great fitting

Održi kvalitet-dugotrajno nošenje
Durable quality - long-lasting wear

Otpornost na učestalo pranje
Resistant to frequent washing

KRKA

BRKL/ŽM160

ŽENSKA MAJICA KRATKI RUKAV KRKA
WOMEN'S SHORT-SLEEVED T-SHIRT KRKA

Materijal: 100% organski pamuk, 160 g/m² GOTS certifikat
Veličina: S-XXL;
Originalno pakovanje: 1/100

Material: *100% organic cotton, 160 g/m² GOTS certificate*
Size: *S-XXL*
Original packaging: *1/100*



WH
BK
NY
BR
G

Finoća
Fineness

Izuzetno prijatno za nošenje
Extremely comfortable to wear

Odlično pristajanje
Great fitting

Održi kvalitet-dugotrajno nošenje
Durable quality - long-lasting wear

Otpornost na učestalo pranje
Resistant to frequent washing



SAILOR

BRKL/SM

MUŠKA MAJICA KRATKI RUKAV SAILOR
MEN'S SHORT-SLEEVED T-SHIRT SAILOR

Materijal: 100% organski pamuk, 160 g/m² GOTS certifikat
Veličina: S-XXL
Originalno pakovanje: 1/100

Material: *100% organic cotton, 160 g/m² GOTS certificate*
Size: *S-XXL*
Original packaging: *1/100*



Finoća
Fineness

Izuzetno prijatno za nošenje
Extremely comfortable to wear

Odlično pristajanje
Great fitting

Održi kvalitet-dugotrajno nošenje
Durable quality - long-lasting wear

Otpornost na učestalo pranje
Resistant to frequent washing

SAILOR

BRKL/SW

ŽENSKA MAJICA KRATKI RUKAV SAILOR
WOMEN'S SHORT SLEEVED T-SHIRT SAILOR

Materijal: 100% organski pamuk, 160 g/m² GOTS certifikat
Veličina: S-XXL
Originalno pakovanje: 1/100

Material: *100% organic cotton, 160 g/m² GOTS certificate*
Size: *S-XXL*
Original packaging: *1/100*



Finoća
Fineness

Izuzetno prijatno za nošenje
Extremely comfortable to wear

Odlično pristajanje
Great fitting

Održi kvalitet-dugotrajno nošenje
Durable quality - long-lasting wear

Otpornost na učestalo pranje
Resistant to frequent washing


BROKULA
CAREWEAR UV



BROKULA

CAREWEAR



SALPA

BRKLUV435 | BRKLUV436 | BRKLUV413

BROKULA SALPA UV šešir za odrasle ONE SIZE
Opis: zaštitni šešir. Zaštita od UV/UPF50 +. Rashladni efekat, prozračnost
Materijal: 100% reciklirana poliesterska mikrovlakna
Veličina: Univerzalna, 61 cm, fleksibilna
Boja: bijela, bež, plava
Originalno pakovanje: 1/100

BROKULA SALPA UV hat for adults, white,ONE SIZE
Description: *protective hat. UV/UPF50 + protection. Cooling effect, breatheable*
Material: *100% recycled polyester microfiber*
Size: *universal, 61 cm, adjustable*
Color: *white, beige, blue*
Original packaging: *1/100*



NOVO *NEW*

BOJA/*COLOR*	ŠIFRA/*CODE*
BEŽ/*BEIGE*	BRKLUV435
BELA/*WHITE*	BRKLUV436
PLAVA/*BLUE*	BRKLUV413

SALMO

BRKLUV424 | BRKLUV425

BROKULA SALMO UV kapa za odrasle ONE SIZE
Opis: zaštitni šešir. Zaštita od UV/UPF50 +. Rashladni efekat, prozračnost
Materijal: 100% reciklirana poliesterska mikrovlakna
Veličina: Univerzalna, 61 cm, fleksibilna
Boja: bijela, bež
Originalno pakovanje: 1/100

BROKULA SALMO UV hat for adults ONE SIZE
Description: *protective hat. UV/UPF50 + protection. cooling effect, breatheable*
Material: *100% recycled polyester microfiber*
Size: *universal, 61 cm, adjustable*
Color: *white, beige*
Original packaging: *1/100*



BOJA/*COLOR*	ŠIFRA/*CODE*
BEŽ/*BEIGE*	BRKLUV424
BELA/*WHITE*	BRKLUV425



SPARUS

BRKLUV414

BROKULA SPARUS UV šešir za odrasle, bež, ONE SIZE
Opis: zaštitni šešir. Zaštita od UV/UPF50 +. Rashladni efekat, prozračnost
Materijal: 100% reciklirana poliesterska mikrovlakna
Veličina: Univerzalna, 61 cm, fleksibilna
Originalno pakovanje: 1/100

BROKULA SPARUS UV hat for adults, beige, ONE SIZE
Description: *protective hat. UV/UPF50+ protection. Cooling effect, breatheable*
Material: *100% recycled polyester microfibers*
Size: *universal, 61 cm, adjustable*
Original packaging: *1/100*



BOJA/*COLOR*	ŠIFRA/*CODE*
BEŽ/*BEIGE*	BRKLUV414

SARDA

BRKLUV433

BROKULA SARDA UV kapa sa plaštom na skidanje, bež, ONE SIZE
Opis: zaštitni šešir. Zaštita od UV/UPF50 +. Rashladni efekat, prozračnost
Materijal: 100% reciklirana poliesterska mikrovlakna
Veličina: Univerzalna, 61 cm, fleksibilna
Originalno pakovanje: 1/100

BROKULA SARDA UV cap, removable neck/ear flap, beige, ONE SIZE
Description: *protective hat. UV/UPF50+ protection. Cooling effect, breatheable*
Material: *100% recycled polyester microfiber*
Size: *universal, 61 cm, adjustable*
Original packaging: *1/100*



BOJA/*COLOR*	ŠIFRA/*CODE*
BEŽ/*BEIGE*	BRKLUV433

SOLEA

BRKLUV434

BROKULA SOLEA UV šilt kapa za odrasle bela, ONE SIZE
Opis: zaštitni šešir. Zaštita od UV/UPF50 +. Rashladni efekat, prozračnost
Materijal: 100% reciklirana poliesterska mikrovlakna
Veličina: Univerzalna, 61 cm, fleksibilna
Originalno pakovanje: 1/100

BROKULA SOLEA UV visor cap for adults, white, ONE SIZE
Description: *protective hat. UV/UPF50+ protection. Cooling effect, breatheable*
Material: *100% recycled polyester microfiber*
Size: *universal, 61 cm, adjustable*
Original packaging: *1/100*



BOJA/*COLOR*	ŠIFRA/*CODE*
BELA/*WHITE*	BRKLUV434

ZAŠTITNE I RADNE CIPELE
SAFETY AND OCCUPATIONAL SHOES

LACUNA GETOUT Base coverguard DUNLOP

ZAŠTITNE I RADNE CIPELE

Lacuna razvija cipele koje su dizajnirane da zaštite nogu od raznih opasnosti za vreme obavljanja određenog posla, nezavisno od sezone u godini.

Lacuna cipele su izrađene od visokokvalitetnih materijala čiji atraktivan dizajn omogućava nošenje istih u slobodno vreme.

SAFETY AND OCCUPATIONAL SHOES

Lacuna developed shoes which are designed to protect your feet from different hazards during work in every season.

Lacuna shoes are made from high quality materials with a modern design that makes them attractive for wearing even after work.



LACUNA ne odgovara za eventualne štamparske greške u katalogu./*LACUNA is notresponsible for misprints in the catalogue.* Poslednje važeće cene molimo proverite na LACUNA B2B./*Last valid recommended prices check on LACUNA B2B.*Na www.lacuna.hr možete videti proširenu izbor iz LACUNA ponude./*Full LACUNA range available at www.lacuna.hr*



OZNAČAVANJE I STANDARDI *LABELING AND STANDARDS*

STANDARDI

Standardima **EN ISO 20345:2011 i EN ISO 20347:2012** se propisuju zahtevi za obuću, u zavisnosti od nivoa posebnih rizika.

Standardom EN ISO 20345:2011 definisane su karakteristike sigurnosne obuće namenjene profesionalnoj upotrebi. Ova obuća ima zaštitne delove koji štite nogu od povreda do kojih može doći u industrijskom okruženju. Iz navedenog razloga, ova je obuća osmišljena i opremljena zaštitnom kapicom koja pruža zaštitu od udaraca jačine do 200 džula.

Nivo prianjanja potplata razlikuje se u zavisnosti od odabranih uslova ispitivanja, a obuća – ispitana prema evropskim standardima EN – označena je jednom od sledećih oznaka: SRA, SRB, SRC. Ove oznaHR OBAVEŠTENJE ZA KORISNIKA BEZBEDNOSNE I RADNE OBUĆE koje ukazuju da obuća udovoljava zahtevima koje propisuju sledeće oznake:

SRA = ispitivanje usklađenosti je izvedeno na keramičkim pločicama koje su premazane deterdžentom.

SRB = ispitivanje usklađenosti je izvedeno na podnoj površini presvučenoj glatkim čelikom, premazanim glicerolom.

SRC = ispitivanje usklađenosti provedeno je u prethodno navedenim uslovima. Ispitne površine ne obuhvataju u celosti sve vrste podnih površina pa su stoga izvedena dodatna testiranja kako bi se utvrdilo koja obuća ima najbolji nivo prianjanja u određenom okruženju.

EN ISO 20347:2012: Karakteristike radne obuće namenjene profesionalnoj upotrebi. Ova obuća se razlikuje od sigurnosne obuće jer nema zaštitne kapice koje pružaju zaštitu od udaraca i prignječenja.

EU STANDARDI OSOBNE ZAŠTITNE OPREME_OBUĆA PREMA UREDBI 2016/425

STANDARDS

*With standards **EN ISO 20345:2011** and EN **ISO 20347:2012** are prescribed the requirements that footwear must meet, depending on the level of specific risks. With standard EN ISO 20345:2011 the properties of protective footwear intended for professional use are defined. The footwear contains protectiveparts that shield user from demages that can occur during work in industrial environment. For this reason, this footwear is made and equipped with a protective cap that protects against shocks of up to 200 Joules. The level of fit of the sole varies, depending on the selected test conditions, but the footwear - tested in accordance with European standards EN - is marked with one of the following designations: SRA, SRB, SRC. These markings indicate that the footwear satisfies the requirements prescribed by the following tests:*

***SRA** = the conformity test is carried out on ceramic tiles which are coated with detergent.*

***SRB** = the conformity test is carried out on a floor surface coated with smooth steel coated with glycerol.*

***SRC** = the conformity test has been carried out in the above conditions. The test surfaces do not cover all types of floor surfaces, so additional tests are performed to determine which footwear has the highest level of fit in a particular environment.*

***EN ISO 20347:2012:** Properties of work footwear for professional use. This footwear differs from safety footwear as it does not have protective caps that protect against shocks and pressures.*

EU STANDARDS FOR PERSONAL PROTECTIVE EQUIPMENT_FOOTWEAR ACCORDING TO REGULATION 2016/425

EU STANDARD	KLASA *CLASS*	NIVO *CATEGORY*	ZAŠTITNA KAPICA *PROTECTIVE CAP*	PROTIV KLIZANJA *ANTI-SLIP*	ZATVORENO PODRUČJE *PETE CLOSED HEEL AREA*	ANTI- STATIČKE KARAKTERISTIKE *ANTISTATIC*	APSORPCIJA ENERGIJE U PREDJELU PETE *HEEL ENERGY ABSORPTION*	VODOODBOJNO I VODOOTPORNO GORNJIŠTE *WATER REPELLENT AND WATERPROOF UPPER*	ULJEOTPORAN ĐON/*OIL AND HYDROCARBON RESISTANT SOLE*	OTPORNOST NA PROBIJANJE/ *PROTECTIVE INSOLE*	POTPLAT SA PROFILIMA *CLEATED SOLES*
			SRA min			A	E	WRU	FO	P	
EN ISO 20345:2011 SIGURNOSNA OBUĆA/ EN ISO 20345:2011 SAFEY SHOES	CLASS 1	SB	●	●							
		S1	●	●	●	●	●		●		
		S1 P	●	●	●	●	●		●	●	
		S2	●	●	●	●	●	●	●		
		S3	●	●	●	●	●	●	●	●	●
	CLASS 2	SB	●	●				●			
		S4	●	●	●	●	●	●	●		
		S5	●	●	●	●	●	●	●	●	●

EU STANDARD	KLASA *CLASS*	NIVO *CATEGORY*	ZAŠTITNA KAPICA *PROTECTIVE CAP*	PROTIV KLIZANJA *ANTI-SLIP*	ZATVORENO PODRUČJE *PETE CLOSED HEEL AREA*	ANTI- STATIČKE KARAKTERISTIKE *ANTISTATIC*	APSORPCIJA ENERGIJE U PREDJELU PETE *HEEL ENERGY ABSORPTION*	VODOODBOJNO I VODOOTPORNO GORNJIŠTE *WATER REPELLENT AND WATERPROOF UPPER*	ULJEOTPORAN ĐON/*OIL AND HYDROCARBON RESISTANT SOLE*	OTPORNOST NA PROBIJANJE/ *PROTECTIVE INSOLE*	POTPLAT S PROFILIMA *CLEATED SOLES*
			SRA min			A	E	WRU	FO	P	
EN ISO 20347:2012 RADNA OBUĆA EN ISO 20347:2012 WORK SHOES	CLASS 1	OB		●							
		O1		●	●	●	●		●		
		O2		●	●	●	●	●	●		
		O3		●	●	●	●	●	●	●	●
	CLASS 2	OB		●				●	●		
		O4		●	●	●	●	●			
		O5		●	●	●	●	●	●	●	●

TEHNIČKE INFORMACIJE

DODATNI ZAHTEVI (ZAŠTITA)
Simbol/Značenje dodatnih zahteva:

P Otpornost na probijanje (1100 Newtona)
C Električna svojstva – vodljiva obuća (maks.otpornost: 100kΩ)
A Električna svojstva – antistatička obuća (raspon od 100kΩ i 1000kΩ)
HI Izolacija protiv hladnoće
CI Izolacija protiv topline
E Apsorpcija energije u području pete (20 Jula)
WR Otpornost na vodu
M Zaštita metatarzalnog dijela stopala
AN Zaštita gležnja
CR Otpornost na razrezivanje
WRU Propuštanje i upijanje vode gornjišta
HRO Otpornost potplata na dodirnu toplotu (max 300°C do 60 sek.)
FO Otpornost potplata na pogonska goriva
SRA Otpornost na klizanje na keramičkom podu prekrivenim deterdžentom (NaLS)
SRB Otpornost na klizanje na metalnom podu prekrivenim glicerolom
SRA+SRB = SRC

TECHNICAL INFORMATION

ADDITIONAL REQUIREMENTS (PROTECTION)
Symbol/Meaning of additional requirements:

P *Puncture resistant sole (1000 Newton)*
C *Conductive footwear (max. resistance: 100kΩ*
A *Anti-static properties (range from 100kΩ to 1000kΩ)*
HI *Heat insulationn*
CI *Cold insulation*
E *Heel energy absorption*
WR *Water resistance*
M *Toe protection*
AN *Ankle protection*
CR *Cut resistant*
WRU *Water-resistant uppper*
HRO *Heat resistant sole; one minut up to 300 °C*
FO *Hydrocarbons resistant*
SRA *FO SRA Slip resistance on ceramic floors + detergent (NaLS)*
SRB *Resistance on steel surface + glycerine*
SRA+SRB = SRC


Zaštitna kapica
Protective cap


Antistatičnost
Antistatic


Zaštitna tabanica
Protective insole


Amortizacija udaraca u petu
Energy absorbing heel


Protiv-klizni đon
Slip resistant sole


Na ulje otporan đon
Oil and hydrocarbon resistant sole



Vodonepropusnost
Waterproof



Vodoodbojno i vodootporno gornjište
Water repellent and waterproof upper


Prozračnost gornjišta
Breathability of the upper part


Otpornost na niske temperature
Warm lining


Cipela bez zaštite
Shoe without protection


Zatvorena peta
Closed heel area



Bez metalnih dijelova
No metal parts



Otpornost potplata na dodirnu toplinu
Sole resistance to contact heat



Izolacija protiv topline
Izolacija proti toploti



Izolacija protiv hladnoće
Heat insulation



Otpornost na klizanje na keramičkoj i metalnoj podlozi
Slip resistance on ceramic and metal floor



Otpornost na klizanje na keramičkom podu s deterdžentom
Slip resistance on ceramic floor with detergent



Otpornost na klizanje na metalnom podu s glicerolom/*Slip resistance on metal floor with glycerol*



Elektrostatičko pražnjenje
Electrostatic discharge

NOVI STANDARDI EN ISO 20345/2022/A1:2024 I EN ISO 20347:2022/A1:2024

Uredba (EU) 2016/425 od 9. marta 2016. godine reguliše, na osnovu evropskog prava, tržište lične zaštitne opreme i definiše i raspoređuje odgovornosti različitih ekonomskih operatera.
Od marta 2024. godine na snagu su stupile nove norme pod oznakom EN ISO 20345:2022 i EN ISO 20347:2022, koje predviđaju uvođenje novih zahteva i oznaka s ciljem olakšavanja primene standarda od strane proizvođača, stvaranja jednakih uslova u svim državama članicama te efikasnog i pojednostavljenog prometa robe u Evropi.

1 OSNOVNI ZAHTEVI

SB

- Otpornost na udarce do 200 J i drobljenja do 1500 daN
- Otpornost, bezbednost i performansa materijala
- Ergonomična i udobna obuća
- Zaštita od proklizavanja (keramički pod + deterdžent)

OB

- Otpornost, sigurnost i performasa materijala
- Ergonomična i udobna obuća
- Zaštita od proklizavanja (keramički pod + deterdžent)

2 DODATNI ZAHTEVI

SB

A Antistatičnost	**AN** Zaštita skočnog zgloba	**CI** Đon sa izolacijom od hladnoće	**HI** Đon sa izolacijom od topline	**CR** Otpornost na razrezivanje	Apsorpcija energije u području pete
FO Otpornost potplata na pogonska goriva	**LG** Prijanjanje uz merdevine	**M** Metatarzalna zaštita	**WR** Vodoodbojna obuća	**WPA** Vodoodbojno gornjište	**ESD** Zaštita elektroničkih uređaja od elektrostatičnog pražnjenja
P Otpornost na probijanje (metalna tabanica)	**PL** Otpornost na probijanje šiljkom promjera 4,5 mm	**PS** Otpornost na probijanje šiljkom promjera 3 mm	**SC** Otpornost natkape (sječanja u prednjem djelu)	**HRO** Otpornost potplata na dodirnu toplotu	**SR** Otpornost na klizanje (keramička podloga + glicerin)

OB

A Antistatičnost	**AN** Zaštita skočnog zgloba	**CI** Đon sa izolacijom od hladnoće	**HI** Đon sa izolacijom od topline	**CR** Otpornost na razrezivanje	**E** Apsorpcija energije u području pete
FO Otpornost potplata na pogonska goriva	**LG** Prijanjanje uz merdevine	**M** Metatarzalna zaštita	**WR** Vodoodbojna obuća	**WPA** Vodoodbojno gornjište	**ESD** Zaštita elektroničkih uređaja od elektrostatičnog pražnjenja
P Otpornost na probijanje (metalna tabanica)	**PL** Otpornost na probijanje šiljkom promjera 4,5 mm	**PS** Otpornost na probijanje šiljkom promjera 3 mm	**SC** Otpornost natkape (sječanja u prednjem djelu)	**HRO** Otpornost potplata na dodirnu toplotu	**SR** Otpornost na klizanje (keramička podloga + glicerin)

3 OZNAKE STANDARDA

SB

- **S1** = SB + A + E (ZATVOREN PETNI DIO)
- **S1P, S1PL, S1PS** = S1 + P + PL + PS
- **S2** = S1 + WPA
- **S3, S3L, S3S** = S2 + P + PL + PS (ĐON S UTORIMA)
- **S6** = S2 + WR
- **S7, S7L, S7S** = S3, S3L, S3S + WR

OB

- **O1** = O1 + A + E (ZATVOREN PETNI DIO)
- **O1P, O1PL, O1PS** = O1 + P + PL + PS
- **O2** = O1 + WPA
- **O3, O3L, O3S** = O2 + P + PL + PS (ĐON S UTORIMA)
- **O6** = O2 + WR
- **O7, O7L, O7S** = O3, O3L, O3S + WR

LACUNA

NEW STANDARDS EN ISO 20345/2022/A1:2024 I EN ISO 20347:2022/A1:2024

Regulation (EU) 2016/425 of 9 March 2016 regulates, under European law, the market for personal protective equipment and defines and distributes the responsibilities of various economic operators.
As of March 2024, new standards under the designations EN ISO 20345:2022 and EN ISO 20347:2022 have entered into force, introducing new requirements and markings aimed at facilitating the application of the standards by manufacturers, creating equal conditions across all Member States, and ensuring the efficient and simplified movement of goods within Europe.

1 BASIC REQUIREMENTS

SB	OB
Impact resistance up to 200 Jl crushing up to 1500 daN	
Resistance, safety and material performance	Resistance, safety and material performance
Ergonomic and comfortable footwear	Ergonomic and comfortable footwear
Slip protection (ceramic floor +detergent)	Slip protection (ceramic floor +detergent)

2 ADDITIONAL REQUIREMENTS

SB	OB
A – Antistatic	A – Antistatic
AN – Ankle protection	AN – Ankle protection
CI – Sole with cold isolation	CI – Sole with cold isolation
HI – Sole with heat insulation	HI – Sole with heat insulation
CR – Resistance to cross section	CR – Resistance to cross section
Energy absorption in the heel part	E – Energy absorption in the heel part
FO – Sole resistance to hydrocarbons	FO – Sole resistance to hydrocarbons
LG – Clinging to the ladder	LG – Clinging to the ladder
M – Metatarsal protection	M – Metatarsal protection
WR – Water resistance	WR – Water resistance
WPA – Water repellent top	WPA – Water repellent top
ESD – Protection of electronic devices against electrostatic discharge	ESD – Protection of electronic devices against electrostatic discharge
P – Puncture resistance (metal sole)	P – Puncture resistance (metal sole)
PL – Resistance to penetration by a spike with a diameter of 4.5 mm	PL – Resistance to penetration by a spike with a diameter of 4.5 mm
PS – Resistance to penetration by a spike with a diameter of 3 mm	PS – Resistance to penetration by a spike with a diameter of 3 mm
SC – Cap resistance (reinforcements in the front part)	SC – Cap resistance (reinforcements in the front part)
HRO – Resistance of the sole to contact heat	HRO – Resistance of the sole to contact heat
SR – Resistance of the sole to contact heat; Slip resistance (ceramic base + glycerin)	SR – Resistance of the sole to contact heat; Slip resistance (ceramic base + glycerin)




3 STANDARD MARKS

SB	OB
S1: SB + A + E (CLOSED HEEL PART)	O1: OB + A + E (CLOSED HEEL PART)
S1P / S1PL / S1PS: S1 + P + PL + PS	O1P / O1PL / O1PS: O1 + P + PL + PS
S2: S1 + WPA	O2: O1 + WPA
S3 / S3L / S3S: S2 + P + PL + PS (GROOVED SOLE)	O3 / O3L / O3S: O2 + P + PL + PS (GROOVED SOLE)
S6: S2 + WR	O6: O2 + WR
S7 / S7L / S7S: S3 / S3L / S3S + WR	O7 / O7L / O7S: O3 / O3L / O3S + WR

LACUNA

PREGLED ASORTIMANA OBUĆE PO STANDARDIMA

OVERVIEW BY SAFETY CLASSES

S7S	 LEON str/page 247	 CLAW PROOF str/page 269	 X-CLAW PROOF str/page 270								
S3L	 ROCK str/page 283	 BERG str/page 287	 BURA str/page 288	 STORM str/page 300							
	 BERG str/page 287	 BURA str/page 288									
S3S	 VELETA str/page 254	 GIRONA str/page 261	 SCHROL str/page 266	 SHUNGITE str/page 266	 X-CLAW ROBUST str/page 271	 BOSTON str/page 275	 LORCA str/page 285	 KENT str/page 295	 FREEDITE str/page 301		
	 PORTO str/page 250	 SIROCCO str/page 253	 VELETA str/page 254	 GIRONA str/page 261	 ATHENS str/page 275	 LORCA str/page 285	 KENT str/page 295	 FREEDITE str/page 301			
S3	 LEON str/page 248	 CLAW RESIST str/page 265	 BASALT str/page 267	 X-CLAW PROTECT str/page 270	 I-ROBOX str/page 278	 SPARKLE str/page 280	 TOPAZ str/page 290	 OPAL str/page 291	 PEARL str/page 292	 BE JOY TOP str/page 293	 BRIONI str/page 296
	 BRIONI WELD str/page 297	 VIGO str/page 298	 AGATE str/page 299	 STRONG str/page 300	 GREENWICH str/page 304						
	 LEON str/page 248	 GARBIN str/page 258	 CLAW RESIST str/page 265	 I-ROBOX str/page 278	 BOWLING str/page 280	 MARATHON str/page 281	 TOPAZ str/page 290	 OPAL str/page 291	 PEARL str/page 292	 BE JOY str/page 293	 BRIONI str/page 296
	 VIGO str/page 298	 AGATE str/page 299	 STRONG str/page 300								
S1PS	 CADIZ str/page 256	 WING str/page 257	 LERIDA str/page 260	 DYNAMIC str/page 262	 DYNAMIC str/page 262	 CLAW FLEX str/page 268	 BERLIN str/page 274	 NEW YORK str/page 276	 ROMA str/page 277		
S1P	 CLAW SWIFT str/page 268	 BRIONI str/page 296									
	 LEON str/page 249	 OTAVITE str/page 263	 MILERITE str/page 263	 GALAXITE str/page 267	 I-CYBER str/page 279	 I-CYBER str/page 279	 BRIONI str/page 296	 PEAK str/page 303	 PEAK str/page 303	 COLOSSEUM str/page 304	 QUASAR str/page 305
	 TOLEDO str/page 305										
S2	 LUCERNA str/page 307	 CLORO str/page 308									

06	 BURA str/page 288	 BURA str/page 288							
O2	 MAESTRAL str/page 299	 STRONG str/page 301							
	 LEON str/page 249	 GARBIN str/page 258	 MAESTRAL str/page 299	 STRONG str/page 301	 LUCERNA str/page 307				
O1	 BRIONI str/page 296								
	 PORTO str/page 251	 WING str/page 257	 BRIONI str/page 297	 PEAK str/page 303					
OB	 XENO str/page 308	 RELAX str/page 309							
O4	 ACIFORT CLASSIC+ str/page 331								
SB	 GINOCCHIO str/page 309	 GINOCCHIO str/page 321	 GINOCCHIO str/page 321	 TRONCHETTO str/page 322	 TRONCHETTO str/page 322	 SWAMPY str/page 322	 POLAR GRIP str/page 323	 GALOSH str/page 325	 380VP str/page 334
	 380BV str/page 334								
S4	 PUROFORT FOODPRO str/page 329	 ACIFORT CLASSIC+ str/page 331	 WORK-IT str/page 332						
S5	 VUKO SAFETY str/page 321	 VUKO SAFETY str/page 321	 WORK-IT str/page 333	 WORK-IT str/page 333	 WORK-IT str/page 333				
BEZ ZAŠTITE	 PHYLON str/page 311	 ALTURA str/page 316	 GRANITE str/page 317	 MONTAR str/page 317	 TREKING str/page 318	 TREKING str/page 318			
	 MOSOR str/page 311	 PHYLON str/page 311	 HELION str/page 312	 ORBIS str/page 312	 OLIMP str/page 313	 NIMBA str/page 313	 CASTOR str/page 313	 KYROS str/page 315	 KYROS str/page 315	 KYROS str/page 315	 KYROS str/page 315
	 SPEED str/page 319	 SPEED str/page 319							



FLOAT TECH_ LACUNA kolekcija zaštitnih cipela, izuzetnih tehničkih performansi zahvaljujući đonu izrađenom od EVA ili poliuretanske pene male gustine. Tokom proizvodnje đona se primenjuje posebna tehnologija obrade na etilen-vinil acetatu ili poliuretanu, koji su poznati kao prilagodljive hemijske materije širokog spektra primene. Cilj nam je bio da razvijemo izuzetno laganu, fleksibilnu, udobnu obuću s jedne strane, ali i da postignemo maksimalnu bezbednost i zaštitu tokom nošenja. Konačni rezultat su modeli zaštitnih cipela sa izuzetno visokom fleksibilnošću i udobnošću te najvišim bezbednosnim performansama.

MemoMax® tehnologija predstavlja napredno rešenje u dizajnu uložne tabanice.Ovaj uložak, izrađen od memorijske pene i anatomski oblikovan, dizajniran je za optimizaciju potpore i efikasnosti u prednjem i zadnjem delu stopala. U petnom delu, tehnologija ravnomerno raspoređuje udarne sile po celom plantarnom luku, omogućavajući efikasnu apsorpciju energije preko cele površine stopala. Time se postiže maksimalna amortizacija tokom hodanja. Prednji deo uloška dizajniran je tako da prenosi energiju udarne sile na metatarzalne kosti, stvarajući jak impuls pri podizanju prstiju, što omogućava lakše i efikasnije hodanje uz manju potrošnju energije.



FLOAT TECH_ LACUNA collection of protective shoes provide exceptional technical performance based on a sole made of EVA or low-density polyurethane foam. During the production of soles, a special processing technology is applied to ethylene-vinyl acetate or polyurethane, which are known as flexible chemicals substances of a wide range of applications. Our goal was to develop an extremely light, flexible, comfortable footwear on the one hand, but also to achieve maximum safety and protection during wear. The final result is models of protective shoes with extremely high flexibility and comfort and the highest safety performance.

MemoMax® technology represents an advanced solution in insole design.

This insole, made of memory foam and anatomically shaped, is designed to optimize support and efficiency in both the forefoot and rearfoot areas.

In the heel area, the technology evenly distributes impact forces across the entire plantar arch, enabling efficient energy absorption over the whole surface of the foot. This results in maximum cushioning during walking.

The forefoot part of the insole is designed to transfer impact energy to the metatarsal bones, creating a strong impulse during toe-off, which enables easier and more efficient walking with lower energy consumption.

FLEXIBILE AND COMFORTABLE

HIGHEST SAFETY

EXTRA LIGHT

BREATHABILITY

MEMORY FOAM INSOLE

ZAŠTITNE CIPELE - VRSTE ZAŠTITNIH KAPICA

Zaštitne kapice kao deo cipele štite stopalo i osiguravaju amortizaciju udarca jačine do 200 J, čime zadovoljavaju standard EN ISO 20345. Zaštite kapice koje se koriste prilikom proizvodnje zaštitne obuće dele se na metalne i nemetalne za- štitne kapice.

PROTECTIVE SHOES - TYPES OF PROTECTIVE CAPS

Protective caps as part of the shoe protect the foot and provide shock absorption up to 200 J, meeting the EN ISO 20345 standard. Protective caps used in the production of protective footwear are divided into metal and non-metal protective caps.

BERG S3 zaštitna cipela

BERG S3 protective shoes



METALNE KAPICE se se dele na:

ČELIČNE KAPICE

Prethodnica svih zaštitnih kapica koje se koriste u proizvodnji zaštitne obuće. Čelične kapice su tanke, vrlo čvrste i ekonomične. U odnosu na nemetalne kapice, čelične kapice su teže, ali ih odlikuje izuzetna otpornost na udarac i zato se još uvek često koriste u proizvodnji zaštitne obuće, posebno tehničke obuće visokih zaštitnih zahteva (npr. Protiv-rezna obuća za šumare). Nedostatak čeličnih kapica uz težinu je to što se prilikom udarca kapica ne vraća u prvobitan položaj jer nije elastična i ima slabiju termalnu izolaciju.

ALUMINIJSKE KAPICE

Metalne kapice novije generacije, vrlo lagane, tanke, niskog profila i pogodne za izradu zaštitne obuće sportskog dizajna. ALU kapice se često porede sa nemetalnim kapicama koje su takođe laganije, ali su u poređenju sa ALU kapicama deblje i manje pogodne za zaštitnu obuću sportskog dizajna. ALU kapice imaju dobru termalnu izolaciju ALU kapice su skuplje, ali opravdavaju cenu jer su laganije oko 30% od čeličnih kapica, pa je cela cipela posledično laganija i prijatnija za nošenje, što je korisniku važno u svakodnevnom radu.

KOMPOZITNE (NEMETALNE KAPICE) koje se koriste za zaštitu u cipelama se dele u 3 grupe:

PVC ZAŠTITNE KAPICE

Vrlo lagane kapice, podjednako sigurne kao i metalne zaštitne kapice, ali su malo robusnije i debljeg profila. Određena debljina kod kompozitne kapice je neophodna kako bi obuća sa PVC kapicom prošla sva testiranja i dostigla standarde koje propisuju evropski zakoni za ličnu zaštitnu opremu, tačnije EU Uredba 2016/425 za LZO. PVC kapica je vrlo rasprostranjena u proizvodnji zaštitne obuće zbog metal free karakteristika, ne provodi el. struju i ima dobru termalnu izolaciju.

FIBREGLASS-A ZAŠTITNE KAPICE

Kompozitne kapice izrađene od staklenih niti vrlo čvrste strukture. Zbog visoke gustine koja se postiže nasumičnom kombinacijom staklenih niti, fiberglass kapice su tanje, laganije od PVC kapica, a opet visoko rezistentne na udarce. Velika prednost fiberglass kapica u odnosu na metalne kapice je što se u slučaju udarca pojavljuje tzv. „elastični efekt“ te se kapica ne deformiše već zadržava prvobitni oblik i tako dodatno štiti stopalo od povreda. Fibreglass kapice su izuzetno dobra alternativa za ALU kapice jer su kao i ALU kapice vrlo tanke, udobne, a cenovno su povoljnije pa je zaštitna obuća sa fiberglass kapicama sve više prisutna u svetu LZO. Zaštitnu obuću sa fibreglass zaštitnim kapicama odlikuje visoka udobnost i komfor, smanjuju umor nogu, nude dobru termalu izolacija.

KARBONSKE ZAŠTITNE KAPICE

Najbolje među kompozitnim kapicama jer su najtanje i najlakše, vrlo čvrste, ali su i najskuplje. Poznato je da su karbonska vlakna među najčvršćim vlaknima na svetu te se koriste u industrijama kod kojih se cena ne dovodi u pitanje jer je primarni cilj postići maksimalno moguću bezbednost (vojna industrija, avio industrija.). Iako vrlo malo proizvođača zaštitne obuće koristi Zaštitne kapice od karbonskih niti jer je cena vrlo visoka, mora se napomenuti da obuću sa kapicom od karbonskih niti odlikuje izuzetan komfor i udobnost.

METAL CAPS *are divided into:*

STEEL CAP

The pioneer of all safety caps used in the production of safety footwear. Steel caps are thin, extremely strong and cost-effective. Compared to non-metal caps, steel caps are somewhat heavier, however, they possess exceptional impact resistance and are therefore still often used in the production of protective footwear, especially technical footwear with high protective requirements (such as anti-cut footwear for foresters). Apart from their weight, another disadvantage of these caps is that, after an impact, the cap does not return to its original position, since it is not elastic, and they also possess a somewhat lower degree of thermal insulation.

ALUMINUM CAPS

Are a new-generation metal caps; they are very light, thin, with a low profile and suitable for making protective sports design footwear. ALU caps are often compared to non-metal caps which are also lighter, but thicker compared to ALU caps and less suitable for protective sports design footwear. Their thermal insulation is good. ALU caps are more expensive, however, their price is justified, since they are about 30% lighter than steel caps, and the entire shoe is consequently lighter and more comfortable to wear, which is important for users in everyday work.

COMPOSITE (NON-METAL) *toe caps used for footwear protection in shoes are categorized into 3 groups:*

PVC PROTECTIVE CAPS


Very light caps, just as safe as metal protective caps but a bit more robust with a thicker profile. Composite caps require a certain thickness so that footwear with PVC caps could pass all tests and meet the standards prescribed by European laws regarding personal protective equipment, namely, EU Regulation 2016/425 regarding PPE. PVC caps are very common in the production of protective footwear due to their metal-free properties; they do not conduct electrical current and possess good thermal insulation.

FIBERGLASS PROTECTIVE CAPS

Composite caps made of glass threads of a very strong structure – Due to the high density achieved by a random combination of glass threads, fiberglass caps are thinner, lighter than PVC caps, and yet highly resistant to impact. The great advantage of fiberglass caps over metal caps is that, in the event of an impact, the so-called “elastic effect” occurs and the cap does not deform but retains its original shape and consequently additionally protects the foot from injury. Fiberglass caps are an extremely good alternative to ALU caps, since, like ALU caps, they are very thin, comfortable and more affordable, and protective footwear bearing fiberglass caps is increasingly present in the world of PPE. Protective footwear with fibreglass protective caps is characterized by high comfort and practicality, with less foot fatigue and good thermal insulation.

CARBON PROTECTIVE CAPS

The best among composite caps, since they are the thinnest and lightest, very strong, but also the most expensive. Carbon fiber is known to be one of the strongest fibers in the world and is used in industries where the price is inconsequential and secondary, whereas the primary goal is to achieve maximum possible safety (military industry, aviation industry, etc.). Although very few manufacturers of protective footwear use protective caps made of carbon fibers because their price is very high, it should be noted that footwear bearing carbon-fibre caps is characterized by exceptional comfort and practicality.



MULTIPROFFESIONAL LINE

LEON FAMILY

OBUĆA ZA RAZLIČITA PODRUČJA PRIMENE KOJA OSIGURAVA BEZBEDNOST I UDOBNOST

SHOES FOR DIFFERENT AREAS OF APPLICATION WHICH INSURE SAFETY AND COMFORT




LEON S7S SR FO CI ESD

9LEOMSH



MEMO FOAM · FLOAT TECH · LACUNA

NOVO *NEW*





Gornjište: nubuk koža
Podstava: vodonepropusna membrana, višedimenzionalna, prozračna
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene, prilagodljiva stopalu, za izuzetnu udobnost i efekat protiv umora
Tabanica: tekstilna, neprobojna
Zaštitna kapica: fiberglass (staklena vlakna)
Đon: dvoslojni PU/PU – FLOAT TECH® tehnologija
Standard: EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018
Specifičnosti: S7S SR FO CI ESD
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: *nubuck leather*
Lining: *waterproof membrane, multidimensional, breathable*
Insole: *removable PU anatomical insole, based on memory foam, adaptable to the foot, for exceptional comfort and anti-fatigue effect*
Midsole/footbed: *textile, puncture-resistant*
Protective toe cap: *fiberglass*
Outsole: *dual-layer PU/PU – FLOAT TECH® technology*
Standard: *EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018*
Specifications: *S7S SR FO CI ESD*
Sizes: *36-48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

LEON S3 SRC ESD

9LEOSH **9LEOSL**









Gornjište: Nubuk koža
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: fibreglass (staklene niti)
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, ESD, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *nubuck leather*
Lining: *breathable multidimensional mesh*
Insole: *removable, breathable, antistatic, anatomic*
Midsole: *antiperforation textile*
Protective cap: *fiberglass*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, ESD, metal free*
Sizes: *36-48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

LEON S1P SRC ESD

9LEOSSL



Gornjište: Antilop koža
Podstav: prozračna višedimenzionalna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: fibreglass (staklene niti)
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC, ESD, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *Antelope leather*
Lining: *breathable multidimensional mesh*
Insole: *removable, breathable, antistatic, anatomic*
Midsole: *antiperforation textile*
Protective cap: *fiberglass*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S1P, SRC, ESD, metal free*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2011

LEON O2 SRC ESD

9LEOSOL



Gornjište: Nubuk koža
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Đon: dvoslojni PU/PU
Standard: EN ISO 20347:2012
Specifičnosti: O2, SRC, ESD, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *nubuck leather*
Lining: *breathable multidimensional mesh*
Insole: *removable, breathable, antistatic, anatomic*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20347:2012*
Special features: *O2, SRC, ESD, metal free*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20347:2012

PORTO S3S FO SR ESD

9PORTO



NOVO
NEW

Gornjište: PUTEK tkanina sa TPU pojačanjem u predelu prstiju
Podstava: višedimenzionalni prozračni materijal
Uložna tabanica: na bazi memorijske pene – MemoMax®
Tabanica: tekstilna, neprobojna
Zaštitna kapica: fiberglass (staklena vlakna)
Đon: dvoslojni EVA niske gustine / nitrilna guma
Standard: EN ISO 20345:2022, EN 61340-5-1:2016, ESD
Specifičnosti: S3S FO SR ESD, bez metala
Veličine: 36–48
Originalno pakovanje: 1/10

Upper: *PUTEK fabric with TPU reinforcement in the toe area*
Lining: *multidimensional breathable material*
Insole: *memory foam-based – MemoMax®*
Midsole/footbed: *textile, puncture-resistant*
Protective toe cap: *fiberglass*
Outsole: *dual-layer low-density EVA / nitrile rubber*
Standard: *EN ISO 20345:2022, EN 61340-5-1:2016, ESD*
Specifications: *S3S FO SR ESD, metal free*
Sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

PORTO O1 SR FO ESD

9PORTOOL



LACUNA

NOVO
NEW





Gornjište: prozračna višedimenzionalna mrežica sa TPU ojačanjem u predelu prstiju, sa dodatnim džepićem za vezice, bez metalnih delova
Podstava: višedimenzionalna prozračna tkanina
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene, prilagodljiva stopalu, za izuzetnu udobnost i efekat protiv umora
Đon: EVA niske gustine / nitrilna guma
Standard: EN ISO 20347:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018
Specifičnosti: O1 FO SR ESD
Veličine: 36–48
Originalno pakovanje: 1/10

Upper: *breathable multidimensional mesh with TPU reinforcement in the toe area, with an additional lace pocket, metal-free*
Lining: *multidimensional breathable fabric*
Insole: *removable PU anatomical insole, based on memory foam, adaptable to the foot for exceptional comfort and anti-fatigue effect*
Outsole: *low-density EVA / nitrile rubber*
Standard: *EN ISO 20347:2022, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018*
Specifications: *O1 FO SR ESD*
Sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20347:2022**





SIROCCO S3S FO SR ESD

9SIROCSL

NOVO
NEW



Gornjište: tehnička tkanina visokih antiabrazivnih svojstava u kombinaciji sa velur kožom
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene
Tabanica: neprobojna tekstilna
Zaštitna kapica: fiberglas (staklena vlakna)
Đon: dvoslojni PU/PU – FLOAT TECH® tehnologija
Standard: EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018
Specifičnosti: S3S FO SR ESD
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *high abrasion-resistant technical fabric combined with velour leather*
Lining: *breathable multidimensional mesh*
Insole: *removable PU anatomical insole, based on memory foam*
Midsole/footbed: *textile, puncture-resistant*
Protective toe cap: *fiberglass*
Outsole: *dual-layer PU/PU – FLOAT TECH® technology*
Standard: *EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018*
Specifications: *S3S FO SR ESD*
Available sizes: *36–48*
Original packaging: *1/10*





CE **EN ISO 20345:2022**

VELETA S3S SR FO HRO ESD

9VELETASH



LACUNA

NOVO
NEW





Gornjište: velur koža
Podstava: višedimenzionalna mrežica
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene
Tabanica: neprobojna tekstilna
Zaštitna kapica: fiberglass (staklena vlakna)
Đon: dvoslojni PU / nitrilna guma
Standard: EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018
Značajke: S3S FO SR HRO ESD
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *velour leather*
Lining: *multidimensional mesh*
Insole: *removable PU anatomical insole, based on memory foam*
Midsole/footbed: *textile, puncture-resistant*
Protective toe cap: *fiberglass*
Outsole: *dual-layer PU / nitrile rubber*
Standard: *EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018*
Features: *S3S FO SR HRO ESD*
Available sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

VELETA S3S SR FO HRO ESD

9VELETASL



LACUNA

NOVO
NEW





Gornjište: velur koža
Podstava: višedimenzionalna mrežica
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene
Tabanica: neprobojna tekstilna
Zaštitna kapica: fiberglass (staklena vlakna)
Đon: dvoslojni PU / nitrilna guma
Standard: EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018
Značajke: S3S FO SR HRO ESD
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *velour leather*
Lining: *multidimensional mesh*
Insole: *removable PU anatomical insole, based on memory foam*
Midsole/footbed: *textile, puncture-resistant*
Protective toe cap: *fiberglass*
Outsole: *dual-layer PU / nitrile rubber*
Standard: *EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018*
Features: *S3S FO SR HRO ESD*
Available sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**


LACUNA

CADIZ S1PS FO SR ESD

9CADSL



LACUNA

NOVO
NEW

SR
METAL FREE

Gornjište: nubuk koža u kombinaciji sa mrežicom
Podstava: višeslojni prozračni materijal
Uložna tabanica: anatomska na bazi memorijske pene – MemoMax®
Tabanica: tekstilna, neprobojna
Zaštitna kapica: fiberglass (staklena vlakna)
Đon: dvoslojni PU/PU – FLOAT TECH® tehnologija
Standard: EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018
Značajke: S1PS FO SR ESD, bez metala
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *nubuck leather combined with mesh*
Lining: *multilayer breathable material*
Insole: *anatomical memory foam-based insole – MemoMax®*
Midsole/footbed: *textile, puncture-resistant*
Protective toe cap: *fiberglass*
Outsole: *dual-layer PU/PU – FLOAT TECH® technology*
Standard: *EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018*
Features: *S1PS FO SR ESD, metal free*
Available sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**



WING S1PS SR FO ESD

9WINGSL



LACUNA

NOVO
NEW





Gornjište: prozračna višedimenzionalna mrežica sa TPU ojačanjem u predelu prstiju
Podstava: višedimenzionalna mrežica
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene
Tabanica: neprobojna tekstilna
Zaštitna kapica: kompozitna
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018
Značajke: S1PS SR FO ESD
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *breathable multidimensional mesh with TPU reinforcement in the toe area*
Lining: *multidimensional mesh*
Insole: *removable PU anatomical insole, based on memory foam*
Midsole/footbed: *textile, puncture-resistant*
Protective toe cap: *composite*
Outsole: *dual-layer PU/PU*
Standard: *EN ISO 20345:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018*
Features: *S1PS SR FO ESD*
Available sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

WING O1 SR FO ESD

9WINGOL



LACUNA

NOVO
NEW





Gornjište: prozračna višedimenzionalna mrežica sa TPU ojačanjem u predelu prstiju
Podstava: višedimenzionalna mrežica
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene
Đon: dvoslojni PU/PU
Standard: EN ISO 20347:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018
Značajke: O1 SR FO ESD
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *breathable multidimensional mesh with TPU reinforcement in the toe area*
Lining: *multidimensional mesh*
Insole: *removable PU anatomical insole, based on memory foam*
Outsole: *dual-layer PU/PU*
Standard: *EN ISO 20347:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018*
Features: *O1 SR FO ESD*
Available sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20347:2022**

GARBIN S3 SRC ESD

9GARBSL



Gornjište: tehnička tkanina visokih anti-abrazivnih svojstava
Zaštitna kapica: fiberglass
Zaštitna tabanica: tekstilna neprobojna
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica: memorijska pena
Đon: dvoslojni PU/PU
Specifičnosti: S3, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: *technical fabric with high anti-abrasive properties*
Protective cap: *fiberglass*
Protective sole: *textile impenetrable*
Lining: *breathable multidimensional mesh*
Insole: *memory foam*
Sole: *Dual Density PU/PU*
Specifics: *S3, ESD, SRC*
Standard: *EN ISO 20345:2011*
Available sizes: *36-48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

GARBIN O2 FO SR ESD

9GARBOL

NOVO
NEW



Gornjište: tehnička tkanina visokih antiabrazivnih svojstava
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene
Đon: dvoslojni PU/PU – FLOAT TECH® tehnologija
Standard: EN ISO 20347:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018
Značajke: O2 FO SR ESD
Veličine: 36–48
Originalno pakovanje: 1/10

Upper: *high abrasion-resistant technical fabric*
Lining: *breathable multidimensional mesh*
Insole: *removable PU anatomical insole, based on memory foam*
Outsole: *dual-layer PU/PU – FLOAT TECH® technology*
Standard: *EN ISO 20347:2022, ESD: EN 61340-5-1:2016 & EN IEC 61340-4-3:2018*
Features: *O2 FO SR ESD*
Sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20347:2022**


GARBIN
S3

LERIDA S1PS FO SR ESD

9LERSL



Gornjište: brušena mikrofibra
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: fibreglass (staklene niti)
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC, ESD, metal free
Veličine: 36-47
Originalno pakovanje: 1/10

Upper material: *brushed microfiber*
Lining: *breathable multidimensional mesh*
Insole: *removable, breathable, antistatic, anatomic*
Midsole: *antiperforation textile*
Protective cap: *fiberglass*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S1P, SRC, ESD, metal free*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2022



LERIDA
S1P

GIRONA S3S FO SR ESD

9GIROSH



Gornjište: vodootporna koža
Podstava; prozračna višedimenzionalna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: fibreglass (staklene niti)
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, ESD, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *waterproof leather*
Lining: *breathable multidimensional mesh Insole removable, breathable, antistatic, anatomic*
Midsole: *antiperforation textile*
Protective cap: *fiberglass*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, ESD, metal free*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2022

GIRONA S3S FO SR ESD

9GIROSL



Gornjište: vodootporna koža
Podstava; prozračni višedimenzionalni mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: fibreglass (staklene niti)
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, ESD, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *waterproof leather*
Lining: *breathable multidimensional mesh Insole removable, breathable, antistatic, anatomic*
Midsole: *antiperforation textile*
Protective cap: *fiberglass*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, ESD, metal free*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2022

DYNAMIC S1PS FO SR

9DYNNL
plava/*blue*

9DYNAL
aquq/*aqua*



Gornjište: PU i mrežica
Podstava; mrežasti teksti
Uložna tabanica: tekstilna
Tabanica: neprobojna tekstilna
Zaštitna kapica: kompozitna
Đon: dvoslojni Phylon/guma
Standard: EN ISO 20345:2022+A1:2024, EN 61340-5-1:2016 ESD
Specifičnosti: S1PS FO SR
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *PU and mesh*
Lining: *mesh textile*
Insole: *textiles*
Midsole: *antiperforation textile*
Protective cap: *composite*
Sole: *Dual Density Phylon/rubber*
Standard: *EN ISO 20345:2022+A1:2024, EN 61340-5-1:2016 ESD*
Special features: *S1PS FO SR*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2022+A1:2024



DYNAMIC
S1P

OTAVITE S1P

9OTA090



SRC

Gornjište: mrežica
Podstava: tekstilna
Uložna tabanica: PU
Tabanica: čelik
Zaštitna kapica: čelik
Đon: dvoslojni PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 38–47
Originalno pakovanje: 1/10

Upper: *mesh*
Lining: *textile*
Insole: *PU*
Midsole: *steel*
Protective cap: *steel*
Sole: *Dual Density PU*
Standard: *EN ISO 20345:2011*
Specifics: *S1P, SRC*
Sizes: *38–47*
Original packaging: *1/10*

EN ISO 20345:2011

MILERITE S1P

9MIL110



SRC

Gornjište: mrežica
Podstava; prozračna 3D mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelična
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 38-47
Originalno pakovanje: 1/10

Upper material: *mesh*
Lining: *breathable 3D mesh*
Insole: *variable, breathable, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *steel*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S1P, SRC*
Sizes: *38-47*
Original packaging: *1/10*

EN ISO 20345:2011


CLAW RANGE



CLAW RESIST S3

9RESH10 **9RESL10**





Gornjište: mrežica
Podstava: tekstilna
Uložna tabanica: PU
Tabanica: tekstilna neprobojna
Zaštitna kapica: aluminijumska
Đon: dvoslojni PU/PU
Standrad: EN ISO 20345:2011
Specifičnosti: S3, SRC, ESD
Veličine: 35-48
Originalno pakovanje: 1/10

Upper: *mesh*
Lining: *textile*
Insole: *PU*
Midsole: *impenetrable textile*
Protective cap: *aluminum*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2011*
Specifics: *S3, SRC, ESD*
Sizes: *35-48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

SCHORL S3S

9SCHH10



NOVO
NEW





Gornjište: Oxford poliester
Podstava: prozračna 3D mrežasta tkanina
Uložna tabanica: izmjenjiva, perforirana EVA
Tabanica: PU
Zaštitna kapica: kompozitna
Đon: nitrilna guma
Standard: EN ISO 20345:2022
Značajke: S3S, SR, FO
Veličine: 38–47
Originalno pakovanje: 1/10

Upper: *Oxford polyester*
Lining: *breathable 3D mesh fabric*
Insole: *removable, perforated EVA*
Footbed: *PU*
Protective toe cap: *composite*
Outsole: *nitrile rubber*
Standard: *EN ISO 20345:2022*
Features: *S3S, SR, FO*
Sizes: *38–47*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

SHUNGITE S3S

9SHU150



NOVO
NEW





Gornjište: vodoodbojna nubuk koža
Zaštitna kapica: kompozitna
Zaštitna tabanica: tekstilna, otporna na probijanje
Uložna tabanica: tekstilni međupotplat protiv perforacije i Hi-Poly pjenasti uložak sa jastučićima
Podstava: prozračna antibakterijska podstava protiv neprijatnih mirisa
Đon: nitrilna guma, protivklizni, otporan na toplotu (60 sekundi na 300°C)
Tehničke karakteristike: S3S SR FO HRO ESD
Standard: EN ISO 20345:2022
Dostupne veličine: 37–47
Originalno pakovanje: 1/10

Upper: *water-repellent nubuck leather*
Protective toe cap: *composite*
Protective midsole: *textile, puncture-resistant*
Insole: *anti-perforation textile midsole and Hi-Poly foam insole with cushioning pads*
Lining: *breathable antibacterial lining with odor control*
Outsole: *nitrile rubber, slip-resistant, heat resistant (60 seconds at 300°C)*
Technical specifications: *S3S SR FO HRO ESD*
Standard: *EN ISO 20345:2022*
Available sizes: *37–47*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

GALAXITE S1P

9GAL120

coverguard

NOVO
NEW







Gornjište: mrežasta tkanina
Podstava: prozračna 3D mrežasta tkanina
Uložna tabanica: tekstilna
Tabanica: EVA
Zaštitna kapica: kompozitna
Đon: nitrilna guma
Standard: EN ISO 20345:2022
Značajke: S1PS, SR, FO, HRO, ESD
Veličina: 36–48
Originalno pakovanje: 1/10

Upper: *mesh fabric*
Lining: *breathable 3D mesh fabric*
Insole: *textile*
Footbed: *EVA*
Protective toe cap: *composite*
Outsole: *nitrile rubber*
Standard: *EN ISO 20345:2022*
Features: *S1PS, SR, FO, HRO, ESD*
Sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

BASALT S3

9BASA10

coverguard

NOVO
NEW









Gornjište: koža
Podstava: prozračna 3D mrežasta tkanina
Uložna tabanica: izmjenjiva, tekstilna, na bazi memorijske pene
Tabanica: PU
Zaštitna kapica: čelična
Đon: nitrilna guma
Standard: EN ISO 20345:2011, EN ISO 20349-2:2017 + A1:2020
Značajke: S3, SRC, HI, HRO, WG
Veličine: 38–47
Originalno pakovanje: 1/10

Upper: *leather*
Lining: *breathable 3D mesh fabric*
Insole: *removable textile insole, based on memory foam*
Footbed: *PU*
Protective toe cap: *steel*
Outsole: *nitrile rubber*
Standard: *EN ISO 20345:2011, EN ISO 20349-2:2017 + A1:2020*
Features: *S3, SRC, HI, HRO, WG*
Sizes: *38–47*
Original packaging: *1/10*

CE **EN ISO 20345:2011**


CLAW SWIFT S1P

9SWIH10

coverguard

NOVO
NEW







Gornjište: poliesterska mreža
Podstava: prozračna 3D mrežasta tkanina
Uložna tabanica: tekstilna, neprobojna
Tabanica: PU
Zaštitna kapica: aluminijumska
Đon: PU
Standard: EN ISO 20345:2011
Značajke: S1P, SRC, ESD
Veličine: 35–48
Originalno pakovanje: 1/10

Upper: *polyester mesh*
Lining: *breathable 3D mesh fabric*
Insole: *textile, puncture-resistant*
Footbed: *PU*
Protective toe cap: *aluminum*
Outsole: *PU*
Standard: *EN ISO 20345:2011*
Features: *S1P, SRC, ESD*
Sizes: *35–48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

CLAW FLEX S1PS

9FLEL1R0

coverguard

NOVO
NEW







Gornjište: reciklirani poliester
Zaštitna kapica: aluminijumska
Uložna tabanica: PU pjena, izmjenjiva, sa amortizerom
Podstava: reciklirani poliester
Đon: antistatički PU/PU potplat otporan na klizanje
Značajke: S1PS SR FO ESD
Standard: EN ISO 20345:2022
Veličine: 35–48
Originalno pakovanje: 1/10

Upper: *recycled polyester*
Protective toe cap: *aluminum*
Insole: *removable PU foam with cushioning*
Lining: *recycled polyester*
Outsole: *antistatic PU/PU slip-resistant outsole*
Features: *S1PS SR FO ESD*
Standard: *EN ISO 20345:2022*
Sizes: *35–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**



CLAW PROOF S7S

9PROH10

coverguard

NOVO
NEW







Gornjište: nubuk koža
Podstava: prozračna 3D mrežasta tkanina
Uložna tabanica: izmjenjiva PU, na bazi memorijske pene
Tabanica: PU
Zaštitna kapica: aluminijumska
Đon: PU
Standard: EN ISO 20345:2022
Značajke: S7S, SR, FO, WR, ESD
Veličine: 35–48
Originalno pakovanje: 1/10

Upper: *nubuck leather*
Lining: *breathable 3D mesh fabric*
Insole: *removable PU insole, based on memory foam*
Footbed: *PU*
Protective toe cap: *aluminum*
Outsole: *PU*
Standard: *EN ISO 20345:2022*
Features: *S7S, SR, FO, WR, ESD*
Sizes: *35–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**


X-CLAW PROTECT S3

9XCPH70

coverguard

NOVO
NEW







Gornjište: koža + poliuretanski premaz
Zaštitna kapica: čelična kapica + TPU navlaka za kapicu
Uložna tabanica: izmjenjiva PU anatomska, na bazi memorijske pene, prilagodljiva stopalu, za izuzetnu udobnost i efekat protiv umora
Đon: dvoslojni gumeni potplat, antistatički i otporan na ulje
Tehničke karakteristike: S3 HI CI SR LG AN SC FO
Standard: EN ISO 20345:2022
Veličine: 35–48
Originalno pakovanje: 1/10

Upper: *leather + polyurethane coating*
Protective toe cap: *steel toe cap + TPU toe cap cover*
Insole: *removable PU anatomical insole, based on memory foam, adaptable to the foot, for exceptional comfort and anti-fatigue effect*
Outsole: *dual-layer rubber outsole, antistatic and oil-resistant*
Technical specifications: *S3 HI CI SR LG AN SC FO*
Standard: *EN ISO 20345:2022*
Sizes: *35–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

X-CLAW PROOF S7S

9XCWH70

coverguard

NOVO
NEW







Gornjište: zrnasta koža
Zaštitna kapica: karbonska
Uložna tabanica: izmjenjiva PU anatomska, na bazi memorijske pene, prilagodljiva stopalu, za izuzetnu udobnost i efekat protiv umora
Đon: antistatički PU/PU potplat, otporan na ulje
Tehničke karakteristike: S7S HI CI SR LG AN SC FO ESD, bez metala
Standard: EN ISO 20345:2022
Veličine: 35–48
Originalno pakovanje: 1/10

Upper: *grain leather*
Protective toe cap: *carbon*
Insole: *removable PU anatomical insole, based on memory foam, adaptable to the foot for exceptional comfort and anti-fatigue effect*
Outsole: *antistatic PU/PU outsole, oil-resistant*
Technical specifications: *S7S HI CI SR LG AN SC FO ESD, metal free*
Standard: *EN ISO 20345:2022*
Sizes: *35–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

X-CLAW ROBUST S3S

9XCRH70

coverguard

NOVO
NEW



Gornjište: zrnasta koža
Zaštitna kapica: karbonska
Uložna tabanica: izmjenjiva PU anatomska, na bazi memorijske pene, prilagodljiva stopalu, za izuzetnu udobnost i efekat protiv umora
Đon: antistatički PU/PU potplat, otporan na ulje
Tehničke karakteristike: S3S HI CI SR LG AN SC FO ESD, bez metala
Standard: EN ISO 20345:2022
Veličine: 35–48
Originalno pakovanje: 1/10

Upper: *grain leather*
Protective toe cap: *carbon*
Insole: *removable PU anatomical insole, based on memory foam, adaptable to the foot for exceptional comfort and anti-fatigue effect*
Outsole: *antistatic PU/PU outsole, oil-resistant*
Technical specifications: *S3S HI CI SR LG AN SC FO ESD, metal free*
Standard: *EN ISO 20345:2022*
Sizes: *35–48*
Original packaging: *1/10*





CE **EN ISO 20345:2022**


RUN@WORK
EMPOWER
YOUR COMFORT
Base
feel the comfort

RUN@WORK

RUN@WORK je nova linija BASE PROTECTION zaštitne obuće koja donosi performanse patika u radne uslove.

RUN@WORK is a new line of BASE PROTECTION safety footwear that brings sneaker performance to working environments.

» **STABILNOST**
STABILITY



» **PODRŠKA KRETANJU**
MOVEMENT SUPPORT



» **SIGURAN RAD NA LESTVAMA**
SAFE WORK ON LADDERS



RUN@WORK



» **UDOBNOST I KONTROLA KRETANJA**
COMFORT AND MOVEMENT CONTROL



» **AMORTIZACIJA**
CUSHIONING



BERLIN S1PS

B1704A



Gornjište: tehnička tkanina
Podstava: Smell Stop antibakterijska podstava
Uložna tabanica: Fresh'n Flex Plus Super Light
Zaštitna kapica: SlimCap kompozitna
Đon: AirTech + TPU Skin + HiFLAP
Standard: EN ISO 20345:2022
Značajke: S1PS ESD SC LG FO SR
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *technical fabric*
Lining: *Smell Stop antibacterial lining*
Insole: *Fresh'n Flex Plus Super Light*
Protective toe cap: *SlimCap composite*
Outsole: *AirTech + TPU Skin + HiFLAP*
Standard: *EN ISO 20345:2022*
Features: *S1PS ESD SC LG FO SR*
Available sizes: *36–48*
Original packaging: *1/10*

EN ISO 20345:2022

ATHENS S3S

B1711A



NOVO NEW

MADE IN EUROPE





Gornjište: mikrofibra
Podstava: Smell Stop antibakterijska podstava
Uložna tabanica: Fresh'n Flex Plus Super Light
Zaštitna kapica: SlimCap
Đon: AirTech + TPU Skin + HiFLAP
Standard: EN ISO 20345:2022
Značajke: S3S ESD SC LG FO SR
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *microfiber*
Lining: *Smell Stop antibacterial lining*
Insole: *Fresh'n Flex Plus Super Light*
Protective toe cap: *SlimCap*
Outsole: *AirTech + TPU Skin + HiFLAP*
Standard: *EN ISO 20345:2022*
Features: *S3S ESD SC LG FO SR*
Available sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

BOSTON S3S

B1712A



NOVO NEW

MADE IN EUROPE





Gornjište: mikrofibra
Podstava: Smell Stop antibakterijska podstava
Uložna tabanica: Fresh'n Flex Plus Super Light
Zaštitna kapica: SlimCap
Đon: AirTech + TPU Skin + HiFLAP
Standard: EN ISO 20345:2022
Značajke: S3S ESD SC LG FO SR
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *microfiber*
Lining: *Smell Stop antibacterial lining*
Insole: *Fresh'n Flex Plus Super Light*
Protective toe cap: *SlimCap*
Outsole: *AirTech + TPU Skin + HiFLAP*
Standard: *EN ISO 20345:2022*
Features: *S3S ESD SC LG FO SR*
Available sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**



NEW YORK S1PS

B1704D




NOVO
NEW

MADE IN EUROPE

Gornjište: tehnička tkanina
Podstava: Smell Stop antibakterijska podstava
Uložna tabanica: Fresh'n Flex Plus Super Light
Zaštitna kapica: SlimCap
Đon: AirTech + TPU Skin + HiFLAP
Standard: EN ISO 20345:2022
Značajke: S1PS ESD SC LG FO SR
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *technical fabric*
Lining: *Smell Stop antibacterial lining*
Insole: *Fresh'n Flex Plus Super Light*
Protective toe cap: *SlimCap*
Outsole: *AirTech + TPU Skin + HiFLAP*
Standard: *EN ISO 20345:2022*
Features: *S1PS ESD SC LG FO SR*
Available sizes: *36–48*
Original packaging: *1/10*



CE **EN ISO 20345:2022**


ROMA S1PS

B1704E



NOVO
NEW

MADE IN EUROPE



Gornjište: tehnička tkanina
Podstava: Smell Stop antibakterijska podstava
Uložna tabanica: Fresh'n Flex Plus Super Light
Zaštitna kapica: SlimCap
Đon: AirTech + TPU Skin + HiFLAP
Standard: EN ISO 20345:2022
Značajke: S1PS ESD SC LG FO SR
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *technical fabric*
Lining: *Smell Stop antibacterial lining*
Insole: *Fresh'n Flex Plus Super Light*
Protective toe cap: *SlimCap*
Outsole: *AirTech + TPU Skin + HiFLAP*
Standard: *EN ISO 20345:2022*
Features: *S1PS ESD SC LG FO SR*
Available sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**




I-ROBOX S3

B1210











Gornjište: Nubuk koža
Uložak: Fresh'n Flex, ESD + DRY'N AIR OMNIA ESD WEARECO
Zaštitna kapica: kompozitna
Tabanica: kompozitna
Đon: dvostruki PU/TPU
Specifičnosti: S3, CI, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: *Nubuck leather*
Insole: *Fresh'n Flex, ESD + DRY'N AIR OMNIA ESD WEARECO*
Protective cap: *composite*
Midsole: *composite*
Sole: *dual density PU/PU*
Specifics: *S3, CI, ESD, SRC*
Standard: *EN ISO 20345:2011*
Available sizes: *36-48*
Original packaging: *1/10*


EN ISO 20345:2011


I-ROBOX S3

B1211











Gornjište: Nubuk koža
Uložak: Fresh'n Flex,ESD + DRY'N AIR OMNIA ESD WEARECO
Zaštitna kapica: kompozitna
Tabanica: kompozitna
Đon: dvostruki PU/TPU
Specifičnosti: S3, CI, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: *Nubuck leather*
Insole: *Fresh'n Flex, ESD + DRY'N AIR OMNIA ESD WEARECO*
Protective cap: *composite*
Midsole: *composite*
Sole: *dual density PU/PU*
Specifics: *S3, CI, ESD, SRC*
Standard: *EN ISO 20345:2011*
Available sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2011

I-CYBER S1P

B1212A



Gornjište: tehnički tekstil i mikrofibra
Umetak: SmellStop i Dry'n Air prozračnost
Zaštitna kapica: kompozitna
Tabanica: staklene niti
Đon: dvosloji PU/TPU
Specifičnosti: S1P, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10

Upper: *technical textile and microfiber*
Insert: *SmellStop and Dry'n Air breathability*
Protective cap: *composite*
Midsole: *glass threads*
Sole: *dual density PU/PU*
Specifics: *S1P, ESD, SRC*
Standard: *EN ISO 20345:2011*
Available sizes: *36-48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

I-CYBER S1P

B1212B



Gornjište: tehnički tekstil i mikrofibra
Umetak: SmellStop i Dry'n Air prozračnost
Zaštitna kapica: kompozitna
Tabanica: staklene niti
Đon: dvosloji PU/TPU
Specifičnosti: S1P, ESD, SRC
Standard: EN ISO 20345:2011
Dostupne veličine: 36-48
Originalno pakovanje: 1/10


Upper: *technical textile and microfiber*
Insert: *SmellStop and Dry'n Air breathability*
Protective cap: *composite*
Midsole: *glass threads*
Sole: *dual density PU/PU*
Specifics: *S1P, ESD, SRC*
Standard: *EN ISO 20345:2011*
Available sizes: *36-48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

SPARKLE S3

B0880





Gornjište: vodootporna koža
Podstava: prozračni mrežica sa 3D mrežicom
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: neprobojna tekstilna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/NITRILNA GUMA
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC,CI, HI, HRO, metal free
Veličine: 36-48
Originalno pakovanje: 1/10


Upper material: *waterproof leather*
Lining: *air mesh with 3D mesh*
Insole pad: *variable, breathable, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *composite*
Sole: *two-layer PU/NITRILE RUBBER*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, CI, HI, HRO, metal free*
Sizes: *36-48*
Original packaging: *1/10*

CE EN ISO 20345:2011

BOWLING S3

B0676





Gornjište: vodootporni tekstil
Podstava: prozračni, antibakterijski 3D tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni TPU + Tpu-Skin
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10


Upper material: *waterproof textile*
Lining: *breathable, antibacterial 3D textile*
Insole pad: *variable breathable, antistatic, anatomici*
Midsole: *impenetrable textile*
Protective cap: *composed*
Sole: *two-layer TPU + Tpu-Skin*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, metal free*
Sizes: *36-48*
Original packaging: *1/10*

CE EN ISO 20345:2011

MARATHON S3

B0677






Gornjište: vodootporni i antiabrazivna mrežica tekstil sa pojačanjem napred
Podstava: prozračni antibakterijski 3D tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni TPU + Tpu - Skin
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *waterproof and anti-abrasive mesh textile with front reinforcement*
Lining: *breathable antibacterial 3D textile*
Variable insole: *variable, breathable, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *composite*
Sole: *two-layer TPU + Tpu-Skin*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, metal free*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2011





ENDURANCE LINE

ROCK S3L

OBUĆA ZA NAJVEĆU SIGURNOST KOD TEŠKIH POSLOVA.

FOOTWEAR FOR MAXIMUM SAFETY IN HEAVY-DUTY WORK.

ROCK S3L SR FO CI HI HRO

9ROCKSH





Gornjište: goveđa koža
Podstava: višedimenzionalna tekstilna
Uložna tabanica: izmenjiva anatomska, na bazi memorijske pene
Tabanica: neprobojna tekstilna
Zaštitna kapica: kompozitna
Đon: dvoslojni PU / nitrilna guma
Standard: EN ISO 20345:2022
Značajke: S3L SR FO CI HI HRO
Dostupne veličine: 36–48
Originalno pakovanje: 1/10

Upper: *cow leather*
Lining: *multidimensional textile*
Insole: *removable anatomical insole, based on memory foam*
Midsole/footbed: *textile, puncture-resistant*
Protective toe cap: *composite*
Outsole: *dual-layer PU / nitrile rubber*
Standard: *EN ISO 20345:2022*
Features: *S3L SR FO CI HI HRO*
Available sizes: *36–48*
Original packaging: *1/10*

EN ISO 20345:2022


LACUNA

LORCA S3S CI SR ESD

9LORCSH



Gornjište: vodootporna brušena nubuck koža sa PU pojačanjem
Podstava: prozračna višedimenzionalna mrežica
Uložna tabanica: zamenljiva
Tabanica: tekstilna neprobojna
Zaštitna kapica: fibreglass (staklene niti)
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2022+A1:2024, EN IEC 61340-5-1:2024, EN IEC 61340-4-3:2018
Specifičnosti: S3S CI SR ESD
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *waterproof nubuck leather with PU reinforcement*
Lining: *breathable multidimensional mesh*
Insole: *removable*
Midsole: *antiperforation textile*
Protective cap: *fiberglass*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2022+A1:2024, EN IEC 61340-5-1:2024, EN IEC 61340-4-3:2018*
Special features: *S3S CI SR ESD*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2022

LORCA S3S CI SR ESD

9LORCSL



Gornjište: vodootporna brušena nubuck koža sa PU pojačanjem
Podstava: prozračna višedimenzionalni mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: fibreglass (staklene niti)
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2022+A1:2024, EN IEC 61340-5-1:2024, EN IEC 61340-4-3:2018
Specifičnosti: S3S CI SR ESD
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *waterproof nubuck leather with PU reinforcement*
Lining: *breathable multidimensional net*
Insole: *removable, breathable, antistatic, anatomic*
Midsole: *antiperforation textile*
Protective cap: *fiberglass*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2022+A1:2024, EN IEC 61340-5-1:2024, EN IEC 61340-4-3:2018*
Special features: *S3S CI SR ESD*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2022

BERG S3




BERG S3L HI CI SC SR HRO FO

9BERGSH



LACUNA





Gornjište: vodootporna brušena nubuck koža
Podstava: prozračna mrežica sa 3D mrežicom
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/nitrilna guma
Standard: EN ISO 20345:2022+A1:2024
Specifičnosti: S3L HI CI SC SR HRO FO
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: *nubuck leather*
Lining: *sandwitch mesh*
Insole: *removable textile on PU foam, anatomic, antistatic, breathable*
Midsole: *antiperforation textile*
Sole: *Dual Density PU/RUBBER*
Standard: *EN ISO 20345:2022+A1:2024*
Toe cap: *composite*
Special features: *S3L HI CI SC SR HRO FO*
Sizes: *36-48*
Original packing: *1/10*


CE **EN ISO 20345:2022**

BERG S3L HI CI SC SR HRO FO

9BERGSL



LACUNA





Gornjište: vodootporna brušena nubuck koža
Podstava: prozračna mrežica sa 3D mrežicom
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/nitrilna guma
Standard: EN ISO 20345:2022+A1:2024
Specifičnosti: S3L HI CI SC SR HRO FO
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: *nubuck leather*
Lining: *sandwitch mesh*
Insole: *removable textile on PU foam, anatomic, antistatic, breathable*
Midsole: *antiperforation textile*
Sole: *Dual Density PU/RUBBER*
Standard: *EN ISO 20345:2022+A1:2024*
Toe cap: *composite*
Special features: *S3L HI CI SC SR HRO FO*
Sizes: *36 - 48*
Original packing: *1/10*

CE **EN ISO 20345:2022**

BURA S7L SR FO HI CI HRO ESD

9BURASH **9BURASL**



LACUNA





Gornjište: vodootporna glatka koža
Podstava: p rozračna vodonepropusna membrana u kombinaciji s 3D mrežicom
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/nitrilna guma
Standard: EN ISO 20345:2022+A1:2024, EN 61340-5-1:2016
Specifičnosti: S7L SR FO HI CI HRO ESD, visoki model_quick release sistem izuvanja, hi-viz detalji, ojačan petni deo, vanjsko ojačanje nadkapa, metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *full grain leather*
Lining: *breathable sandwitch mesh+ membrane*
Insole: *removable textile on PU foam, anatomic, antistatic, breathable*
Midsole: *antiperforation textile*
Sole: *Dual Density PU/RUBBER*
Standard: *EN ISO 20345:2022+A1:2024, EN 61340-5-1:2016*
Toe cap: *composite*
Special features: *S7L SR FO HI CI HRO ESD, reinforced front and hill part, quick release*
Sizes: *36-48*
Original packing: *1/10*


CE **EN ISO 20345:2022**

BURA O6 SR WR HI CI HRO FO ESD

9BURAOH **9BURAOL**



LACUNA





Gornjište: vodootporna glatka koža
Podstava: prozračna vodonepropusna membrana u kombinaciji s 3D mrežicom
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Đon: dvoslojni PU/nitrilna guma
Standard: EN ISO 20347:2022+A1:2024, EN 61340-5-1:2016
Specifičnosti: O6 SR WR HI CI HRO FO ESD, hi-viz detalji, ojačan petni deo, vanjsko ojačanje nadkapa,metal free
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *full grain leather*
Lining: *breathable sandwitch mesh+ membrane*
Insole: *removable textile on PU foam, anatomic, antistatic, breathable*
Sole: *Dual Density PU/RUBBER*
Standard: *EN ISO 20347:2022+A1:2024, EN 61340-5-1:2016*
Special features: *O6 SR WR HI CI HRO FO ESD reinforced front and hill part, quick release*
Sizes: *36-48*
Original packing: *1/10*

CE **EN ISO 20347:2022**



TOPAZ S3

9TOPH









Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, HRO, Metall Free
Veličine: 38-47
Originalno pakovanje: 1/10

Upper material: *waterproof leather*
Lining: *textiles, breathable mesh*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *composite*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, metal free, HRO*
Sizes: *38-47*
Original packaging: *1/10*


CE EN ISO 20345:2011

TOPAZ S3

9TOPL









Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, HRO, Metall Free
Veličine: 38-47
Originalno pakovanje: 1/10


Upper material: *waterproof leather*
Lining: *textiles, breathable mesh*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *composite*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, metal free, HRO*
Sizes: *38-47*
Original packaging: *1/10*

CE EN ISO 20345:2011

OPAL S3

9OPAH







Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 38-47
Originalno pakovanje: 1/10


Upper: *waterproof leather*
Lining: *textile, breathable mesh*
Insole pad: *changeable, breathable, antistatic, anatomical*
Midsole: *textile waterproof*
Protective cap: *composite*
Sole: *double layer PU/PU*
Standard: *EN ISO 20345:2011*
Specifics: *S3, SRC, metal free*
Sizes: *38-47*
Original packaging: *1/10*

EN ISO 20345:2011

OPAL S3

9OPAL







Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 38-47
Originalno pakovanje: 1/10


Upper: *waterproof leather*
Lining: *textile, breathable mesh*
Insole pad: *changeable, breathable, antistatic, anatomical*
Midsole: *textile waterproof*
Protective cap: *composite*
Sole: *double layer PU/PU*
Standard: *EN ISO 20345:2011*
Specifics: *S3, SRC, metal free*
Sizes: *38-47*
Original packaging: *1/10*

EN ISO 20345:2011

PEARL S3

9PEAH





Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 38-47
Originalno pakovanje: 1/10


Upper material: *waterproof leather*
Lining: *textiles, breathable mesh*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *composite*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, metal free*
Sizes: *38-47*
Original packaging: *1/10*

EN ISO 20345:2011

PEARL S3

9PEAL





Gornjište: vodootporna koža
Podstava: tekstil, prozračna mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC, metal free
Veličine: 38-47
Originalno pakovanje: 1/10


Upper material: *waterproof leather*
Lining: *textiles, breathable mesh*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *composite*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, metal free*
Sizes: *38-47*
Original packaging: *1/10*

EN ISO 20345:2011

BE JOY TOP S3

B0875





Gornjište: vodootporna koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozitna
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3 SRC, metal free
Veličine: 39-48
Originalno pakovanje: 1/10


Upper material: *waterproof leather*
Lining: *high-tech 3D textiles*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *composite*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, metal free*
Sizes: *39-48*
Original packaging: *1/10*

EN ISO 20345:2011

BE JOY S3

B0874





Gornjište: vodootporna koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozitna
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3 SRC, metal free
Veličine: 36-50
Originalno pakovanje: 1/10

Upper material: *waterproof leather*
Lining: *high-tech 3D textiles*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *composite*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3, SRC, metal free*
Sizes: *36-50*
Original packaging: *1/10*

EN ISO 20345:2011

STANDARD LINE

KENT S3S



ZAŠTITNA I RADNA OBUĆA ZA SVE NAMENE.
PROTECTIVE AND SAFETY FOOTWEAR FOR ALL PURPOSES.


KENT S3S SR FO

9KENTSH



LACUNA

NOVO
NEW



Gornjište: koža
Podstava: višedimenzionalna mrežica
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene
Tabanica: kevlar
Zaštitna kapica: kompozitna
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2022
Značajke: S3S FO SR
Dostupne veličine: 36–47
Originalno pakovanje: 1/10

Upper: *leather*
Lining: *multidimensional mesh*
Insole: *removable PU anatomical insole, based on memory foam*
Midsole/footbed: *kevlar*
Protective toe cap: *composite*
Outsole: *dual-layer PU/PU*
Standard: *EN ISO 20345:2022*
Features: *S3S FO SR*
Available sizes: *36–47*
Original packaging: *1/10*

CE **EN ISO 20345:2022**


KENT S3S SR FO

9KENTSL



LACUNA

NOVO
NEW



Gornjište: koža
Podstava: višedimenzionalna mrežica
Uložna tabanica: izmenjiva PU anatomska, na bazi memorijske pene
Tabanica: kevlar
Zaštitna kapica: kompozitna
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2022
Značajke: S3S FO SR
Dostupne veličine: 36–47
Originalno pakovanje: 1/10

Upper: *leather*
Lining: *multidimensional mesh*
Insole: *removable PU anatomical insole, based on memory foam*
Midsole/footbed: *kevlar*
Protective toe cap: *composite*
Outsole: *dual-layer PU/PU*
Standard: *EN ISO 20345:2022*
Features: *S3S FO SR*
Available sizes: *36–47*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

BRIONI S3 FO SR

9BRIOSH **9BRIOSL**



LACUNA





Gornjište: glatka koža
Podstava: tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2022+A1:2024
Specifičnosti: S3 FO SR
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *smooth leather*
Lining; *textile*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *steel*
Protective cap: *steel*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2022+A1:2024*
Special features: *S3 FO SR*
Sizes: *36-48*
Original packaging *1/10*

CE **EN ISO 20345:2022**

BRIONI S1P FO SR

9BRISH **9BRISL**



LACUNA





Gornjište: glatka koža
Podstava: tekstil
Uložna tabanica: : zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2022+A1:2024
Specifičnosti: S1P FO SR
Veličine: 36-47
Originalno pakovanje: 1/10

Upper material: *smooth leather*
Lining: *textile*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *steel*
Protective cap: *steel*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2022+A1:2024*
Special features: *S1P FO SR*
Sizes: *36-47*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

BRIONI O1 FO SR

9BRIOH **9BRIOL**



Gornjište: glatka koža
Podstava: tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: dvoslojni PU/PU
Standard: EN ISO 20347:2022+A1:2024
Specifičnosti: O1 FO SR
Veličine: 36-47
Originalno pakovanje: 1/10

Upper material: *smooth leather*
Lining: *textile*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *steel*
Protective cap: *steel*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20347:2022+A1:2024*
Special features: *O1 FO SR*
Sizes: *36-47*
Original packaging: *1/10*

CE **EN ISO 20347:2022**

BRIONI WELD S3 SRC

9BRIOWELSH



Gornjište: vodootporna goveđa koža
Podstava: višedimenzionalni prozračni tekstil
Uložna tabanica: zamenljiva, prozračana, antistatična, anatomska
Đon: dvoslojni PU/PU
Zaštitna kapica: čelična
Tabanica: čelična
Specifičnosti: S3, SRC
Norma: EN ISO 20345: 2011
Veličine: 37-47
Originalno pakovanje: 1/10

Upper: *waterproof cow leather*
Lining: *multidimensional airy textile*
Midsole: *detachable, ventilated, antistack, anatomical*
Sole: *two- layer PU/PU*
Protective cap: *steel*
Sole: *steel*
Specifics: *S3, SRC*
Standard: *EN ISO 20345: 2011*
Sizes: *37-47*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

VIGO S3 FO SR

9VIGSH



LACUNA





Gornjište: vodootporna koža
Podstava: prozračni višedimenzionalni mrežica
Uložna tabanica: : zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelična
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2022+A1:2024
Specifičnosti: S3 FO SR
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *waterproof brushed nubuck leather*
Lining: *breathable multidimensional net*
Insole pad: *variable, breathable, antistatic, anatomic*
Midsole: *steel*
Protective cap: *steel*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2022+A1:2024*
Special features: *S3 FO SR*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2022

VIGO S3 FO SR

9VIGSL



LACUNA





Gornjište: vodootporna koža
Podstava: prozračni višedimenzionalni mrežica
Uložna tabanica: : zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelična
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2022+A1:2024
Specifičnosti: S3 FO SR
Veličine: 36-48
Originalno pakovanje: 1/10

Upper material: *waterproof leather*
Lining: *breathable multidimensional net*
Insole pad: *variable, breathable, antistatic, anatomic*
Midsole: *steel*
Protective cap: *steel*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2022+A1:2024*
Special features: *S3 FO SR*
Sizes: *36-48*
Original packaging: *1/10*

EN ISO 20345:2022

AGATE II S3

9AGH010 **9AGL010**



Gornjište: glatka koža
Podstava: tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: dvoslojni PU/PU
Standard: EN ISO 20347:2012
Specifičnosti: O1, SRC
Veličine: 36-47
Originalno pakovanje: 1/10

Upper material: *smooth leather*
Lining: *textile*
Insole pad: *variable, airy, antistatic, anatomic*
Midsole: *steel*
Protective cap: *steel*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20347:2012*
Special features: *O1 SRC*
Sizes: *36-47*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

MAESTRAL O2 SRC

9MAESOH **9MAESOL**



Gornjište: vodootporna goveđa koža
Podstava: višedimenzionalni prozračni tekstil
Uložna tabanica: zamenljiva, prozračana, antistatična, anatomska
Đon: dvoslojni PU/PU
Zaštitna kapica: čelična
Tabanica: čelična
Specifičnosti: S3, SRC
Norma: EN ISO 20345: 2011
Veličine: 37-47
Originalno pakovanje: 1/10

Upper: *waterproof cow leather*
Lining: *multidimensional airy textile*
Midsole: *detachable, ventilated, antistack, anatomical*
Sole: *two- layer PU/PU*
Protective cap: *steel*
Sole: *steel*
Specifics: *S3, SRC*
Standard: *EN ISO 20345: 2011*
Sizes: *37-47*
Original packaging: *1/10*

CE **EN ISO 20347:2012**

STRONG S3 FO SR

9STROSHS3 **9STROSLS3**



LACUNA

MADE IN EUROPE

SRC





Gornjište: vodootporna goveđa koža
Podstava: prozračni mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska, memorijska pena
Tabanica: čelik
Zaštitna kapica: čelik
Đon: dvoslojni PU/TPU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: *waterproof cowhide*
Lining: *breathable mesh*
Insole: *changeable, breathable, antistatic, anatomical*
Midsole: *steel*
Protective cap: *steel*
Sole: *two-layer PU/TPU*
Standard: *EN ISO 20345:2011*
Specifics: *S3, SRC*
Sizes: *36-48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

STORM S3L FO SR


9STORHS3



LACUNA

MADE IN EUROPE

SRC





Gornjište: vodootporna goveđa koža
Podstava: prozračni mrežica
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska, memorijska pena
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozit
Đon: dvoslojni PU/TPU
Standard: EN ISO 20345:2022
Specifičnosti: S3L FO SR
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: *waterproof cowhide*
Lining: *breathable mesh*
Insert sole: *changeable, breathable, antistatic, anatomical*
Midsole: *textile waterproof*
Protective cap: *composite*
Sole: *two-layer PU/TPU*
Standard: *EN ISO 20345:2022*
Specifics: *S3L FO SR*
Sizes: *36-48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**

STRONG O2 FO SR


9STROOHO2 **9STROOLO2**



LACUNA

MADE IN EUROPE

SRC





Gornjište: goveđa koža, signalna traka
Unutrašnjost: 3D prozračni tekstil
Uložna tabanica: periva, prozračna
Đon: dvoslojni, PU/TPU, direktno brizgan, otporan na ulje, antistatičan
Standard: EN ISO 20347:2012
Specifičnosti: O2, SRC
Dostupne veličine: 36-48

Upper: *cow leather, signal tape*
Interior: *3D breathable textile*
Insole: *washable, breathable*
Sole: *dual density PU/PU, directly injected, oil-resistant, antistatic*
Standard: *EN ISO 20347:2012*
Specifics: *O2, SRC*
Available sizes: *36-48*

CE **EN ISO 20347:2012**

FREEDITE II S3S

9FRH0100 **9FRL0100**

coverguard








Gornjište: koža
Podstava: prozračna 3D mrežasta tkanina
Uložna tabanica: tekstilna, neprobojna
Tabanica: PU
Zaštitna kapica: kompozitna
Đon: PU
Standard: EN ISO 20345:2022
Značajke: S3S, SR, FO
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: *leather*
Lining: *breathable 3D mesh fabric*
Insole: *textile, puncture-resistant*
Footbed: *PU*
Protective toe cap: *composite*
Outsole: *PU*
Standard: *EN ISO 20345:2022*
Features: *S3S, SR, FO*
Sizes: *36–48*
Original packaging: *1/10*

CE **EN ISO 20345:2022**


PEAK S1P

PEAK S1P SRC

9PEANSL
plava/*blue*

9PEAOSL
narandžasta/
orange



LACUNA

SRC

Gornjište: brušena koža i mrežica
Podstava: prozračna tekstilna podstava
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 37-48
Originalno pakovanje: 1/10

Upper material: *suede leather and mesh*
Lining: *breathable textile*
Insole: *removable, breathable, antistatic, anatomic*
Midsole: *steel*
Protective cap: *steel*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S1P SRC*
Sizes: *37-48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

PEAK O1

9PEANOL



LACUNA

SRC METAL FREE

Gornjište: brušena koža i mrežica
Podstava: prozračna tekstilna podstava
Uložna tabanica: zamenljiva, prozračna, antistatična i anatomska na bazi memorijske pene
Đon: dvostruki PU/PU
Specifičnosti: O1, SRC
Standard: EN ISO 20347:2012
Dostupne veličine: 37-48
Originalno pakovanje: 1/10

Upper material: *suede leather and mesh*
Lining: *breathable textile*
Insole: *removable, breathable, antistatic, anatomic*
Sole: *Dual Density PU/PU*
Standard: *EN ISO 20347:2012*
Special features: *O1 SRC*
Sizes: *37-48*
Original packaging: *1/10*


CE **EN ISO 20347:2012**

COLOSSEUM S1P

B0163









Gornjište: vodootporna brušena koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 39-48
Originalno pakovanje: 1/10

Upper material: *waterproof brushed leather*
Lining: *high-tech 3D textiles*
Insole pad: *variable, breathable, antistatic, anatomic*
Midsole: *steel*
Protective cap: *steel*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S1P SRC*
Sizes: *39-48*
Original packaging: *1/10*

EN ISO 20345:2011

GREENWICH S3

B0169









Gornjište: vodootporna brušena koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: čelik
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S3, SRC
Veličine: 36-49
Originalno pakovanje: 1/10


Upper material: *waterproof brushed leather*
Lining: *high-tech 3D textiles*
Insole pad: *variable, breathable, antistatic, anatomic*
Midsole: *steel*
Protective cap: *steel*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S3 SRC*
Sizes: *36-49*
Original packaging: *1/10*

EN ISO 20345:2011

QUASAR S1P

B0953





Gornjište: brušena koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: kompozitna
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC, metal free
Veličine: 36-48
Originalno pakovanje: 1/10


Upper material: *brushed leather*
Lining: *high-tech 3D textiles*
Insole pad: *variable, breathable, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *composite*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S1P SRC, metal free*
Sizes: *36-48*
Original packaging: *1/10*

CE EN ISO 20345:2011

TOLEDO S1P

B0168B





Gornjište: brušena koža
Podstava: 3D tekstil visoke tehnologije
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: tekstilna neprobojna
Zaštitna kapica: čelik
Đon: dvoslojni PU/PU
Standard: EN ISO 20345:2011
Specifičnosti: S1P, SRC
Veličine: 36-49
Originalno pakovanje: 1/10

Upper material: *brushed leather*
Lining: *high-tech 3D textiles*
Insole pad: *variable, breathable, antistatic, anatomic*
Midsole: *impenetrable textile*
Protective cap: *steel*
Sole: *two-layer PU/PU*
Standard: *EN ISO 20345:2011*
Special features: *S1P SRC*
Sizes: *36-49*
Original packaging: *1/10*

CE EN ISO 20345:2011

HYGIENE



LUCERNA S2 SRC ESD

9LUCERSL



Gornjište: beli reljefni glatki mikrofiber
Zaštitna kapica: kapica od staklenih niti
Uložna tabanica: anatomska, periva, na bazi memorijske pene
Unutrašnjost: tekstil
Đon: dvoslojni PU/PU
Specifičnosti: S2, SRC, ESD, Metal free
Standard: EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Dostupne veličine: 35-48
Originalno pakovanje: 1/10

Upper: *white embossed smooth microfiber*
Protective cap: *glass fiber cap*
Insole: *anatomical, washable, on the base memory foam*
Interior: *textile*
Sole: *dual density PU/PU*
Specifics: *S2, SRC, ESD, Metal free*
Standard: *EN ISO 20345:2011, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD*
Available sizes: *35-48*
Original packaging: *1/10*

EN ISO 20345:2011

LUCERNA O2 SRC ESD

9LUCEROL



Gornjište: beli reljefni mikrofiber
Uložna tabanica: anatomska, periva, na bazi memorijske pene
Unutrašnjost: tekstil
Đon: dvoslojni PU/PU
Specifičnosti: O2, SRC, ESD, Metal free
Standard: EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD
Dostupne veličine: 35-48
Originalno pakovanje: 1/10


Upper: *white smooth microfiber*
Insole: *anatomical, washable, on the base memory foam*
Interior: *textile*
Sole: *dual density PU/PU*
Specifics: *O2, SRC, ESD, Metal free*
Standard: *EN ISO 20347:2012, EN 61340-5-1:2016 & EN IEC 61340-4-3:2018 ESD*
Available sizes: *35-48*
Original packaging: *1/10*

EN ISO 20347:2012

CLORO S2

B0507





Gornjište: vodootporni mikrofiber
Podstava: tekstil
Uložna tabanica: zamenljiva, prozračna, antistatična, anatomska
Tabanica: nema
Zaštitna kapica: čelik
Đon: jednoslojni PU
Standard: EN ISO 20345:2011
Specifičnosti: S2, SRC
Veličine: 36-47
Originalno pakovanje: 1/10


Upper: *waterproof microfiber*
Lining: *textile*
Insole: *changeable, breathable, antistatic, anatomical*
Midsole: *none*
Protective cap: *steel*
Sole: *single-layer PU*
Standard: *EN ISO 20345:2011*
Specifics: *S2, SRC*
Sizes: *36-47*
Original packaging: *1/10*

EN ISO 20345:2011

XENO OB

B0551





Gornjište: koža
Podstava: brušena koža
Uložna tabanica: zamenljiva, anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: jednoslojni PU
Standard: EN ISO 20347:2012
Specifičnosti: OB, SRC
Veličine: 35-48
Originalno pakovanje: 1/10

Upper: *leather*
Lining: *brushed leather*
Insert sole: *replaceable, anatomical*
Midsole: *none*
Protective cap: *none*
Sole: *single-layer PU*
Standard: *EN ISO 20347:2012*
Specifics: *OB, SRC*
Sizes: *35-48*
Original packaging: *1/10*

EN ISO 20347:2012

RELAX OB A E FO SR

9RELLOB



LACUNA

MADE IN EUROPE

SRC

Gornjište: koža
Podstava: brušena koža
Uložna tabanica: zamenljiva, anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: jednoslojni PVC
Standard: EN ISO 20347:2012
Specifičnosti: OB, SRC
Veličine: 36-46
Originalno pakovanje: 1/10

Upper: *leather*
Lining: *brushed leather*
Insert sole: *replaceable, anatomical*
Midsole: *none*
Protective cap: *none*
Sole: *single-layer PU*
Standard: *EN ISO 20347:2012*
Specifics: *OB, SRC*
Sizes: *36-46*
Original packaging: *1/10*

CE **EN ISO 20347:2012**

GINOCCHIO

91GINOWH



LACUNA

MADE IN EUROPE

SRA

Gornjište: PVC
Podstava: poliester
Uložna tabanica: nema
Tabanica: nema
Zaštitna kapica: nema
Đon: PVC
Standard: EN ISO 20347:2012
Specifičnosti: SRA
Veličine: 38-48
Originalno pakovanje: 1/1

Upper: *PVC*
Lining: *polyester*
Insole: *none*
Midsole: *none*
Protective cap: *none*
Sole: *PVC*
Standard: *EN ISO 20347:2012*
Specifics: *SRA*
Sizes: *38-48*
Original packaging: *1/1*

CE **EN ISO 20347:2012**

LEISURE LINE



MOSOR

9MOSR



Gornjište: Softshell + PU
Unutrašnjost: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Đon: dvoslojni, MD+TPR
Specifičnosti: vodoodbojno gornjište
Veličine: 40-47
Originalno pakovanje: 1/10

Upper: *Softshell + PU*
Interior: *mesh textile*
Insole: *textile anatomical*
Sole: *dual density, MD+TPR*
Specifics: *water-repellent upper*
Sizes: *40-47*
Original palking: *1/10*

PHYLON

9PHYLH 9PHYLL



Gornjište: Softshell
Podstava: tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: dvoslojni Phylon/TPR
Standard: nema
Specifičnosti: cipela za slobodno vreme, bez zaštitnih karakteristika
Veličine: 40-47
Originalno pakovanje: 1/10

Upper: *Softshell*
Lining: *textile*
Insole: *textile anatomical*
Midsole: *none*
Protective cap: *none*
Sole: *dual density Phylon/TPR*
Standard: *none*
Specifics: *leisure shoe, without protective properties*
Sizes: *40-47*
Original packaging: *1/10*

HELION

9HELIONBK

GETOUT

NOVO
NEW



Gornjište: Oxford tekstil + PU
Podstava: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Đon: MD + TPU + TPR
Standard: nema
Specifičnosti: spoj performansi, stila i dugotrajne udobnosti
Veličine: 36–47
Originalno pakovanje: 1/10

Upper: *Oxford textile + PU*
Lining: *mesh textile*
Insole: *textile anatomical*
Outsole: *MD + TPU + TPR*
Standard: *none*
Specifications: *a combination of performance, style, and long-lasting comfort*
Sizes: *36–47*
Original packaging: *1/10*

ORBIS

9ORBISGM

GETOUT

NOVO
NEW



Gornjište: 3D mrežasti tekstil + PU
Podstava: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Đon: Phylon + TPU
Standard: nema
Specifičnosti: izdržljive, stabilne i udobne
Veličine: 36–47
Originalno pakovanje: 1/10

Upper: *3D mesh textile + PU*
Lining: *mesh textile*
Insole: *textile anatomical*
Outsole: *Phylon + TPU*
Standard: *none*
Specifications: *durable, stable, and comfortable*
Sizes: *36–47*
Original packaging: *1/10*

OLIMP

9OLIMG

Gornjište: Flyknit tehnologija, mrežica
Podstava: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: Phylon + TPR
Standard: nema
Specifičnosti: lagana, prozračna
Veličine: 36-47
Originalno pakovanje: 1/10

Upper: *Flyknit technology, mesh*
Lining: *mesh textile*
Insole: *textile anatomical*
Midsole: *none*
Protective cap: *none*
Sole: *Phylon + TPR*
Standard: *none*
Specifics: *light, airy*
Sizes: *36-47*
Original packaging: *1/10*

GETOUT



NIMBA

9NIMB

Gornjište: tekstil, mrežica
Podstava: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: Phylon + TPR
Standard: nema
Specifičnosti: lagana, prozračna
Veličine: 36-47
Originalno pakovanje: 1/10

Upper: *textile, mesh*
Lining: *mesh textile*
Insole: *textile anatomical*
Midsole: *none*
Protective cap: *none*
Sole: *Phylon + TPR*
Standard: *none*
Specifics: *light, airy*
Sizes: *36-47*
Original packaging: *1/10*

GETOUT



CASTOR

9CASR

Gornjište: tekstil
Podstava: mrežasti tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: Phylon + TPR
Standard: nema
Specifičnosti: lagana, prozračna
Veličine: 36-47
Originalno pakovanje: 1/10

Upper: *textile*
Lining: *mesh textile*
Insole: *textile anatomical*
Midsole: *none*
Protective cap: *none*
Sole: *Phylon + TPR*
Standard: *none*
Specifics: *light, airy*
Sizes: *36-47*
Original packaging: *1/10*

GETOUT



KYROS

GETOUT™









KYROS

9KYROSBG	9KYROSBK	9KYROSNY	9KYROSBW
bež/*beige*	crna/*black*	plava/*blue*	smeđa/*brown*

GETOUT™

NOVO
NEW



Gornjište: kombinacija brušene velur kože i Oxford tkanine
Podstava: mesh
Uložna tabanica: tekstilna anatomska
Đon: dvoslojni Phylon / TPU
Specifičnosti: udoban i svestran unisex model
Veličine: 36–47
Originalno pakovanje: 1/10

Upper: *combination of suede velour leather and Oxford fabric*
Lining: *mesh*
Insole: *textile anatomical*
Outsole: *dual-layer Phylon / TPU*
Specifications: *comfortable and versatile unisex model*
Sizes: *36–47*
Original packaging: *1/10*



ALTURA

9ALTUBKM

GETOUT™

NOVO
NEW



Gornjište: PU brušena koža i tekstil
Podstava: mrežica
Uložna tabanica: mrežica + pena
Tabanica: vlakna
Zaštitna kapica: nema
Đon: MD + TPU + RB
Specifičnosti: cipela za slobodno vreme, bez zaštitnih karakteristika
Veličine: 40–45
Originalno pakovanje: 1/10

Upper: *PU suede leather and textile*
Lining: *mesh*
Insole: *mesh + foam*
Footbed: *fibers*
Protective toe cap: *none*
Outsole: *MD + TPU + RB*
Specifications: *casual footwear, without protective features*
Sizes: *40–45*
Original packaging: *1/10*

GRANITE

9GRANGR

GETOUT

NOVO
NEW



Gornjište: PU brušena koža i tekstil
Podstava: mrežica
Uložna tabanica: mrežica + pena
Tabanica: vlakna
Zaštitna kapica: nema
Đon: MD + TPU + RB
Specifičnosti: cipela za slobodno vreme, bez zaštitnih karakteristika
Veličine: 39–46
Originalno pakovanje: 1/10

Upper: *PU suede leather and textile*
Lining: *mesh*
Insole: *mesh + foam*
Footbed: *fibers*
Protective toe cap: *none*
Outsole: *MD + TPU + RB*
Specifications: *casual footwear, without protective features*
Sizes: *39–46*
Original packaging: *1/10*

MONTAR

9MONTBR

GETOUT

NOVO
NEW



Gornjište: PU brušena koža i tekstil
Podstava: mrežica
Uložna tabanica: mrežica + pena
Tabanica: vlakna
Zaštitna kapica: nema
Đon: MD + TPU + RB
Specifičnosti: cipela za slobodno vreme, bez zaštitnih karakteristika
Veličine: 40–45
Originalno pakovanje: 1/10

Upper: *PU suede leather and textile*
Lining: *mesh*
Insole: *mesh + foam*
Footbed: *fibers*
Protective toe cap: *none*
Outsole: *MD + TPU + RB*
Specifications: *casual footwear, without protective features*
Sizes: *40–45*
Original packaging: *1/10*

TREKING

9TREK



Gornjište: koža i tekstil
Podstava: tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: dvoslojni TPR/PU
Standard: nema
Specifičnosti: cipela za slobodno vrijeme, bez zaštitnih karakteristika
Veličine: 41-46
Originalno pakovanje: 1/10

Upper: *leather and textile*
Lining: *textile*
Insole: *textile anatomical*
Midsole: *none*
Protective cap: *none*
Sole: *double layer TPR/PU*
Standard: *none*
Specifics: *leisure shoe, without protective properties*
Sizes: *41-46*
Original packaging: *1/10*

TREKING

9TREKG



Gornjište: koža i tekstil
Podstava: tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: dvoslojni TPR/PU
Standard: nema
Specifičnosti: cipela za slobodno vrijeme, bez zaštitnih skarakteristika
Veličine: 41-46
Originalno pakovanje: 1/10

Upper: *leather and textile*
Lining: *textile*
Insole: *textile anatomical*
Midsole: *none*
Protective cap: *none*
Sole: *double layer TPR/PU*
Standard: *none*
Specifics: *leisure shoe, without protective properties*
Sizes: *41-46*
Original packaging: *1/10*

SPEED

9SPEED **9SPEEDC**

GETOUT™





Gornjište: kombinacija mrežice i oxford tekstila
Podstava: tekstil
Uložna tabanica: tekstilna anatomska
Tabanica: nema
Zaštitna kapica: nema
Đon: dvoslojni TPU/EVA
Standard: nema
Specifičnosti: cipela za slobodno vrijeme, bez zaštitnih karakteristika
Veličine: 40-47
Originalno pakovanje: 1/10

Upper: *combination of mesh and oxford textile*
Lining: *textile*
Insole: *textile anatomical*
Midsole: *none*
Protective cap: *none*
Sole: *two-layer TPU/EVA*
Standard: *none*
Specifics: *leisure shoe, without protective properties*
Sizes: *40-47*
Original packaging: *1/10*



GUMENE I PVC ČIZME

RUBBER AND PVC BOOTS

VUKO SAFETY S5

91VUKOBK crna/*black* | **91VUKOYL** žuta/*yellow*



LACUNA

MADE IN EUROPE

SRC

Gornjište: kombinacija PVC-a i nitrila
Podstava: poliester
Uložna tabanica: nema
Tabanica: čelična
Zaštitna kapica: čelična
Đon: PVC
Standard: EN ISO 20345:2011
Specifičnosti: SRA
Veličine: 36-48
Originalno pakovanje: 1/10

Upper: *combination of PVC and nitrile*
Lining: *polyester*
Insole: *none*
Midsole: *steel*
Protective cap: *steel*
Sole: *PVC*
Standard: *EN ISO 20345:2011*
Specifics: *SRA*
Sizes: *36-48*
Original packaging: *1/10*

CE **EN ISO 20345:2011**

GINOCCHIO

91GINOGR zelena/*green* | **91GINOBK** crna/*black*



LACUNA

MADE IN EUROPE

Gornjište: PVC
Podstava: poliester
Uložna tabanica: nema
Tabanica: nema
Zaštitna kapica: nema
Đon: PVC
Standard: EN ISO 20347:2012
Veličine: 38-48
Originalno pakovanje: 1/10

Upper: *PVC*
Lining: *polyester*
Insole: *none*
Midsole: *none*
Protective cap: *none*
Sole: *PVC*
Standard: *EN ISO 20347:2012*
Sizes: *38-48*
Original packaging: *1/10*

CE **EN ISO 20347:2012**

TRONCHETTO

91TRONGR
zelena/*green*

91TRONBK
crna/*black*





Gornjište: PVC
Podstava: poliester
Uložna tabanica: nema
Tabanica: nema
Zaštitna kapica: nema
Đon: PVC
Standard: EN ISO 20347:2012
Veličine: 38-48
Originalno pakovanje: 1/10

Upper: *PVC*
Lining: *polyester*
Insole: *none*
Midsole: *none*
Protective cap: *none*
Sole: *PVC*
Standard: *EN ISO 20347:2012*
Sizes: *38-48*
Original packaging: *1/10*

CE EN ISO 20347:2012

SWAMPY

91SWAMPY







Gornjište: visoko kvalitetan PVC + nitril
Notranjost: tekstil (OEKO-TEX®) + umjetno krzno
Podplat: PVC
Specifičnosti: SRA, FO, E
Standard: EN ISO 20347:2012
Velikosti: 39-47
Originalno pakovanje: 1/6

Upper: *high quality PVC + nitrile*
Lining: *textile (OEKO-TEX®) + artificial fur*
Sole: *PVC*
Specifics: *SRA, FO, E*
Standard: *EN ISO 20347:2012*
Sizes: *39-47*
Original packaging: *1/6*

CE EN ISO 20347:2012

POLAR GRIP

91POLAR



LACUNA

MADE IN EUROPE

SRC CI

Materijal: PVC
Podstava: veštačko krzno
Đon: PVC
Dostupne veličine: 39–47
Originalno pakovanje: 1/10

Material: *PVC*
Lining: *artificial fur*
Outsole: *PVC*
Available sizes: *39–47*
Original packaging: *1/10*

CE **EN ISO 20347:2012**





GALOSH

91GALOGR

Materijal: PVC
Podstava: poliester
Đon: PVC
Dostupne veličine: 36-47
Originalno pakovanje: 1/12

Material: *PVC*
Lining: *polyester*
Sole: *PVC*
Available sizes: *36-47*
Original packaging: *1/12*

LACUNA

MADE IN EUROPE



CE EN ISO 20347:2012



DUNLOP®

PROTECTIVE FOOTWEAR


LACUNA

STAY PROTECTED

DUNLOP
PROTECTIVE FOOTWEAR

Iako je sve počelo pre 130 godina proizvodnjom pneumatskih guma, Dunlop Protective Footwear uvodi inovacije u industriju zaštitne obuće. Na prelazu u 20. vek DUNLOP je predstavio PVC čizme, zatim Purofort® čizme, kao i Acifort® asortiman – proizvode koji su zauvek promenili uslove rada u različitim industrijama.

Although it all started 130 years ago with the production of pneumatic tires, Dunlop Protective Footwear has been introducing innovations into the safety footwear industry. At the turn of the 20th century, DUNLOP introduced PVC boots, followed by Purofort® boots and the Acifort® range – products that permanently changed working conditions across various industries.



**OUR VISION: We believe that we should not focus only on people's safety, but also take responsibility for the greater challenges that tomorrow brings.*
***OUR VALUES: Purpose-driven leadership, teamwork, responsibility.*
****OUR PURPOSE: We use innovation, technology, and take action to make safety our top priority.*



Purofort® čizme su najbolje čizme u klasi poliuretanskih čizama. Purofort® je jedinstveni Dunlop® materijal sa milionima vazdušnih džepova koji su ravnomerno raspoređeni u umreženoj strukturi. To stvara lagan i toplotno izolacioni materijal koji je izuzetno jak i fleksibilan, te garantuje vrhunske performanse proizvoda. Jedinstveni Purofort® materijal obezbeđuje sigurnost, fleksibilnost i izdržljivost.

Purofort® boots are the best boots in the polyurethane boot category. Purofort® is a unique Dunlop® material with millions of air pockets evenly distributed within a cross-linked structure. This creates a lightweight and thermally insulating material that is exceptionally strong and flexible, guaranteeing outstanding product performance. The unique Purofort® material ensures safety, flexibility, and durability.

PUROFORT FOODPRO

CA61131

NOVO
NEW

MADE IN EUROPE



Gornjište: Purofort®
Zaštitna kapica: čelična
Uložna tabanica: Dunlop FoodPro PU tabanica (ekstra debljine)
Podstava: crveni poliamid
Đon: Purofort®
Tehničke karakteristike: S4 CI SRC
Standard: EN ISO 20345:2011

Upper: *Purofort®*
Protective toe cap: *steel*
Insole: *Dunlop FoodPro PU insole (extra thickness)*
Lining: *red polyamide*
Outsole: *Purofort®*
Technical specifications: *S4 CI SRC*
Standard: *EN ISO 20345:2011*

CE EN ISO 20345:2011



Acifort® je jedinstveni Dunlopov izum koji predstavlja mešavinu PVC-a, nitrilne gume i polimera. Nitrilna guma obezbeđuje duži vek trajanja i bolju otpornost na ulje, mast, krv i hemikalije. Polimeri daju fleksibilnost čizmama, čime se povećava udobnost.

Acifort® is a unique Dunlop invention made from a blend of PVC, nitrile rubber, and polymers. Nitrile rubber provides a longer service life and better resistance to oil, grease, blood, and chemicals. The polymers give the boots flexibility, thereby increasing comfort.

ACIFORT®

ACIFORT CLASSIC+ S4

A181331




DUNLOP PROTECTIVE FOOTWEAR

NOVO NEW

MADE IN EUROPE

Gornjište: Acifort® (mešavina PVC-a, nitrilne gume i polimera)
Podstava: beli poliester
Zaštitna kapica: čelična
Đon: Acifort®
Tehničke karakteristike: S4 SRC
Standard: EN ISO 20345:2011

Upper: *Acifort® (blend of PVC, nitrile rubber, and polymers)*
Lining: *white polyester*
Protective toe cap: *steel*
Outsole: *Acifort®*
Technical specifications: *S4 SRC*
Standard: *EN ISO 20345:2011*



CE **EN ISO 20345:2011**

ACIFORT CLASSIC+ O4

B180331




DUNLOP PROTECTIVE FOOTWEAR

NOVO NEW

MADE IN EUROPE

Gornjište: Acifort® (mešavina PVC-a, nitrilne gume i polimera)
Podstava: beli poliester
Đon: Acifort®
Tehničke karakteristike: O4 FO SRC
Standard: EN ISO 20347:2012

Upper: *Acifort® (blend of PVC, nitrile rubber, and polymers)*
Lining: *white polyester*
Outsole: *Acifort®*
Technical specifications: *O4 FO SRC*
Standard: *EN ISO 20347:2012*



CE **EN ISO 20347:2012**



DUNLOP WORK-IT S4

NB1JB01

DUNLOP PROTECTIVE FOOTWEAR

NOVO *NEW*

MADE IN EUROPE







Gornjište: PVC
Zaštitna kapica: čelična
Zaštitna tabanica: čelična
Podstava: beli poliester
Đon: PVC
Tehničke karakteristike: S4 SR FO LG
Standard: EN ISO 20345:2022

Upper: *PVC*
Protective toe cap: *steel*
Protective midsole: *steel*
Lining: *white polyester*
Outsole: *PVC*
Technical specifications: *S4 SR FO LG*
Standard: *EN ISO 20345:2022*

CE **EN ISO 20345:2022**

DUNLOP WORK - IT S5

NB2JF01	NB2KL01	NB2HD01
žuta/*yellow*	zelena/*green*	crna/*black*

NOVO *NEW*

MADE IN EUROPE







Gornjište: PVC
Zaštitna kapica: čelična
Zaštitna tabanica: čelična
Podstava: beli poliester
Đon: PVC
Tehničke karakteristike: S5 SR FO LG
Standard: EN ISO 20345:2022

Upper: *PVC*
Protective toe cap: *steel*
Protective midsole: *steel*
Lining: *white polyester*
Outsole: *PVC*
Technical specifications: *S5 SR FO LG*
Standard: *EN ISO 20345:2022*

CE **EN ISO 20345:2022**

DUNLOP PRICEMASTOR

380VP
zelena/*green*

380BV
bela/*white*

DUNLOP PROTECTIVE FOOTWEAR

NOVO *NEW*

MADE IN EUROPE





Gornjište: PVC
Podstava: beli poliester
Đon: PVC
Standard: CE (đon otporan na ulja i loživa ulja za manje klizava područja)

Upper: *PVC*
Lining: *white polyester*
Outsole: *PVC*
Standard: *CE (sole resistant to oils and fuel oils for less slippery surfaces)*



KABO

5KABO

Opis: ulošci za cipele
Veličine: dvobroj 36–38, 39–41, 42–44, 45–48
Originalno pakovanje: 1/50

Description: *shoe insoles*
Sizes: *double sizes 36–38, 39–41, 42–44, 45–48*
Original packaging: *1/50*



LACUNA

NOVO
NEW

VELIČINE/*SIZE*	**36/38**	**39/41**	**42/44**	**45/48**
	5KABO36-38	5KABO39-41	5KABO42-44	5KABO45-48

DOSO

5DOSBR
crno-crvena/
black-red

5DOSBN
crno-plava/
black-blue

Materijal: 59% pamuk, 38% poliester, 3% elastan
Veličina: dvobroj 39–42, 43–46
Originalno pakovanje: 2/1

Material: *59% cotton, 38% polyester, 3% elastane*
Size: *double sizes 39–42, 43–46*
Original packaging: *2/1*

LACUNA

NOVO
NEW





VELIČINE/*SIZE*	**39/42**	**43/46**
CRNO-CRVENA/*BLACK-RED*	5DOSBR39-42	5DOSBR43-46
CRNO-PLAVA/*BLACK-BLUE*	5DOSBN39-42	5DOSBN43-46

ARCO

5ARCBK
crno/*black*

Materijal: 75% pamuk, 5% Coolmax, 18% poliester, 2% elastan
Veličina: dvobroj 39–42, 43–46
Originalno pakovanje: 2/1

Material: *75% cotton, 5% Coolmax, 18% polyester, 2% elastane*
Size: *double sizes 39–42, 43–46*
Original packaging: *2/1*

LACUNA

NOVO
NEW



VELIČINE/*SIZE*	**39/42**	**43/46**
CRNO/*BLACK*	5ARCBK39-42	5ARCBK43-46

BAIDA

5BAIGR
sivo/*grey*

Materijal: 64% poliester, 34% pamuk, 2% elastan
Veličina: dvobroj 39–42, 43–46
Originalno pakovanje: 1/1

Material: *64% polyester, 34% cotton, 2% elastane*
Size: *double sizes 39–42, 43–46*
Original packaging: *1/1*

LACUNA

NOVO
NEW



VELIČINE/*SIZE*	**39/42**	**43/46**
SIVO/*GREY*	5BAIGR39-42	5BAIGR43-46

BUTURO

5BUTBK
crno/*black*

Materijal: 80% viskoza (bambus), 2% Coolmax, 16% poliester, 2% elastan
Veličina: dvobroj 39–42, 43–46
Originalno pakovanje: 1/1

Material: *80% viscose (bamboo), 2% Coolmax, 16% polyester, 2% elastane*
Size: *double sizes 39–42, 43–46*
Original packaging: *1/1*



LACUNA

NOVO
NEW

VELIČINE/*SIZE*	**39/42**	**43/46**
CRNO/*BLACK*	5BUTBK39-42	5BUTBK43-46

MIAN

5MIABK
crno/*black*

Materijal: 70% Coolmax, 10% pamuk, 18% poliester, 2% elastan
Veličina: dvobroj 39–42, 43–46
Originalno pakovanje: 1/1

Material: *70% Coolmax, 10% cotton, 18% polyester, 2% elastane*
Size: *double sizes 39–42, 43–46*
Original packaging: *1/1*



LACUNA

NOVO
NEW

VELIČINE/*SIZE*	**39/42**	**43/46**
CRNO/*BLACK*	5MIABK39-42	5MIABK43-46

LOGAN

5LOGBK
sivo-crno/
grey-black

Materijal: 35% vuna, 43% akril, 20% poliester, 2% elastan
Veličina: dvobroj 39–42, 43–46
Originalno pakovanje: 2/**1**

Material: *35% wool, 43% acrylic, 20% polyester, 2% elastane*
Size: *double sizes 39–42, 43–46*
Original packaging: *2/1*



LACUNA

NOVO
NEW

VELIČINE/*SIZE*	**39/42**	**43/46**
SIVO-CRNO/*BLACK-GREY*	5LOGBK39-42	5LOGBK43-46

BALI

5BALGR
sivo-crne/
gray-black

Materijal: reciklirani pamuk 60%, poliester 38%, elastin 2%
Veličina: dvobroj 39-42,43-46
Originalno pakvoanje: 1/56

Fabric composition: *60% recycled cotton, 38% polyester, 2% elastane*
Size: *39-42, 43-46*
Original packaging: *1/56*



LACUNA

VELIČINE/*SIZE*	**39/42**	**43/46**
SIVO-CRNE/*GRAY-BLACK*	5BALGR39-42	5BALGR43-46

PICO

5PICBL
plava/*blue*

Materijal: pamuk 38%, coolmax 38%, poliester 22%, elastin 2%
Veličina: dvobroj 39-42,43-46
Originalno pakovanje: 1/250

Fabric composition: *38% cotton, 38% coolmax, 22% polyester, 2% elastane*
Size: *39-42, 43-46*
Original packaging: *1/250*

LACUNA



VELIČINE/*SIZE*	**39/42**	**43/46**
PLAVA/*BLUE*	5PICBL39-42	5PICBL43-46

CAPRI

5CAPGR
siva/*gray*

Materijal: pamuk 25%, coolmax 20%, poliester 23%, elastin 2%
Veličina: dvobroj 39-42,43-46
Originalno pakovanje: 1/56

Fabric composition: *25% cotton, 20%coolmax, 30% polyamide, 23% polyester, 2% elastane*
Size: *39-42, 43-46*
Original packaging: *1/56*

LACUNA



VELIČINE/*SIZE*	**39/42**	**43/46**
SIVA/*GRAY*	5CAPGR39-42	5CAPGR43-46

ZAŠTITNE RUKAVICE
PROTECTIVE GLOVES

LACUNA

MERCATOR MEDICAL

coverguard

ZAŠTITNE RUKAVICE

Lacuna nudi velik izbor visokokvalitetnih radnih rukavica. Upotreba rukavica omogućuje vam da svoj posao obavljate bezbedno i efikasno.
Naše tehničke kožne rukavice su izrađene od odabranih viso- kokvalitetnih koža; namenjene su različitim vrstama poslova kao što su zavarivanja, teški poslovi, održavanje, logistički poslovi itd... Pre nego što izaberete vrstu rukavica, važno je da se radno mesto pravilno proceni u smislu opasnosti. Naš tehnički tim može vam pomoći u izboru najboljih rukavica za vaše radno mesto.

PROTECTIVE GLOVES

Lacuna offers large selection of high quality work gloves, aplicable to many work situations in order to provide your job can be done safely and with higher efficiency.
Our technical leather gloves are made from selected high quality leather materials, designed for different types of work, such as welding, heavy work, maintenance, logistics work, etc. Before chosing type of gloves, it is imortant that work site is evaluated properly in terms of potential hazards. If you share these information with us our technical team can help you with choosing best gloves for your work position.

LACUNA ne odgovara za eventualne štamparske greške u katalogu./*LACUNA is not responsible for misprints in the catalogue.*
Poslednje važeće cene molimo proverite na LACUNA B2B./*Last valid recommended prices check on LACUNA B2B.* Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude./*Full LACUNA range available at www.lacuna.hr*


ARNO

EU STANDARDI ZA ZAŠTITU RUKU

EU STANDARD FOR HAND PROTECTION

KLASE LIČNE ZAŠTITNE OPREME

Kompletna zaštita rangirana je u 3 klase, prema riziku koji pokriva pojedini artikl.

CLASSES OF PERSONAL PROTECTIVE EQUIPMENT

All personal protective equipment is ranged in 3 categories according to he covered risks.

	Stepen rizika ***Risk Level***	**Kontrola „tipa“** ***“Type” control***	**Kontrola proizvodnje** ***Control of manufacturing***
I	Minimalni rizici *Minimal risks*	Atest izdaje proizvođač *Declaration of conformity is issued by manufacturer*	Odgovornost proizvođača *Responsibility of the manufacturer*
II	Veći rizici *Medium risks*	Tipsko ispitivanje CE obavlja ovlašćeni organ *CE-type examination shall be carried out by an authorized notified body*	Odgovornost proizvođača *Responsibility of the manufacturer*
III	Smrtonosni rizici *Deadly risks*	Tipsko ispitivanje CE obavlja ovlašćeni organ *CE-type examination shall be carried out by an authorized notified body*	Nadzor obavlja ovlašteni organ *Supervision is performed by an authorized notified body*

Zaštitne rukavice za minimalne rizike

EN 420:2003+A1 2009 / EN ISO 21420:2020
Opšti uslovi
(kategorija rizika, veličine, oznake, označavanje itd.)
Informacije proizvođača u obaveštenju korisnicima

I *Protective gloves for minimal risks*

EN 420:2003+A1 2009 / EN ISO 21420:2020
General conditions
(risk category, size, labels, marking, etc.)
Manufacturer's information in the user manual

Zaštitne rukavice protiv mehaničkih rizika

II *Zaščitne rokavice pred mehanskimi tveganji*



A B C D
E F

EN 388:2016 Rukavice za zaštitu od mehaničkih rizika
A Prvi broj = nivo karakteristika otpornosti na abraziju (0 - 4)
B Drugi broj = nivo karakteristika otpornosti na razrezivanje kružnom oštricom (0 - 5)
C Treći broj = nivo karakteristika otpornosti na kidanje (0 - 4)
D Četvrti broj = nivo karakteristika otpornosti na probijanje (0 - 4)
E Peti broj = nivo krakteristika otpornosti na razrezivanje ravnom oštricom (A - F)
F Šesti broj = Otpornost na udar (samo ako postoji)
1 = najniži nivo karakteristika; 4 (5) = najviši nivo karakteristika; (A = najniži i F = najviši nivo karakteristika otpornosti na razrezivanje ravnom oštricom);
0 = karakteristika zaštite je ispod minimuma nivoa karakteristika 1; X = navedena karakteristika nije ispitivana ili nije pogodna za ispitivanje/korišćenje.
Navedeni nivoi karakteristika se odnose na dlan rukavica. Rukavice sa dva ili više nevezana sloja sveukupna razredba (??) nije nužno odraz karakteristika spoljašnjeg sloja (NEJASNO). Rukavice sa nivoom karakteristika otpornosti na kidanje ≥ 1 se ne smeju koristiti u radu gde može doći do zahvatanja ruku pokretnim delovima mašina i uređaja. Rukavice ne štite od hemikalija, bioloških uticaja, radioaktivnog zračenja, toplotnih rizika, vode, rizika od električne struje (uređaji/elementi pod naponom) i drugog što nije pokriveno navedenim standardom.

A B C D
E F

EN 388:2016 Protective gloves against mechanical risks
A First number = abrasion resistance level (0 - 4)
B Second number = circular blade cut resistance level (0 - 5)
C Third number = tear resistance level (0 - 4)
D Fourth number = puncture resistance level (0 - 4)
E Fifth number = straight blade cut resistance level (A - F)
F Sixth number = impact resistance (if applicable)
1 = lowest level of preformances; 4 (5) = highest level of preformances;
(A = lowest F = highest level of straight blade cut resistance);
0 = protection is below the minimum level of characteristics 1;
X = preformances not tested or not appropriate for testing/use.
The abovementioned level of preformances concerns the palm of the glove.
For gloves with two or more unbound layers, the overall classification does not necessarily reflect the preformances of the outer layer. Gloves with tear resistance level ≥ 1 should not be used where there is a possibility of hands being caught by moving machine parts. Gloves do not provide protection against chemicals, biological impacts, radioactivity, thermal risk, water, electric current risks (devices / elements underpower) and other risks not covered by this norm.



A B C

EN511:2006 Rukavice za zaštitu od hladnoće
A Prvi broj = otpornost na hladnoću konvekcijom (strujanjem) (0 - 4)
B Drugi broj = otpornost na hladnoću kontaktom (dodirom) (0-4)
C Treći broj = otpornost na vodu (vodonepropusnost) (0 - 1)
1 = najniži nivo karakteridtika; 4 = najviši nivo karakteristika zaštite od hladnoće.
X = navedena kartakteristika nije ispitivana ili nije pogodna za ispitivanje/korišćenje. Vodonepropusnost: 1 = bez propuštanja vode na celoj rukavici (vodonepropusna rukavica), 0 = rukavica nije vodonepropusna.
Vrednosti dobijene za nivoe A i C se odnose na celu rukavicu (dlan i nadlanicu). Vrednost dobijena za nivo B se odnosi samo na dlan. Ne koristiti ako je rukavica oštećena, mokra ili u slučaju dodira sa predmetima na temperaturi nižoj od – 20 °C. Rukavica može izgubiti izolacione karakteristike u mokrom okruženju.



A B C

EN511:2006 Protective gloves against cold
A First number = resistance through convective cold (0 - 4)
B Second number = resistance to contact cold (0 - 4)
C Third number = permeability by water (0 - 1)
1 = lowest level of preformance; 4 = highest level of protection against cold
X = preformances not tested or not appropriate for testing/use.
Watertightness: 1 = the whole glove is resistant to water (watertight glove), 0 = glove is not watertight
Values obtained for levels A and C concern the whole glove (palm and back of hand) Values obtained for level B concern only the palm
Do not use if the glove is damaged, wet or in the event of contact with objects at a temperature below – 20°C. Gloves may lose their insulation preformances in the wet state.



A B C D
E F

EN407:2004 Rukavice za zaštitu od toplinskih rizika (topline i/ili vatre)
A Prvi broj = gorenje (0 - 4)
B Drugi broj = prenos toplote dodirom (0 - 4)
C Treći broj = prenos toplote konvekcijom (0 - 4)
D Četvrti broj = prenos toplote zračenjem (0 - 4)
E Peti broj = male kapi rastaljenog metala (0 - 4)
F Šesti broj = velike količine rastaljenog metala (0 - 4)
1 = nizak nivo zaštite; 4 = visok nivo zaštite, X = navedena karakteristika nije ispitivana ili nije pogodna za ispitivanje.
Navedeni nivo se odnosi na dlan rukavica. Zaštita vredi samo za celu rukavicu sa svim slojevima. Onečišćenja organskim jedinjenjima (ulja, masti, goriva i sl.) povećavaju rizik od zapaljenja. Mokre rukavice postaju električki i toplotno provodljive – opasnost od strujnog udara i opekotina!





A B C D
E F

EN407:2020 Protective gloves against thermal risks (heat and/or fire)
A First number - Resistance to flammability (0 - 4)
B Second number - Contact heat resistance (0 - 4)
C Third number- Convective heat resistance (0 - 4)
D Fourth number - Radiant heat resistance (0 - 4)
E Fifth number - Resistance to small splashes of molten metal (0 - 4)
D Sixt number - Resistance to large splashes of molten metal (0 - 4)
1 = low level of preformances; 4 = high level of preformances, X = preformance not tested or not appropriate for testing/use.
The abovementioned level of preformances concerns the palm of gloves.
The protection applies only to a complete glove with all layers.
Contamination by organic compounds (oils, fats, fuels etc.) increase the risk of ignition. Wet gloves become electrically and thermally conductive – risk of electric shock and burns!



EN12477:2001 + A1:2005 Rukavice za zavarivače
Tip A – niska spretnost (sa višim ostalim tj. mehaničkim i toplotnim karakteristikama) Tip B – visoka spretnost (sa nižim ostalim karakteristikama).
Tip B rukavica se preporučuje kada se zahteva visoka spretnost npr. kod TIG zavarivanja.
Tip A rukavica se preporučuje za sva ostala zavarivanja, uklj. elektrolučna. Ove rukavice ne pružaju zaštitu od električnog udara uzrokovanog neispravnim uređajima ili radom pod naponom. Električna otpornost je smanjena ako su rukavice mokre, prljave ili natopljene znojem, što može povećati rizik.

EN12477: 2001 + A1: 2005 Welding gloves
Type A – low dexterity (with higher other, that is mechanical and thermal preformances)
Type B – high dexterity (with lower other preformances).
Type B glove is recommended when high dexterity is required, for example for TIG welding.
Type A glove is recommended for all other types of welding, including arc welding. These gloves do not provide protection against electric shocks caused by defective devices or live working.
Electrical resistivity is reduced if gloves are wet, dirty or soaked in sweat, which may increase risk.

III

TYPE*

EN ISO 374-1:2016 + A1:2018 Rukavice za zaštitu od opasnih hemijskih rizika
*** TIP A** - Permeacija ili prodiranje mora biti barem na nivou 2 za najmanje šest testnih hemikalija – VISOK NIVO OTPORNOSTI NA HEMIKALIJE
*** TIP B** - Permeacija ili prodiranje mora biti barem na nivou 2 za najmanje tri testne hemikalije – SREDNJI NIVO OTPORNOSTI NA HEMIKALIJE
*** TIP C** - Permeacija ili prodiranje mora biti barem na nivou 1 za najmanje jednu testnu hemikaliju – NIZAK NIVO OTPORNOSTI NA HEMIKALIJE

PERMEACIJA - RAZINE

0	1	2	3	4	5	6
<10 min	>10 min	>30 min	>60 min	>120 min	>240 min	>480 min

PERMEACIJA
Permeacija je postupak kojim se hemikalija kreće kroz zaštitni materijal rukavice na molekularnom nivou i meri se pomoću difuzije prema EN 16523-1: 2015

PRODIRANJE
Hemikalije mogu prodreti kroz rupe i druge nedostatke na materijalu rukavica. Da bi rukavica bila odobrena kao zaštitna rukavica za hemijsku zaštitu, rukavica ne sme propuštati vodu ili vazduh pri ispitivanju prema penetraciji, EN 374-2: 2014.

DEGRADACIJA
Hemijski kontakt može negativno uticati na materijal rukavica. Razgradnja se određuje prema EN 374-4: 2013 za svaku hemikaliju.
Rezultat razgradnje, u postocima (%), nalazi se u korisničkom uputstvu

POPIS TESTIRANIH KEMIKALIJA

A	METANOL	J	N-HEPTAN
B	ACETON	K	NATRIJEV HIDROKSID 40%
C	ACETONITRIL	L	SUMPORNA KISELINA 96%
D	METILEN KLORID	N	DUŠIČNA KISELINA 65%
E	UGLJIKOV DISULFID	M	OCTENA KISELINA 99%
F	TOLUEN	O	AMONIJAK 25%
G	DIETILAMIN	P	VODIKOV PEROKSID 30%
H	TETRAHIDROFURAN	S	HIDROFLUORNA KISELINA 40%
I	ETIL ACETAT	T	FORMALDEHID 37%

VIRUS

EN ISO 374-5:2016 Rukavice za zaštitu od mikroorganizama i bakterija
Zaštitne rukavice koje služe kao zaštitna barijera od mikrobioloških agensa Rukavice moraju proći standard ispitivanja otpornosti na prodiranje EN374-2:2014

Dodatno, ako rukavica prođe ISO 16604 :2004 (metoda B) test označava se kao otporna na viruse.

TYPE*

EN ISO 374-1: 2016 + A1: 2018 Protective gloves against dangerous chemical risks
** **TYPE A** - Permeation or penetration must be at least level 2 for at least six test chemicals - HIGH LEVEL OF RESISTANCE TO CHEMICALS*
** **TYPE B** - Permeation or penetration must be at least level 2 for at least three test chemicals - MEDIUM LEVEL OF RESISTANCE TO CHEMICALS*
** **TYPE C**- Permeation or penetration must be at least level 1 for at least one test chemical - LOW LEVEL OF RESISTANCE TO CHEMICALS*

PERMEATION - LEVELS

0	1	2	3	4	5	6
<10 min	>10 min	>30 min	>60 min	>120 min	>240 min	>480 min

PERMEATION
Permeation is a process by which a chemical moves through the protective material of a glove at the molecular level and is measured by diffusion according to EN 16523-1: 2015

PENETRATION
Chemicals can penetrate holes and other imperfections in the glove material. To ensure that the glove is approved as the chemical resistant glove, the glove must not leak water or air during testing prescribed by EN 374-2: 2014.

DEGRADATION
Chemical contact may affect adversely the glove material. Degradation is determined according to EN 374-4: 2013 for each chemical.
The decomposition result, in percentages (%), will be noted in user instructions.

LIST OF TESTED CHEMICALS

A	*METHANOL*	*J*	*N-HEPTANE*
B	*ACETONE*	*K*	*SODIUM HYDROXIDE 40%*
C	*CETONITRIL*	*L*	*SULFURIC ACID 96%*
D	*METHYLENE CHLORIDE*	*N*	*NITRIC ACID 65%*
E	*CARBON DISULPHIDE*	*M*	*ACETIC ACID 99%*
F	*TOLUEN*	*O*	*AMMONIA 25%*
G	*DIETHYLAMINE*	*P*	*HYDROGEN PEROXIDE 30%*
H	*TETRAHYDROFURANE*	*S*	*HYDROFLUORIC ACID 40%*
I	*ETHYL ACETATE*	*T*	*FORMALDEHYDE 37%*

VIRUS

EN ISO 374-5: 2016 Gloves for protection against microorganisms and bacteria
Protective gloves that serve as a protective barrier against microbiological agens. Gloves must pass the penetration resistance test according to standars EN374-2: 2014
Additionally, if the glove passes ISO 16604: 2004 (method B) test then it is marked as virus resistant.



ATG
INTELIGENTNA REŠENJA IZRADE RUKAVICA

Inteligentna rješenja rukavica kroz inovativne tehnologije

Tehnologije korišćene u ATG rukavicama se kontinuirano razvijaju u užem timu koji kombinuje istraživanja tržišta i marketing analizu sa najnovijim tehnološkim dostignućima. To je osnov na kojem se kontinuirano poboljšava iskustvo kupca kroz stalne inovacije.
R & D odelenje se fokusira na razvoj tehnoloških platformi. Ovaj pristup im omogućuje sagledavanje potreba kupaca na čemu se temelji odabir i kombinacija potrebnih tehnoloških platformi za proizvodnju inovativnih rukavice koje menjaju korisničko iskustvo na bolje.

ATG Rukavice
ATG® nudi fokusirani spektar proizvoda za profesionalce. ATG ClassicRange i ATG ProRange ™ sa četiri robne marke i 10 proizvoda pokrivaju 90% poslova kojima se bavite, bilo da ste u metaloprerađivačkom, montažonom, petro-hemijskom ili off-shore poslovanju.

ATG
INTELLIGENT GLOVE SOLUTIONS

Intelligent glove solutions with innovative technologies

The technologies used in ATG gloves are constantly developped by a core team that combines market research and market analysis with the latest technological advances. This is the foundation on which the experience is constantly improved by innovation. The R&D department focuses on the development of technology platforms. This approach allows them to see the needs of customers which is the basis for selecting and combining the necessary local platforms for the production of innovative changing gloves user experience for the better.

ATG gloves
ATG® offers a focused range of products for professionals. ATG ClassicRange and ATG ProRange™, which with four branded products and 10 products covers 90% of the business engaged in metal processing, assembly, petrochemical or offshore business.

AIRtech® CUTtech® LIQUItech® THERMtech®
ERGOtech® GRIPtech® DURAtech®


MaxiFlex®


MaxiDry®


MaxiCut®


MaxiChem®


MaxiDex®

ATG®Tehnološke platforme/*ATG®Technology platforms*

AIRtech®	360° prozračnosti Toplota se raspoređuje prirodno Hladne ruke su sretnije, bezbednije i produktivnije	*360° breathability* *The heat is distributed naturally* *Cold hands are happier, safer and more productive*
ERGOtech® DURAtech®	25% tanje od većine rukavica od penastog nitrila na tržištu Dvostruka izdržljivost u poređenju sa drugim rukavica- ma od poliuretana ili penastog nitrila na tržištu. Oblik, prianjanje i osećaj oponašaju “ruku u mirovanju” Konsistentna propusnost podstave.	*25% thinner than most nitrile foam gloves on the market. Double durability compared to other polyurethane or nitrile foam gloves on the market* *Design, grip and feel to mimic a “hand at rest”.* *Permanent permeability of the lining*
CUTtech®	Inovativna vlakna Pojačanje između palca i kažiprsta	*Inovative fibers* *Reinforcement between thumb and forefinger*

GRIPtech	Optimizovan zahvat Smanjen zamor ruke Spretnost i fleksibilnost	*Optimized grip* *Reduced hand fatigue* *Skill and flexibilitys*
LIQUItech	Odbijanje tečnosti Visoka otpornost na hemikalije Zaštitite svoje ruke	*Fluid rejection* *High resistance to chemicals* *Protect your hands*
THERMtech	Zahvaljujući tehnologiji podstavljanja i bešavnog pletenja, poseduju toplotne i izolacione karakteristike da bi se razvila otpornost na vrućinu ili hladnoću	*Thanks to the technology of lining and seamless knitting, there are thermal and insulating properties to develop resistance to heating or cold*
HandCare®	ATG-ov HandCare® program je sastavni deo svakog pojedinačnog ATG®proizvoda. Celokupni proces praćenja je sertifikovan prema ISO 14001, rukavice su dermatološki ispitane, smanjuju znojenje i hlade ruke pri radu; uz udobnost, omogućuju spretnost i preciznost pri radu, imaju veliku prozračnost, a mogu se prati u mašini za veš.	*ATG's HandCare® program is an integral part of each individual ATG® product.* *The entire monitoring process is ISO 14001 certified, the gloves are dermatologically tested to reduce sweating and cool hands at work, provide comfort and precision at work with comfort, excellent breathability and can be washed in the washing machine.«*
Sanitized® Protection	Na našim rukavicama koristimo dezinfekciju kako bi se neprijatni mirisi smanjili na minimum. Sanitized® je antiperspirant koji pridonosi da vaše rukavice budu duže svežije i koji čini da se osećate sigurni i zaštiće- ni. Naglašavamo da ATG® koristi posebnu klasu sredstva Sanitized® koje je "bez triklosana".	*On gloves we use a disinfectant to keep unpleasant odors out as much as possible. Sanitized® is an antiperspirant that helps you keep your gloves fresh longer and feel safe and protected. We emphasize that ATG® uses a special class of Sanitized® that does not contain triclosan.*
OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 08.BH.57867 HOHENSTEIN HTTI Tested for harmful substances. www.oeko-tex.com/standard100	Za naše rukavice garantujemo da su „sveže iz pakovanja". Kako? Mi peremo sve rukavice nakon proizvodnog procesa kao naredni korak u osiguravanju čistoće. Tokom tog procesa pranja u mašini, mi preferiramo korišćenje vode skupljene od kišnice. Naše rukavice su sertifikovane od strane Oeko-Tex® Standarda 100, kojim se potvrđuje da naše rukavice ne sadrže poznate štetne supstance, uključujući i zakonski neregulisane hemikalije. Standardni zahtevi jasno prekoračuju postojeće nacionalno zakonodavstvo.	*Our gloves are guaranteed to be "fresh from the packaging". How? All gloves are washed according to the manufacturing process as a further step in ensuring cleanliness. During this procedure of washing in the washing machine, we prefer to use water collected from rain. Our gloves are Oeko-Tex® Standard 100 certified, which ensures that our gloves do not contain known harmful substances, including unregulated chemicals. The standard requirements clearly go beyond existing national legislation..*
REACH COMPLIANT	Ceo naš proizvodni proces je u skladu sa zahtevima evropskih propisa REACH (registracija, evaluacija, ovlašćivanje i ograničavanje hemijskih supstanci).	*Our entire production process complies with the requirements of the European REACH regulations (registration, evaluation, approval and restriction of chemical substances).*
ad-apt	Tehnologiju AD-APT® aktivira pokretanje i rad ruku tj povećana temperatura u rukavici, pa se ispuštaju mikrogranule antiperspiranta, integrisane u nitrilnu mikro- penu što održava ruke suvima i rashlađenima. Dok tehnologija AD-APT® rashlađuje ruku na nivo prijatnih uslova, ona ne utiče na prirodnu sposobnost tela da kontroliše svoju temperaturu, tj. toplotnu regulaciju. Tehnologija AD-APT® dizajnirana je tako da traje dok traje i rukavica, i može se prati u mašini za veš.	*AD-APT® technology activates the movement and work of the hands, ie the elevated temperature in the sleeves, thus releasing micro-granules of antiperspirant, integrated into the nitrile microfoam, which keeps the hands dry and cool. Although AD-APT® technology cools the hand to a comfortable level, it does not affect the body's natural ability to control its temperature, ie. heat regulation. The AD-APT® technology is designed to last as long as the gloves last and can be washed in the washing machine.*
	ATG rukavice se mogu slobodno prati u mašini za veš koristeći standardne deterdžente. ATG rukavice su testirane i sertifikovane po Standardu ISO 6330 (3xN) od strane TÜV Rheinland LGA Products GmbH. Rukavice su zadržale sve označenae karakteristike mehaničke zaštite pre i nakon testnih pranja u mašini za veš.	*ATG gloves can be washed freely in the washing machine with standard detergents. ATG gloves are tested and certified in accordance with ISO 6330 (3xN) by TUV Rheinland LGA Products GmbH. The gloves retained all the mechanical protective properties before and after washing in the washing machine.*
SKIN HEALTH ALLIANCE	Naše rukavice su isto tako dermatološki akreditovane od Skin Health Alliance. Oznaka Skin Health Alliance koju imamo, prva u industriji zaštitne opreme, profesionalnim korisnicima rukavica je garancija da je cela lepeza ATG® rukavica u celini „dermatološki bezbedna" i da su nauka i istraživanja koji stoje iza njih opsežni.	*Our gloves are also dermatologically authorized by the Skin Health Alliance. The Skin Health Alliance label, the first in the protective glove industry for professional glove users, has ensured that the full range of ATG® gloves as a whole is "dermatologically safe" and that the science and research behind them is extensive.*
VIROSAN™	ViroSan™ sprečava razmnožavanje virusa koji dospeju na rukavice, a testiranja potvrđuju da je delotvoran protiv ljudskog koronavirusa NL63. Patentirana tehnologija integrisana je u premaz rukavica. Tehnologija ViroSan™ poboljšava higijenu vaših rukavica u kojima radite.	*ViroSan™ prevents the reproduction of viruses that reach the gloves, and tests confirm that it is effective against the human coronavirus NL63. Patented technology is integrated into the coating of the gloves. ViroSan™ technology improves the hygiene of your working gloves.*
TRItech	Revolucionarna tehnološka platforma TRItech™ razvila je novi način izrade rukavica koji donosi neuporedivo bolju udobnost radnim rukavicama otpornim na hemikalije i time je postignuta harmonija udobnosti i efikasnosti. TRItech™ koristi 3 sloja koja imaju jedinstvenu i važnu svrhu i međusobno su povezana kako bi se stvorio snažan, ali fleksibilan i udoban kompozit.	*The revolutionary technological platform TRItech™ has developed a new way of making gloves that brings incomparably better comfort to chemical-resistant work gloves, thus achieving a harmony of comfort and efficiency. TRItech™ uses 3 layers that have a unique and important purpose and are interconnected to create a strong yet flexible and comfortable composite.*
	Pogodne za ekran na dodir.	*Suitable for touch screen.*

ATG®Tehnološke platforme/***ATG***®*Technology platforms*

	AIRtech	ERGOtech	DURAtech	CUTtech	GRIPtech	IQUItech	THERMtech	TRItech	VIROSAN	ad-apt
42-874	✓	✓	✓		✓					✓
42-844	✓	✓	✓		✓					✓
42-848	✓	✓	✓		✓					✓
34-274	✓	✓	✓		✓					
34-774B	✓	✓	✓		✓					
34-924	✓	✓			✓					
34-824	✓	✓	✓		✓					
34-8743	✓	✓	✓	✓	✓					
34-8443	✓	✓	✓	✓	✓					
34-450	✓	✓		✓	✓					
44-504	✓	✓	✓	✓	✓					
34-304		✓	✓	✓	✓	✓				
34-305		✓	✓	✓	✓	✓				
44-304		✓	✓	✓	✓	✓				
44-305		✓	✓	✓	✓	✓				
44-3745	✓	✓	✓	✓	✓					
52-3745	✓	✓	✓	✓	✓					✓
42-8743	✓	✓	✓	✓	✓					✓
44-3445	✓	✓	✓	✓	✓					
58-917		✓		✓						
89-5740				✓						
56-424			✓	✓	✓	✓				
56-425			✓		✓	✓				
56-451		✓			✓	✓	✓			
56-426		✓			✓	✓				
56-530		✓			✓	✓				
76-730		✓		✓	✓	✓		✓		
76-733		✓		✓	✓	✓				
76-830		✓		✓	✓	✓		✓		
76-833		✓		✓	✓	✓				
30-201							✓			
24-986		✓	✓	✓	✓	✓				
34-900										
19-007BL		✓				✓			✓	✓

MaxiFlex® s AD-APT®
31% SMANJENO ZNOJENJE
U ODNOSU NA STANDARDNE RUKAVICE

MaxiFlex®s AD-APT®
31% REDUCED SWEATING
IN RELATION TO STANDARD GLOVES

Osmišljene i razvijene kao prozračne rukavice, MaxiFlex® Ultimate™ rukavice postale su merilo za precizno rukovanje u suvim okruženjima.

Sada naše jedinstvene rukavice **MaxiFlex®** postaju još bolje za- hvaljujući uključivanju nove tehnologije AD-APT® kompanije ATG®.

Ako se vaše ruke ikada zagreju u rukavicama ili se u njima znojite, tada su **MaxiFlex® Ultimate™** rukavice sa ugrađenom tehnologijom All Day Anti Perspirant (AD-APT®) kao stvorene za vas.

AD-APT® - najinteligentniji način održavanja ruku u rukavicama suvim, hladnim i produktivnim.

Pređite na bolje!

Designed and developed as breathable gloves, MaxiFlex® Ultimate gloves have become the standard for precise handling in dry environments.

*They are now becoming our unique gloves **MaxiFlex®** even better due to the incorporation of the new ATG® AD-APT® technology.*

*If your hands ever warm up or sweat in gloves, then **MaxiFlex® Ultimate™** gloves with built-in All Day Anti Sweat technology (AD-APT®) are created for you.*

AD-APT® - the most intelligent way to keep hands in gloves dry, cool and productive.

Switch to better!



	MaxiFlex® Ultimate™	**MaxiFlex®** Endurance™
REF.	**42-874**	**42-844**
PREMAZIVANJE/ *COATING*	Dlan/ *Palm*	Dlan/ Točkice *Palm/ Dots*
BOJA/ *COLOR*	Tamnosiva/ crna *Dark gray/ black*	Tamnosiva/ crna *Dark gray/ black*
DUŽINA/ *LENGTH*	25 cm	25 cm
DEBLJINA NA DLANU/ *THICKNESS ON THE PALM*	1.00 mm	1.10 mm
EN 388	4131A	4131A
VELIČINE/ *SIZE*	5 - 12	5 - 12

www.atg-glovesolutions.com

MAXIFLEX ULTIMATE

42-874
42-874BL





EN 388
4131A

MAXIFLEX ENDURANCE

42-844
42-844BL





EN 388
4131A

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZES*	PAKOVANJE *PACKAGING*
42-874	Najlon, spandeks/ *Nylon, spandex*	Nitrilna mikropena / *Nitrile microfoam*	1 mm	Elastična/ *Elastic*	Rukavica za rad u suvom okruženju, AD APT tehnologija, dugotrajnost / *Glove for dry work, Ad apt technology, durability*	EN ISO 21420, EN 388 (4131A)	5-12	12/144 BL = 1/144
42-844	Najlon, spandeks/ *Nylon, spandex*	Nitrilna mikropena / *Nitrile microfoam*	1,1 mm	Elastična/ *Elastic*	Rukavica za rad u suvom okruženju, AD APT tehnologija, dugotrajnost i mikro-granule za bolje hvatanje / *Gloves for work in a dry environment, Ad apt technology, durability and microgranules for better grip*	EN ISO 21420, EN 388 (4131A)	5-12	12/144 BL = 1/144

MAXIFLEX ENDURANCE

42-848
42-848BL





EN 388
4131A

MAXIFLEX ELITE

34-274
34-274BL





EN 388
4121A

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZES*	PAKOVANJE *PACKAGING*
42-848	Najlon, spandeks/ *Nylon, spandex*	Nitrilna mikropena / *Nitrile microfoam*	1,1 mm	Elastična/ *Elastic*	Rukavica za rad u suvom okruženju, AD APT tehnologija, dugotrajnost i mikrogran-ule za bolje hvatanje / *Gloves for work in a dry environment, Ad apt technology, durability and microgranules for better grip*	EN ISO 21420, EN 388 (4131A)	5-12	12/144 BL = 1/144
34-274	Najlon, spandeks/ *Nylon, spandex*	Nitrilna mikropena / *Nitrile microfoam*	0,75 m	Elastična/ *Elastic*	Rukavice za rad u suvom okruženju, vrlo tanka i lagana za vrlo precizne radove / *Gloves for work in a dry environment, very thin and light for very precise work*	EN ISO 21420, EN 388 (4121A)	5-11	12/144 BL = 1/144

MAXIFLEX ELITE ESD — 34-774B



EN 388
4121A
EN 16350

MAXIFLEX COMFORT — 34-924



EN 388
4121A
EN 407
X1XXXX

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZES*	PAKOVANJE *PACKAGING*
34-774B	Najlon, poliester, spandeks, karbon/ *Nylon, polyester, spandex, carbon*	Nitrilna mikropena / *Nitrile microfoam*	0,80 mm	Elastična/ *Elastic*	Rukavice za rad u suvom okruženju. Vrlo tanka i lagana rukavica za vrlo precizne radove sa ESD normom / *Gloves for working in a dry environment. Very thin and light glove for very precise works with ESD norm*	EN ISO 21420 EN388 (4121A) EN 16350	5-11	12/144
34-924	Najlon, pamuk, spandeks/ *Nylon, cotton, spandex*	Nitrilna mikropena / *Nitrile microfoam*	1.10 mm	Elastična/ *Elastic*	Rukavice za rad u suvom okruženju, Rukavice otporne na dodirnu toplinu do 100 stupnjeva celzijusa / *Gloves for working in a dry environment, Gloves resistant to contact heat up to 100 degrees Celsius*	EN ISO 21420 EN388(4121A) EN407 (X1XXXX)	5-11	12/144

MAXIFLEX ACTIVE — 34-824



EN 388
4131A

MAXIFLEX CUT — 34-8743 34-8743BL



EN 388
4331B

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZES*	PAKOVANJE *PACKAGING*
34-824	Najlon, spandeks/ *Nylon, spandex*	Nitrilna mikropena / *Nitrile microfoam*	1.00 mm	Elastična/ *Elastic*	Reukavice za rad u suvom okruženju sa aloja verom i vitaminom D / *Gloves for working in a dry environment with aloe vera and vitamin*	EN ISO 21420 EN388 (4131A)	5-11	12/144
34-8743	Najlon, spandeks/ *Nylon, spandex*	Nitrilna mikropena / *Nitrile microfoam*	0.80 mm	Elastična/ *Elastic*	Rukavice za rad u suvom okruženju Proturezna rukavica sa jako tankim nanosom nitrila od 0,80 mm / *Gloves for working in a dry environment Anti-cut glove with very thin nitrile coating of 0.80 mm*	EN ISO 21420 EN388 (4331B)	6-12	12/72 BL = 1/72

MAXIFLEX CUT 3

34-8443



EN 388
4331B

MAXICUT

34-450



EN 388
4342B

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZES*	PAKOVANJE *PACKAGING*
34-8443	Najlon, spandeks, UHMWPE/ *Nylon, spandex, UHMWPE*	Nitrilna mikropena / *Nitrile microfoam*	0,80 mm	Elastična/ *Elastic*	Rukavice za rad suvom okruženju Proturezna rukavica sa tankim nanosom nitrila od 0,80 mm i mikrogranulama za bolji hvat / *Glove for working in a dry environment. Anti-cut glove with a thin coating of nitrile of 0.80 zamm and microgranules for better grip*	EN ISO 21420 EN388 (4331B)	6-11	12/72
34-450	Najlon, spandeks, UHMWPE/ *Nylon, spandex, UHMWPE*	Nitrilna mikropena / *Nitrile microfoam*	1,30 mm	Elastična/ *Elastic*	Rukavica za rad u suvom okruženju. Proturezna rukavica / *Gloves for work in a dry environment. Anti-cut glove*	EN ISO 21420 EN388 (4342B)	6-11	12/72 BL = 1/72

MAXICUT OIL

34-304
34-304BL





EN 388
4331B

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
34-304	Najlon, spandeks, UHMWPE/ *Nylon, spandex, UHMWPE*	Nitrilna mikropena / *Nitrile microfoam*	1,30 m	Elastična/ *Elastic*	Rukavica za rad u mokrom i vlažnom okruženju. Proturezna rukavica /*Glove for working in wet and damp environment. Anti-cut glove*	EN ISO 21420 EN388 (4331B)	6-11	12/72 BL = 1/72

MAXICUT OIL

44-304



EN 388

4341B

EN 407

X2XXXX

CE

MAXICUT ULTRA

44-4745D



NOVO NEW

A4

EN 388

4343D

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
44-304	Najlon, spandeks, UHMWPE/ *Najlon, spandeks, UHMWPE*	Nitrilna mikropena / *Nitrile microfoam*	1,10 mm	Elastična/ *Elastic*	Rukavica za rad u mokrom i vlažnom okruženju. Proturezna rukavica za rad sa temperaturama do 100 stepeni celzijusa / *Glove for work in wet and humid environments. Anti-cut glove for working with temperatures up to 100 degrees Celsius.*	EN ISO 21420 EN388 (4341B) EN407 (X1XXX)	6-11	12/72
44-4745D	Najlon, nerđajući čelik, poliester, UHMWPE, elastan, staklena vlakna / *Nylon, stainless steel, polyester, UHMWPE, spandex, glass fiber*	Nitrilna mikropena/ *Nitrile microfoam*	1,10 mm	Elastična/ *Elastic*	Rukavica otporna na prosecanje za rad u suvim sredinama, sa AD-APT tehnologijom / *Cut-resistant glove for work in dry environments, featuring AD-APT technology*	EN ISO 21420, EN 388 (4343D), ANSI/ ISEA 105 (A4)	6-12	12/72

MAXICUT OIL

44-305



EN 388

4341B

EN 407

X2XXXX

CE

MAXICUT ULTRA

52-3745
52-3745BL



NOVO NEW

A3

4442C EN 388

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
44-305	Najlon, spandeks, UHMWPE/ *Najlon, spandeks, UHMWPE*	Nitrilna mikropena / *Nitrile microfoam*	1,10 mm	Elastična/ *Elastic*	Rukavica za rad u mokrom i vlažnom okruženju. Proturezna rukavica za rad sa temperaturama do 100 stepeni celzijusa celzijusa / *Glove for work in wet and humid environments. Anti-cut glove for working with temperatures up to 100 degrees Celsius.*	EN ISO 21420 EN388 (4341B) EN407 (X1XXXX)	6-11	12/72
52-3745	UHMWPE, staklena vlakna, elastan / *UHMWPE, glass fiber, spandex*	Nitrilna mikropena/ *Nitrile microfoam*	1,10 mm	Elastična/ *Elastic*	Rukavica otporna na prosecanje za rad u suvim sredinama, sa AD-APT tehnologijom / *Cut-resistant glove for work in dry environments, featuring AD-APT technology*	EN ISO 21420, EN 388 (4442C), ANSI/ ISEA 105 (A3)	6-12	12/72 BL = 1/72



NAVLAKA MAXICUT ULTRA 89-5740



EN 388
3442C

CE

NAVLAKA MAXICUT ULTRA 89-5745CH



NOVO
NEW

EN 388
2442C

EN 407
X1XXXX

CE

ŠIFRA *CODE*	PLETIVO *MATERIAL*	NASLOJ *COATING*	DEBLJ. NASLOJA *COATING THICKNESS*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
89-5740 (40 cm)	Najlon, spandeks, UHMWPE/ *Nylon, spandex, UHMWPE*	Nitrilna mikropena / *Nitrile microfoam*	0,80 mm	Elastična/ *Elastic*	Štitnik/navlaka za zaštitu ruke od zgloba do ramena. Proturezne karakteristike. Savršeno prianjanje uz ruku, lagano hlađenje ruke / *Protector/cover to protect the arm from the wrist to the shoulder. Anti-cut properties. Perfect hand grip, light hand cooling*	EN ISO 21420 EN388 (3442C)	7, 10	12/72
89-5745CH (45 cm)	Najlon, elastan, UHMWPE / *Nylon, spandex, UHMWPE*	Nitrilna mikropena/ *Nitrile microfoam*	1,10 mm	Elastična/ *Elastic*	Zaštitni narukav koja pokriva ruku od zgloba do ramena. Otpornost na posekotine i toplotu. Odlično prianjanje i efekat hlađenja na ruci./ *Protective sleeve covering the arm from wrist to shoulder. Cut-resistant properties. Excellent fit and cooling effect on the hand.*	EN ISO 21420, EN 388 (2442C)	7, 10, 12	12/72

MAXIFLEX CUT

44-5745E



NOVO *NEW*

A5

EN 388

4343E

ŠIFRA *CODE*	PLETIVO *MATERIAL*	NASLOJ *COATING*	DEBLJ. NASLOJA *COATING THICKNESS*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
44-5745E	Najlon, poliester, UHMWPE, elastan, volfram / *Nylon, stainless steel, polyester, UHMWPE, spandex, glass fiber*	Nitrilna mikropena / *Nitrile microfoam*	1,20 mm	Elastična/ *Elastic*	Rukavica otporna na prosecanje, dizajnirana za rad u suvim uslovima / *Cut-resistant glove designed for work in dry environments*	EN ISO 21420, EN 388 (4343E), ANSI/ ISEA 105 (A5)	6-12	12/72

MAXICUT ULTRA

52-6745F



NOVO *NEW*

A6

EN 388

4243F

MAXICUT ULTRA

52-6745FIBL



NOVO *NEW*

EN 388

4243FP

ŠIFRA *CODE*	PLETIVO *MATERIAL*	NASLOJ *COATING*	DEBLJ. NASLOJA *COATING THICKNESS*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
52-6745F	Najlon, nerđajući čelik, poliester, UHMWPE, elastan, staklena vlakna / *Nylon, polyester, UHMWPE, spandex, Tungsten*	Nitrilna mikropena/ *Nitrile microfoam*	1,30 mm	Elastična/ *Elastic*	Rukavica otporna na prosecanje, dizajnirana za rad u suvim uslovima / *Cut-resistant glove designed for work in dry environments*	EN ISO 21420, EN 388 (4243F), ANSI/ ISEA 105 (A6)	6-12	12/72
52-6745 FIBL	Najlon, poliester, UHMWPE, elastan / *Nylon, polyester, UHMWPE, spandex, Tungsten*	Nitrilna mikropena/ *Nitrile microfoam*	1,30 mm	Elastična/ *Elastic*	Rukavica otporna na prosecanje za rad u suvim sredinama, sa zaštitom od udaraca / *Cut-resistant glove designed for work in dry environments, zaščita pred udarci*	EN ISO 21420, EN 388 (4243FP), ANSI-ISEA 138 (ASTM F2992)	6-12	12/72

MAXICUT ULTRA

44-3445



EN 388

4442C

CE

MAXICUT 5 LINER

58-917



EN 388

3442C

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
44-3445	Najlon, spandeks, UHMWPE/ *Nylon, spandex, UHMWPE*	Nitrilna mikropena / *Nitrile microfoam*	1,10 mm	Elastična / *Elastic*	Rukavice za rad suvom okruženju. Proturezna rukavica izrazite izdržljivosti i dugotrjnosti sa mikrogranulama za bolje hvatanje / *Gloves for working in a dry environment a glove of exceptional durability and longevity with microgranules for better grip*	EN ISO 21420 EN388 (4442C)	6-11	12/72
58-917	UHMWPE-staklo, Spandeks / *UHMWPE-glass, Spandex*	-	0,80 mm	Elastična / *Elastic*	Lagana radna rukavica za precizno rukovanje u suvom okruženju, najviše razine otpornosti na rezanje / *Light work glove for precise handling in dry environment, highest level of cutting resistance*	EN ISO 21420 EN 388 (3442C)	7-10	12/144



MAXIDRY KW

56-424



EN 388

4121A

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
56-424	Najlon, spandeks, *Nylon, spandex*	Nitrilna mikrjena / *Nitrile microfoam*	1,30 mm	Elastična/ *Elastic*	Rukavica za rad u mokrom i vlažnom okruženju / *Glove for work in wet and humid environments*	EN ISO 21420 EN388 (4121A)	5-11	12/72

MAXIDRY

56-425
56-425BL



EN 388
4121A

MAXIDRY ZERO

56-451
56-451BL



EN 511
021

EN 388
4242B

EN 407
X1XXXX

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
56-425	Najlon, spandeks, *Nylon, spandex*	Nitrilna mikropena / *Nitrile microfoam*	1,30 mm	Elastična/ *Elastic*	Rukavica za rad u mokrom i vlažnom okruženju / *Glove for work in wet and humid environments*	EN ISO 21420 EN388 (4121A)	5-11	12/72 BL = 1/72
56-451	Najlon, akril/ *Nylon,acrylic*	NBR + nitrilna mikropena / *NBR + Nitrile microfoam*	1,80 mm	Elastična/ *Elastic*	Rukavica za rad u mokrom, vlažnom hladniom okruženju. Uz dodatak EN 407 za rad sa predmetima topline do 100 stepeni celuijusa. Uz to ima i prozurezni standard / *Glove for working in a wet, humid cold environment. With the addition of EN 407 for working with objects up to 100 degrees Celsius. In addition, it has a pro-cutting norm*	EN ISO 21420 EN 388 (4242B) EN 511 (021) EN 407 (X1XXXX)	7-11	6/72

MAXIDRY

56-426
56-426BL



EN 388
4111A

EN 374-1
Tip C
AJK

MAXIDRY PLUS

56-530



EN 374-5
VIRUS

EN 388
4121A

EN 374-1
Tip B
JKL

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
56-426	Najlon/ *Nylon*	NBR + nitrilna mikropena / *NBR + Nitrile microfoam*	1,10 mm	Duga čvrsta manžetna/ *Long solid cuff*	Rukavica za rad u mokrom i vlažnom okruženju te za rad sa blažim hemikalijama. Dužine 26 cm / *Glove for working in wet and damp environment and for working with milder chemicals. Length 26 cm*	EN ISO 21420 EN 388 (4111A) EN 374-1 Tip C AJK	6-11	12/72
56-530	Najlon/ *Nylon*	NBR + nitrilna mikropena / *NBR + Nitrile microfoam*	1.20 mm	Duga čvrsta manžetna/ *Long solid cuff*	Rukavica niže hemijske otpornosti koja omogućuje optimizovani zahvat i vrhunske performanse i spretnost u vlažnom i uljnom okruženju. / *A glove of lower chemical resistance which enables optimized grip and superior performance and dexterity in wet and oily environment*	EN ISO 21420 EN 388 (4121A) EN 374-1 TIP B JKL EN 374-5	7-11	12/72

MAXIDRY ELITE

64-226



NOVO NEW

EN 374-5

EN 388

3111X

MAXIDRY ELITE

64-227



NOVO NEW

EN 388

3111X

ŠIFRA *CODE*	PLETIVO *MATERIAL*	NASLOJ *COATING*	DEBLJ. NASLOJA *COATING THICKNESS*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
64-226	Najlon / *Nylon*	NBR + nitrilna protivkliz-na mikropena / *NBR + Nitrile microfoam with anti-slip grip*	0,70 mm	Elastična/ *Elastic*	Rukavica za rad u uljanim ili vlažnim uslovima, ograničena hemijska otpornost / *Glove for work in oily or wet conditions, limited chemical resistance*	EN ISO 21420, EN 388 (3111X), EN ISO 374-1 (Tip C), EN ISO 374-5, ISO 18889 (G1)	6 - 11	12/72
64-227	Najlon / *Nylon*	NBR + nitrilna mikropena sa protivkliznim držanjem / *NBR + Nitrile microfoam with anti-slip grip*	0,70 mm	Elastična/ *Elastic*	Rukavica za rad u uljanim ili vlažnim uslovima, otporna na hemikalije sa de-limičnom zaštitom / *Glove for work in oily or wet conditions, chemical resistant with partial protection*	EN ISO 21420, EN 388 (3111X), ISO 18889 (GR)	6 - 11	12/72

MAXIDRY ELITE

64-225
64-225 BL





NOVO NEW

EN 388

3111X

ŠIFRA *CODE*	PLETIVO *MATERIAL*	NASLOJ *COATING*	DEBLJ. NASLOJA *COATING THICKNESS*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
64-225	Najlon / *Nylon*	Nitrilna mikropena protivklizna / *Nitrile microfoam with anti-slip grip*	0,70 mm	Elastična/ *Elastic*	Rukavica za rad u uljanim ili vlažnim uslovima, otporna na hemikalije sa delimičnom zaštitom / *Glove for work in oily or wet conditions, chemical resistant with partial protection*	EN ISO 21420, EN 388 (3111X), ISO 18889 (GR)	5-12	12/72 BL = 1/72

MAXICHEM LATEX 76-730



EN 374-5 VIRUS

EN388 3131A

EN 407 X1XXXX

EN 374-1 TIP A KLMNOP

CE

MAXICHEM CUT LATEX 76-733



EN 407 X1XXXX

EN388 4341C

EN 374-5 VIRUS

EN 374-1 TIP A KLMNOP

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
76-730	Najlon/ *Nylon*	NRL prirodna lateks guma/ *NRL natural latex rubber*	1.1 mm	Duga čvrsta manžetna/ *Long solid cuff*	Tanka i udobna hemijski otporna rukavica, toplinska zaštita do 100°C / *Thin and comfortable, chemically resistant glove, thermal protection up to 100°C*	EN ISO 21420 EN 388 (4341C) EN 407 (X1XXXX) EN 374-1 TIP A (KLMNOP) EN 374-5	7-11	1/72
76-733	Najlon, spandeks/ *Nylon, spandex*	NRL prirodna lateks guma/ *NRL natural latex rubber*	1.3 mm	Duga čvrsta manžetna/ *Long solid cuff*	Tanka i udobna hemijski otporna rukavica, toplinska zaštita do 100°C, sa MaxiCut tehnologijom/ *Thin and comfortable, chemically resistant glove, thermal protection up to 100°C, with MaxiCut technology*	EN ISO 21420 EN 388(4341C) EN 407 (X1XXXX) EN 374-1 TIP A(KLMNOP) EN374-5	7-11	1/72

MAXICHEM 76-830



EN388 4111A

EN 374-5 VIRUS

EN 374-1 TIP A JKLMNO

CE

MAXICHEM CUT 76-833



EN388 4321B

EN 374-5 VIRUS

EN 374-1 TIP A JKLMNO

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
76-830	Najlon / *Nylon*	NBR nitrilna guma / *NBR natural nitrile rubber*	0.9mm	Duga čvrsta manžetana / *Long solid cuff*	Izrazito tanka i udobna hemijski otporna rukavica / *Thin and comfortable, chemically resistant glove*	EN ISO 21420 EN 388 (4111A) EN 374-1 TIP A(JKLMNO) EN 374-5	7-11	1/72
76-833	Najlon, spandeks, UHMWPE / *Nylon, spandex, UHMWPE*	NBR nitrilna guma / *NBR natural nitrile rubber*	1.10mm	Duga čvrsta manžetna/ *Long solid cuff*	Izrazito tanka i udobna hemijski otporna rukavica, sa MaxiCut tehnologijom / *Thin and comfortable, chemically resistant glove with MaxiCut technology*	EN ISO 21420 EN 388 (4321B) EN 374-1 TIP A(JKLMNO) EN 374-5	7-11	1/72

MAXITHERM

30-201
30-201BL





EN 511
X1X

EN 388
1241B

EN 407
X2XXXX

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
30-201	Akril, poliester / *Acrylic, polyester*	Latex premaz/ *Latex coating*	2.50 mm	Elastična / *Elastic*	ATG clasic range rukavice za rad u hladnom okruženju / *ATG classic range gloves for cold work environment*	EN ISO 21420 EN 388 (1241B) EN 511 (X1X) EN 407 (X2XXXX)	6-11	12/72 BL = 1/72

MAXIFOAM

34-900



EN 388
4121A

CE

MAXIDEX

19-007BL




EN 374-5
VIRUS

EN 388
3111A

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
34-900	Najlon / *Nylon*	Nitrilna mikropena / *Nitrile microfoam*	1,00 mm	Elastična / *Elastic*	Lagane radne rukavice, osmišljene da „odvode" tečnost i ulja i pruže fleksi- bilnost i spretnost ruku u suvim i vlažnim uslovima. / *Light work gloves, designed to they "drain" liquids and oils and provide flexibility and dexterity of hands in dry and wet conditions conditions*	EN ISO 21420 EN 388 (4121A)	5 - 12	12/72
19-007 BL	Najlon / *Nylon*	NBR/*NBR*	0.7mm	Elastična / *Elastic*	Prve hibridne rukavice na svetu. Vodonepropusne zaštitne rukavice za mehaničke poslove sa dodatnom zašti- tom od virusa i bakterija. / *The first hybrid gloves in the world. Waterproof protective gloves for mechanical jobs with additional protection from viruses and bacteria*	EN ISO 21420 EN 388 (3111A) EN 374-5	6-11	1/72



KOŽNE RUKAVICE
LEATHER GLOVES

ATUM

6ATUM



LACUNA

EN 388



4144X

EN 407



413X4X

CE EN 12477 (TIP A)

HORUS

6HORU



LACUNA

EN 388



4143X

EN 407



413X4X


CE EN 12477 (TIP A)

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6ATUM	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Pamučna / *Cotton*	Kažiprst i dlan s pojačanjem, kevlar konac / *Forefinger and palm with reinforcement, Kevlar thread*	EN ISO 21420 EN 388 (4144X) EN 407 (413X4X) EN 12477 (TYPE A)	10, 11	1/72
6HORU	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Pamučna / *Cotton*	Kažiprsti dlan s pojačanjem, kevlar konac / *Forefinger and palm with reinforcement, Kevlar thread*	EN 420 EN 388 (4143X) EN 407 (413X4X)	10, 11	1/72

FLASH

6FLASH
6FLASHWT





LACUNA

EN 388



3243X

EN 407




413X4X

CE EN 12477 (TIP A)

ATENA

6ATENA
6ATENAWT





LACUNA

EN 388



3222X

EN 407



413X4X

CE EN 12477 (TIP A)

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6FLASH	Goveđa špalt koža / *Cow split leathere*	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Pamuk / *Cotton*	Kevlar konac, vareni šavovi prsti i palac / *Kevlar thread, welded seams on fingers and thumb*	EN ISO 21420 EN 388 (3243X) EN 407 (413X4X) EN 12477 TIP A	10	12/72 WT = 1/72
6ATENA	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Pamuk / *Cotton*	Poliester konac, vareni šavovi prsti i palac / *Kevlar thread, welded seams on fingers and thumb*	EN ISO 21420 EN 388 (3222X) EN 407 (413X4X) EN 12477 TIP A	10	12/72 WT = 1/72

HONOS

6HONO



LACUNA

EN 388

2121X

EN 407


412X4X

CE **EN 12477 (TIP B)**

TORO

6TORO
6TOROWT





LACUNA

EN 388

2132X

CE

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6HONO	Glatka ovčja koža / *Smooth sheep leather*	Glatka ovčja koža/ *Smooth sheep leather*	Goveđa špalt koža / *Cow split leather*	–	Pojačanjima na palcu te vrhovima prstiju, prošivena kevlar koncem / *Reinforcements on the thumb and tips fingers, sewn with Kevlar thread*	EN ISO 21420 EN 388 (2121X) EN 407 (412X4X) EN 12477 (TIP B)	10, 11	12/72
6TORO	Glatka bivolja koža / *Smooth buffalo skin*	Glatka bivolja koža / *Smooth buffalo skin*	Elastična traka ispod nadlanice/ *Elastic band under the back palm*	–	Elastično područje zgloba,kažiprst sašiven od kože u jednom komadu / *Elastic area of the wrist, forefinger sewn from leather in one piece*	EN ISO 21420 EN 388 (2132X)	9-11	12/120 WT = 1/120

KRON

6KRON



LACUNA

EN 388

3144X

EN 407

412X4X

CE

PALADA

6PALA



LACUNA

EN 388

3143X

CE

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6KRON	Mekana goveđa koža / *Smooth cow leather*	Mekana goveđa koža / *Smooth cow leather*	Goveđa špalt koža / *Cow split leather*	-	Dodatna zaštita nadlanice pojačanjem u predjelu članaka te ojačani vrhovi prstiju / *Additional backrest protection reinforcement in the area of the articles and reinforced fingertips.*	EN ISO 21420 EN 388 (3144X) EN 407 (412X4X)	10, 11	1/72
6PALA	Goveđa koža/ *Cow leather*	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	-	Pojačanja na palcu, kažiprstu i na vrhovima prstiju / *Reinforcement on thumb, forefinger and fingertips*	EN ISO 21420 EN 388 (3143X)	10	12/72

EUROWELD 100 — 1WEL100



EN 388
2111X

EN 407
412X4X

CE EN 12477 (TIP B)

EUROWELD 140 — 1WEL140



EN 388
3143X

EN 407
412X4X

CE EN 12477 (TIP B)

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1WEL100	Kozja koža / *Goat leather*	Kozja koža / *Goat leather*	Goveđa koža/ *Cow leather*	-	Vrlo fleksibilna s visokom spretnošću prstiju / *Very flexible with high dexterity of the fingers*	EN ISO 21420 EN388 (2111X) EN407 (412X4X) EN 12477 (TIP B)	8-11	10/60
1WEL140	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža/ *Cow split leather*	-	Antistatik, ojačan dlan/ *Antistatic, reinforced palm*	EN ISO 21420 EN388 (3143X) EN407 (412X4X) EN 12477 (TIP A)	9-11	10/60

EUROWELD 200 — 1WEL200



EN 388
2111X

EN 407
412X4X

CE EN 12477 (TIP B)

EUROWELD 360 — 1WEL360



EN 388
3244X

EN 407
433X4X

CE EN 12477 (TIP A)

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	DEBLJ. NASLOJA *THICKNESS OF LAYERS*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1WEL200	Kozja koža / *Goat leather*	Kozja koža / *Goat leather*	Goveđa koža/*Cow leather*	-	Vrlo fleksibilna s visokom spretnošću prstiju / *Very flexible with high dexterity of the fingers*	EN ISO 21420 EN388 (2111X) EN407 (412X4X) EN 12477 (TIP B)	8-11	10/60
1WEL360	Goveđa špalt koža / *Cow split leathere*	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža/ *Cow split leather*	*fleece*	Ojačan dlan, kevlar konac / *Reinforced palm, kevlar thread*	EN ISO 21420 EN388 (3244X) EN407 (433X4X) EN 12477 (TIP A)	9-11	6/36

LUND

6LUND
6LUNDWT



LACUNA

EN 388

3133X

EN 407

X1XXXX

ASOP

6ASOP



LACUNA

EN 388

4233x

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6LUND	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža/*Cow split leather*	-	Kožna rukavica za rad u suvim uvjetima / *Leather glove for working in dry conditions*	EN ISO 21420 EN 388 (3133X) EN 407 (X1XXXX)	10	12/120 BL= 1/120
6ASOP	Goveđa koža/ *Cow leather*	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	–	Pojačanjima na palcu te vrhovima prstiju / *Reinforcement between thumb and palm*	EN ISO 21420 EN 388 (3544X)	10	12/72 BL=1/72

ATLAS

6ATLA



LACUNA

EN 388

3144X

CROM

6CROM



LACUNA

EN 388

2132X

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6ATLA	Goveđa koža / *Cow leather*	Goveđa koža / *Cow leather*	Goveđa koža/ *Cow leather*	-	Pojačanje: na palcu, kažiprstu i na vrhovima prstiju, zaštita za zglob / *Reinforcement: on thumb, forefinger and fingertips, wrist protection*	EN ISO 21420, EN 388 (3144X)	10, 11	12/72 WT = 1/72
6CROM	Glatka goveđa koža / *Smooth cow leather*	Tekstil/ *Textile*	Tekstil/ *Textile*	-	Pojačanje na dlanu, elastično područje zgloba / *Reinforcement on the palm, elastic area of the wrist*	EN ISO 21420 EN 388 (2122X)	10	12/120

ARDA — 6ARDAYLWT



LACUNA

NOVO NEW

EN 21420

ARDA — 6ARDAGRWT



LACUNA

NOVO NEW

2132X

EN 21420

ŠIFRA *CODE*	PLETIVO *MATERIAL*	DLAN *PALM*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
6ARDAYLWT	Poliester / *Polyester*	Sintetička koža / *Synthetic leather*	Elastična traka ispod zadnje strane rukavice/ *Elastic strap under the back of the glove*	Rukavica za lake mehaničke i poljoprivredne radove. / *Glove for easy mechanical and agricultural work.*	EN ISO 21420	8 -11	WT 1/120
6ARDAGRWT	Poliester / *Polyester*	Sintetička koža / *Synthetic leather*	Elastična traka ispod zadnje strane rukavice/ *Elastic strap under the back of the glove*	Rukavica za lake mehaničke i poljoprivredne radove. / *Glove for easy mechanical and agricultural work.*	EN ISO 21420	8 -11	WT 1/120

EUROSTRONG 152 — 152H

coverguard



EN 388

3133X

LIGO — 6LIGO 6LIGOWT

LACUNA



EN 388

3244X

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
152H	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Tekstil / *Textile*	-	Mornar rukavica od sive goveđe kože i tekstila / *Sailor glove made of gray cow leather and textiles*	EN ISO 21420 EN 388 (3133X)	10	12/60
6LIGO	Goveđa špalt koža / *Cow split leather*	Pamuk i špalt koža / *Cotton and split skin*	Tekstil / *Textile*	-	Pojačanja na dlanu i palcu, kažiprst sašiven od kože u jednom komadu/ *Reinforcements on the palm and thumb, forefinger sewn from leather in one piece*	EN ISO 21420 EN 388 (2223X)	10	12/120 WT 1/120

FASO

6FASO
6FASOWT



LACUNA

EN 388
2132X

CE

TOGO

6TOGO
6TOGOWT



LACUNA

EN 388
2132X

CE

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *SIZE*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6FASO	Glatka bivolja koža / *Smooth buffalo skin*	Bivolja špalt koža / *Buffalo split skin*	Elastična traka ispod nadlanice / *Elastic band under the back palm*	–	Ergonomski palac, udobne i fleksibilne za precizne radove u suvim uslovima / *Ergonomic thumb, comfortable and flexible for precise work in dry conditions*	EN ISO 21420 EN 388 (2121X)	9-11	12/120 WT = 1/120
6TOGO	Goveđa koža/ *Cow leather*	Goveđa špalt koža / *Cow split leather*	Elastična traka ispod nadlanice / *Elastic band under the back palm*	–	Ergonomski palac, udobne i fleksibilne za precizne radove u suvim uslovima / *Ergonomic thumb, comfortable and flexible for precise work in dry conditions*	EN ISO 21420 EN 388 (2121X)	8-11	12/120 WT = 1/120

LAGOA

6LAGOA
6LAGOAWT



LACUNA

EN 388
2132X

CE

DOHA

6DOHA
6DOHAWT




LACUNA

EN 388
4122X

CE

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *SIZE*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6LAGOA	Goveđa koža/ *Cow leather*	Goveđa koža/ *Cow leather*	Elastična traka ispod nadlanice/ *Elastic band under the back palm*	–	Ergonomski palac, udobne i fleksibilne za precizne radove u suvim uslovima / *Ergonomic thumb, comfortable and flexible for precise work in dry conditions*	EN ISO 21420 EN 388 (2121X)	8-12	12/120 WT = 1/120
6DOHA	Goveđa špalt koža / *Cow split leather*	Goveđa špalt koža / *Cow split leather*	Elastična traka ispod nadlanice / *Elastic band under the back palm*	–	Ergonomski palac, udobne i fleksibilne za precizne radove u suvim uslovima / *Ergonomic thumb, comfortable and flexible for precise work in dry conditions*	EN ISO 21420 EN 388 (3122X)	9-11	12/120 WT = 1/120


LIRA

HORA

6HORA
6HORAWT



LACUNA

EN 388
2121X

LIRA

6LIRA
6LIRAWT



LACUNA

EN 388
2121X

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6HORA	Glatka kozja koža / *Smooth goat skin*	Plavi pamuk/ *Blue cotton*	Elastična regulisana čičkom / *Elastic, regulated by velcro*	–	Rukavice za precizne radove u suvom okruženju / *Gloves for precision work in a dry environment*	EN ISO 21420, EN 388 (2121X)	7-11	12/120 WT = 1/120
6LIRA	Glatka kozja kož a/ *Smooth goat skin*	Najlon / *Nylon*	Elastična traka ispod nadlanice / *Elastic, regulated by velcro*	–	Rukavice za precizne radove u suvom okruženju / *Gloves for precision work in a dry environment*	EN ISO 21420 EN 388 (2121X)	7-11	12/120 WT = 1/120

RUNA

6RUNA
6RUNAWT



LACUNA

EN 388
2121X

NERIS

6NERISRDWT



LACUNA

NOVO
NEW

EN 388
2122X

ŠIFRA *CODE*	DLAN *PALM*	NADLANICA *BACK PALM*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6RUNA	Glatka ovčja koža / *Smooth sheep skin*	Pamuk / *Cotton*	Elastična regulisanačičkom / *Elastic, regulated by velcro*	–	Rukavice za precizne radove u suvom okruženju / *Gloves for precision work in a dry environment*	EN ISO 21420 EN 388 (2121X)	7-11	12/120 WT = 1/120
6NERISRDWT	Poliester/*Polyester*	Kozja koža sa ojačanjima na prstima / *Goat leather with finger reinforcements*	Elastična manžetna sa čičak trakom / *Elastic cuff with Velcro thight*	Ojačanja na prstima od kozje kože / *Finger reinforcements in goat leather*	EN 420, EN 388 (2122X)	6 -12	WT = 1/120	5/50



RUKAVICE ZA ZAŠTITU OD HEMIKALIJA I TEČNOSTI

GLOVES FOR PROTECTION AGAINST CHEMICALS AND LIQUIDS

FORTIS

6FORTIS



LACUNA

EN374-5

EN 388

4101X

EN 374-1
TIP A

AJKLPOT

CE

NEOCHEM

6NEOCHEM

NOVO
NEW





LACUNA

EN374-5

VIRUS

EN 388

2110X

EN 374-1
TIP A1

AKLMNPST

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6FORTIS	Pamuk / *Cotton*	Nitril / *Nitrile*	Nitril / *Nitrile*	Otpornost na mehaničke rizike, otpornost na hemikalije, dužina 32 cm / *Resistance to mechanical risks, resistance for chemicals, length 32 cm*	EN ISO 21420 EN388 = 4101X EN 374-1 TIP A (AJKLPOT) EN374-5	7-11	1/120
6NEOCHEM	Pamuk / *Cotton*	Neoprene, lateks / *Neoprene, latex*	Neoprene, lateks / *Neoprene, latex*	Otpornost na mehaničke rizike, otpornost na hemikalije, dužina 30 cm / *Resistance to mechanical risks, resistance for chemicals, length 30 cm*	EN ISO 21420 EN 388 (2110X) EN 374-1 TIP A (AKLMNPST) EN 374-5	6-10	1/120

KONA

6KONA






LACUNA

CE

EN ISO 21420

PARK 27 CM

6PARK27
6PARK27WT





LACUNA

EN 388

4121X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6KONA	Pamuk / *Cotton*	Prirodna guma (Latex) / *Natural rubber(latex)*	Prirodna guma (Latex) / *Natural rubber(latex)*	Domaćinska rukavica za minimalne rizike, dužina 30 cm / *Household glove for minimal risks, length 30 cm*	EN ISO 21420	S, M, L, XL	1/ 240
6PARK27	Pamuk / *Cotton*	PVC (polivinil klorid) / *PVC*	PVC (polivinil klorid) / *PVC*	Otpornost na mehaničke rizike, štiti od tečnosti, dužina 27 cm / *Resistance to mechanical risks, protects against liquids, length 27 cm*	EN ISO 21420 EN 388 (4121X)	10	12/60 WT = 1/60

PARK 35 CM

6PARK35
6PARK35 WT





LACUNA

EN 388
4121X

CE

PARK 45 CM

6PARK45
6PARK45WT





LACUNA

EN 388
4121X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6PARK35	Pamuk / *Cotton*	PVC (polivinil klorid) / *PVC*	PVC (polivinil klorid) / *PVC*	Otpornost na mehaničke rizike, štiti od tečnosti, dužina 35 cm / *Resistance to mechanical risks, protects against liquids, length 35 cm*	EN ISO 21420 EN 388 (4121X	10	12/60 WT = 1/60
6PARK45	Pamuk / *Cotton*	PVC (polivinil klorid) / *PVC*	PVC (polivinil klorid) / *PVC*	Otpornost na mehaničke rizike, štiti od tečnosti, dužina 45 cm / *Resistance to mechanical risks, protects against liquids, length 45 cm*	EN ISO 21420 EN 388 (4121X)	10	12/60 WT = 1/60

EUROCHEM NE530

1CHNE30

NOVO
NEW

coverguard



EN 388
3132X

EN 511
X1X

EN 374-1
TIP A
ALMNPST

EN 374-5

EN 407
X2XXXX

CE

EUROCHEM NI550

1CHNI50

NOVO
NEW

coverguard



EN 374-1
TIP A
JKLOPT

EN 511
X1X

EN 388
3131X

EN 374-5

EN 407
X1XXXX

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1CHNE30	Poliester pamuk / *Polyester cotton*	Neopren / *Neoprene*	Neopren / *Neoprene*	Vrhunsko prianjanje u suvim, mokrim i masnim okruženjima.Hipoalergen. Vrhunska hemijska otpornost. Visoka toplotna izolacija na toplotu i niske temperature / *Excellent grip in dry, wet and oily conditions environments. Hypoallergenic. Excellent chemistry resistance. High thermal insulation to heat and low temperature*	EN ISO 21420 EN 388 (3132X) EN 407 (X2XXXX) EN 511 (X1X) EN 374-1 TIP A (ALMNPST) EN 374-5	7-11	12/72
1CHNI50	Poliester pamuk / *Polyester cotton*	Nitril / *Nitrile*	Nitril / *Nitrile*	Vrhunsko prianjanje u suvim, mokrim i masnim okruženjima. Hipoalergen. Vrhunska hemijska otpornost. Ergonomski oblikovane. / *Excellent grip in dry, wet and oily environments. Hypoallergenic. Excellent chemical resistance. Ergonomically designed*	EN ISO 21420 EN 388 (3131X) EN 407 (X1XXXX) EN 511 (X1X) EN 374-1 TIP A (JKLOPT) EN 374-5	7-11	12/72



EUROCHEM L5210

5210



EN388

4131X

EN 374-5

EN 374-1
TIP B

CKL

CE

EUROCHEM N5520

5520



EN3888

3101X

EN 374-5

EN 374-1
TIP B

JKL

CE

ŠIFRA *CODE*	**PLETIVO** *KNITTING*	**NASLOJ** *LAYER*	**MANŽETNA** *CUFF*	**POSEBNE KARAK.** *SPECIAL FEATURES*	**STANDARD** *STANDARD*	**VELIČINE** *SIZE*	**PAKOVANJE** *PACKAGING*
5210	Pamuk / *Cotton*	Lateks / *Latex*	Lateks / *Latex*	Otpornost na hemikalije, pogodno za kontakt sa hranom, dužina 32 cm, debljina 1,3 mm / *Chemical resistance, suitable for contact with food, length 32 cm, thickness 1.3 mm*	EN ISO 21420 EN 388 (4131X) EN 374-1 TIP B (CKL) EN 374-5	6-11	10/100
5520	Pamuk / *Cotton*	Zeleni akrilonitril / *Green acrylonitrile*	Zeleni akrilonitril / *Green acrylonitrile*	Otpornost na hemikalije, dužina 33 cm, debljina 1,3 mm / *Chemical resistance, good grip, comfort, flexibility, length 30 cm, thickness 1.3 mm*	EN ISO 21420 EN 388 (3101X) EN 374-1 TIP B (JKL) EN 374-5	6-11	10/200

EUROCHEM NE5310 — 5310



EN388
2010X

EN 374-5

EN 374-1
TIP B
AKL

EUROCHEM 3740 — 3740



EN388
4121X

EN 374-5
VIRUS

EN 374-1
TIP A
JKLMPT

ŠIFRA *CODE*	PLETIVO *KNITTING*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
5310	Pamuk / *Cotton*	Crni latex / *Black Latex*	Otpornost na hemikalije, dobro hvatanje, dužina 31cm, debljina 0,7 mm / *Chemical resistance, good grip, length 31 cm, thickness 0.7 mm*	EN ISO 21420 EN 388 (2010X) EN 374-1 TIP B (AKL) EN 374-5	7-11	10/100
3740	Pamuk / *Cotton*	PVC (polivinil klorid) / *PVC*	Otpornost na hemikalije, tretirano ACTIFRESH tretmanom za bolju higijenu, dužina 40 cm / *Chemical resistance, treated with ACTIFRESH treatment for better hygiene, length 40 cm*	EN ISO 21420 EN 388 (4121X) EN 374-1 TIP A (JKLMPT) EN 374-5	8-10	10/ 50

EUROCHEM 3636 — 3636



EN388
4121X

EN 374-5
VIRUS

EN 374-1
TIP A
AKLMPT

EUROCHEM 3640 — 3640



EN388
4121X

EN 374-5
VIRUS

EN 374-1
TIP A
AKLMPT

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
3636	Pamuk / *Bombaž*	Polivinilklorid (PVC) / *PVC*	Polivinilklorid (PVC) / *PVC*	Otpornost na hemikalije, dobro hvatanje, dužina 36 cm / *Chemical resistance, good grip, length 36 cm*	EEN ISO 21420 EN 388 (4121X) EN 374-1 TIP A (AKLMPT) EN 374-5	8-10	10/50
3640	Pamuk / *Bombaž*	Polivinilklorid (PVC) / *(PVC*	Polivinilklorid (PVC) / *PVC*	Otpornost na hemikalije, dobro hvatanje, dužina 36 cm / *Chemical resistance, good grip, length 40 cm*	EN ISO 21420 EN 388 (4121X) EN 374-1 TIP A (AKLMPT) EN 374-5	10	10/50



RUKAVICE ZA PRECIZNE POSLOVE I OPŠTU UPOTREBU

GLOVES FOR PRECISION & GENERAL USE

DODO

6DODOWT



LACUNA

EN 388
2131X

CE

BLAKE

6BLAKE
6BLAKEWT



LACUNA

EN 388
2131X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6DODO	Najlon / *Nylon*	Latex / *Latex*	Najlon/ *Nylon*	Visoka pokretljivost prstiju, pogodna za precizne radove / *High finger mobility, suitable for precise work*	EN ISO 21420 EN 388 (2131X)	10	1/120
6BLAKE	Poliester / *Poliester*	Latex / *Latex*	Poliester/ *Poliester*	Visoka pokretljivost prstiju, pogodna za precizne radove / *High finger mobility, suitable for precise work*	EN ISO 21420 EN 388 (2131X)	7-11	12/240 WT = 1/240

LUNA

6LUNAWT



LACUNA

EN 388
3131X

CE

VARDE

6VARDEWT



LACUNA

EN 388
2141X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽET-NA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVAN-JE *PACKAGING*
LUNAWT	Najlon / *Nylon*	Lateks / *Latex*	Najlon / *Nylon*	Visoka pokretljivost prstiju, pogodna za precizne radove, vrhunsko hvatanje / *High finger mobility, suitable for precise work,excellent grip*	EN ISO 21420 EN 388 (3131X)	10	1/120
6VARDEWT	Polieste / *Poliester*	Lateks / *Latex*	Poliester / *Poliester*	Visoka pokretljivost prstiju, pogodna za precizne radove, premaz protiv klizanja, dobro prianjanje / *High finger mobility, suitable for precise works, anti-slip coating, good grip*	EN ISO 21420 EN 388 (2141X)	8-11	1/120

NEVA

6NEVAWT

LACUNA



EN 388

2131X

CE

NEVA

6NEVARDWT

LACUNA



EN 388

2131X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6NEVAWT	Najlon / *Nylon*	Latex / *Latex*	Najlon / *Nylon*	Visoka pokretljivost prstiju, pogodna za precizne radove / *High finger mobility, suitable for precise work.*	EN ISO 21420 EN 388 (2131X)	7-11	WT = 1/120
6NEVARDWT	Najlon / *Nylon*	Lateks / *Latex*	Najlon / *Nylon*	Visoka pokretljivost prstiju, pogodna za precizne radove / *High finger mobility, suitable for precise work.*	EN ISO 21420 EN 388 (2131X)	7-11	WT = 1/120

NEVA

6NEVALBWT

LACUNA





EN 388

2131X


CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6NEVALBWT	Najlon / *Nylon*	Lateks / *Latex*	Najlon / *Nylon*	Visoka pokretljivost prstiju, pogodna za precizne radove / *High finger mobility, suitable for precise work.*	EN ISO 21420 EN 388 (2131X)	7-11	WT = 1/120

SAFIRA

6SAFIRAGR, 6SAFIRAGRWT





LACUNA

NOVO NEW

EN 388


3131X

CE

SAFIRA

6SAFIRANY, 6SAFIRANYWT





LACUNA

NOVO NEW

EN 388

3131X

CE


ŠIFRA *CODE*	PLETIVO *MATERIAL*	NASLOJ *COATING*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
6SAFIRAGR, 6SAFIRAGRWT	Poliester/ *Poliester*	Lateks pena, tekstura peska / *Latex foam, sand texture*	Elastična / *Elastic*	Velika pokretljivost prstiju, pogodno za precizan rad / *High finger mobility, suitable for precise work*	EN 388 (3131X)	8-11	WT = 1/120
6SAFIRANY, 6SAFIRANYWT	Poliester/ *Poliester*	Lateks pena, tekstura peska / *Latex foam, sand texture*	Elastična / *Elastic*	Velika pokretljivost prstiju, pogodno za precizan rad/ *High finger mobility, suitable for precise work*	EN 388 (3131X)	8-11	WT = 1/120

LENA

6LENABKWT







LACUNA

NOVO NEW

CE EN 21420

ŠIFRA *CODE*	PLETIVO *MATERIAL*	NASLOJ *PALM*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
6LENAWT	Poliester / *Poliester*	Sintetička koža sa ojačanjima na vrhovima prstiju / *Synthetic leather palm with finger tip reinforcements*	Poliester / *Poliester*	Rukavice za lake mehaničke i poljoprivredne radove / *Gloves for easy mechanical and agricultural work.*	EN ISO 21420	7 -11	WT = 1/120

ASTRA

6ASTRARD, 6STRARDWT



LACUNA

NOVO NEW

EN 388

2131X

CE

ASTRA

6ASTRAOR, 6STRAORWT



LACUNA

NOVO NEW

EN 388

2131X

CE


ŠIFRA *CODE*	PLETIVO *MATERIAL*	NASLOJ *PALM*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
6ASTRARD, 6STRARDWT	Poliester/ *Polyester*	Lateks / *Latex*	Elastična / *Elastic*	Velika pokretljivost prstiju, pogodno za precizan rad / *High finger mobility, suitable for precise work*	EN 388 (2131X)	8-11	WT = 1/120
6ASTRAOR, 6STRAORWT	Poliester/ *Polyester*	Lateks / *Latex*	Elastična / *Elastic*	Velika pokretljivost prstiju, pogodno za precizan rad / *High finger mobility, suitable for precise work*	EN 388 (2131X)	8-11	WT = 1/120

ASTRA

6ASTRAGR, 6STRAGRWT







LACUNA

NOVO NEW

EN 388

2131X

CE

ŠIFRA *CODE*	PLETIVO *MATERIAL*	NASLOJ *PALM*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
6ASTRAGR, 6STRAGRWT	Poliester/ *Polyester*	Lateks / *Latex*	Elastična / *Elastic*	Velika pokretljivost prstiju, pogodno za precizan rad / *High finger mobility, suitable for precise work*	EN 388 (2131X)	8-11	WT = 1/120


SAFIRA
LACUNA

EUROLITE L900

1LACW00

NOVO
NEW

coverguard



EN 388
2131X
EN 407
X2XXXX

EUROLITE 13L850

1LACR
1LACRWT

coverguard



EN 388
3131X

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1LACW	Reciklirani poliester (85%), elastan (15 %) / *Recycled polyester (85%), elastane (15%)*	Lateks / *Latex*	Reciklirani poliester (85%), elastan (15 %) / *Recycled polyester (85%), elastane (15%)*	Izrađene od recikliranog polisestera (85%) i elastina (15%) , Oeko Tex sertifikat, Visoka spretnost prstiju, dobro hvatanje / *Made of recycled polyester (85%) and elastane (15%), Oeko Tex certificate, High finger dexterity, good grip*	EN ISO 21420 EN 388 (2131X) EN 407 (X2XXXX)	7-11	10/100
1LACR	Poliester/ *Poliester*	Latks / *Latex*	Poliester / *Poliester*	Naborani protuklizni premaz, omogućuje precizne radove u vlažnim uslovima, visoka pokretljivost prstiju / *Wrinkled anti-slip coating, enables precise work in humid conditions, high finger mobility*	EN ISO 21420 EN 388 (3131X)	6-11	10/100 WT = 1/100

EUROLITE 13L700

1LASB
1LASBWT

coverguard



EN 388
3131X

ROCA

6ROCAWT

LACUNA



EN 388
3121X

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1LASB	Poliester / *Poliester*	Lateks / *Latex*	Poliester / *Poliester*	Pletivo od poliestera sa elastanom, dvostruki premaz od Latex pene / *Knitted polyester with elastane, double coating of Latex foam*	EN ISO 21420 EN 388 (3131X)	6-11	10/100 WT = 1/100
6ROCAWT	Poliester / *Poliester*	Nitril/ *Nitrile*	Poliester / *Poliester*	Visoka spretnost prstiju, dobro hvatanje / *High finger mobility, good grip*	EN ISO 21420 EN 388 (3121X)	7-10	1/120

NITRA

6NITRA
6NITRAWT



LACUNA

EN 388
4121X

CE

BARO

6BAROWT



LACUNA

EN 388
4121X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6NITRA	Poliester / *Poliester*	Nitril / *Nitrile*	Poliester / *Poliester*	Pletivo od poliestera , rukavica je umočena u nitril u području dlana i na vrhovima prstiju na nadlanici / *Made from polyester, the glove is coated with nytril in the palm area and fingertips of the back palm*	EN ISO 21420 EN 388 (4121X)	9-10	12/240 WT = 1/240
6BAROWT	Najlon / spandeks/ *Nylon / spandex*	Nitril/ *Nitrile*	Najlon / spandeks/*Nylon / spandex*	Visoka pokretljivost prstiju, pogodna za precizne radove / *Knitted gloves with nitrile foam coating and elastic cuff for precision work*	EN ISO 21420 EN 388 (4121X)	8-11	1/120

MITAS

6MITASYLWT



LACUNA

EN 388
3131X

CE

TISA

6TISARDWT



LACUNA

EN388
4121X
EN 407
X1XXXX

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6MITASYLWT	Poliester/ *Poliester*	Nitril/*Nitrile*	Poliester/ *Poliester*	Visoka pokretljivost prstiju, pogodna za precizne radove / *High finger mobility, suitable for precise works*	EN ISO 21420 EN 388 (3131X)	8-11	1/120
6TISAWT	Najlon / spandeks/ *Najlon / spandeks*	Nitril/*Nitrile*	Najlon / spandeks/*Nylon / spandex*	Visoka pokretljivost prstiju, pogodna za precizne radove, zaštita od kontaktne toplote do 100°C / *High finger mobility, suitable for precise works, protection against contact heat up to 100°*	EN ISO 21420 EN 388 (4121X) EN 407 (X1XXXX)	7-11	1/120

HAGA

6HAGARDWT



LACUNA

EN388

4121X

EN 407

X1XXXX

EUROLITE 15N500

1NISG

coverguard



EN 388

4131X

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6HAGARD WT	Najlon, spandeks / *Nylon / spandex*	Nitril / *Nitrile*	Najlon, spandeks / *Nylon / spandex*	Visoka pokretljivost prstiju, pogodna za precizne radove, zaštita od kontaktne toplote do 100°C / *High finger mobility, suitable for precise works, protection against contact heat up to 100°C*	EN ISO 21420 EN 388 (4121X)	7-11	1/120
1NISG	Polimid, elastan / *Polyamide, elastane*	Nitril / *Nitrile*	Polimid, elastan / *Polyamide, elastane*	Visoka udobnost, odlično hvatanje u uljnom okruženju, Oeko Tex sertifikat / *High comfort, excellent grip in an oily environment, Oeko Tex certificate*	EN ISO 21420 EN 388 (4131X)	6-11	10/100

EUROLITE 15N600D

1NIDP00

coverguard



EN 388

4131X

EUROLITE 15N606D

1NIDG

coverguard



EN 388

4131X

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1NIDP	Polimid, spandeks / *Polyamide, spandex*	Nitril / *Nitrile*	Polimid, spandeks / *Polyamide, spandex*	Visoka pokretljivost prstiju, pogodna za precizne radove, PVC granule na dlanu, visoka udobnost , Oeko Tex sertifikat / *High finger mobility, suitable for precise work, PVC granules on the palm, high comfort, Oeko Tex certificate/High*	EN ISO 21420 EN 388 (4131X)	6-11	10/100
1NIDG	Polimid, spandeks / *Polyamide, spandex*	Nitril / *Nitrilel*	Polimid, spandeks / *Polyamide, spandex*	Visoka pokretljivost prstiju, pogodna za precizne radove, PVC granule na dlanu, visoka udobnost , Oeko Tex sertifikat / *High finger mobility, suitable for precise work, PVC granules on the palm, high comfort, Oeko Tex certificate*	EN ISO 21420 EN 388 (4131X)	6-11	10/100

EUROCUT N303

1CUCC00

coverguard



EN 388

4X42C

CE

EUROCUT P313

1CUPC00

coverguard



EN 388

4X42C

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1CUCC	HDPE poliester spandex/ *HDPE polyester, spandex*	Nitril/*Nitrile*	HDPE poliester spandex/*HDPE polyester, spandex*	Visoka pokretljivost prstiju, pogodna za precizne radove, touchscreen funkcija/*High finger mobility, suitable for precise work, touchscreen function*	EN ISO 21420 EN 388 (4X42C)	7-12	5/50
1CUPC	HDPE polimid elastan/*HDPE Polymide elastane*	PU/*PU*	HDPE polimid elastan/*HDPE Polymide elastane*	Visoka pokretljivost prstiju, pogodna za precizne radove, touchscreen funkcija/*High finger mobility, suitable for precise work, touchscreen function*	EN ISO 21420 EN 388 (4X42C)	7-11	10/100

SIMPLYPRO

1NIFB
1NIFBWT

coverguard



EN 388

4121X

CE

HONDO

6HONDO

LACUNA



EN 388

3121X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1NIFB	Poliester/ *Polyester*	Nitril/ *Nitrile*	Poliester/ *Polyester*	Dvostruki premaz, narandžasti glatki premaz preko cele površine za rad u uljanim i masnim uslovima i crni nitrilni premaz preko dlana za bolji zahvat/*Double coat, orange smooth coating over the entire surface for work in oily and greasy conditions and black nitrile coating over the palm for better grip*	EN 420 EN 388 4121X	8, 9, 10, 11	10/100 WT= 1/100
6HONDO	Najlon/ *Nylon*	Poliuretan/ *Polyurethane*	Najlon/ *Nylon*	Pletivo od najlona , premaz od poliuretana, dobar zahvat/ *Nylon knit, polyurethane coating, good grip*	EN ISO 21420 EN 388 (3131X)	10	12/120 WT = 1/120

PINTO

6PINTOWH



LACUNA

EN 388
3121X

CE

PINTO

6PINTOGM
6PINTOGMWT



LACUNA

EN 388
3121X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6PINTOWH	Poliester / *poliester*	Poliuretan / *Polyurethane*	Poliester / *poliester*	Rukavica za jednostavne mehaničke i poljoprivredne radove / *Glove for simple mechanical and agricultural work*	EN ISO 21420 EN 388 (3121X)	6-11	12/240 WT = 1/240
6PINTOGM	Poliester / *poliester*	Poliuretan / *Polyurethane*	Poliester / *poliester*	Rukavica za jednostavne mehaničke i poljoprivredne radove / *Glove for simple mechanical and agricultural work*	EN ISO 21420 EN 388 (3121X)	6-11	12/240 WT = 1/240

PINTO

6PINTOBK



LACUNA

EN 388
3121X

CE

PINTO

6PINTOYLWT



LACUNA

EN 388
3121X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6PINTOBK	Poliester / *poliester*	Poliuretan / *Polyurethane*	Poliester / *poliester*	Rukavica za jednostavne mehaničke i poljoprivredne radove / *Glove for simple mechanical and agricultural work*	EN ISO 21420 EN 388 (3121X)	6-11	12/240 WT= 1/240
6PINTOYLWT	Poliester / *poliester*	Poliuretan/ *Polyurethane*	Poliester / *poliester*	Rukavica za jednostavne mehaničke i poljoprivredne radove / *Glove for simple mechanical and agricultural work*	EN ISO 21420 EN 388 (3121X)	6-11	1/240

PINTO

6PINTOGRWT



LACUNA

EN 388

3121X

CE

ARNO

6ARNONYWT



LACUNA

EN388

4131X

EN 407

X1XXXX

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PAKOVANJE*
6PINTO-GRWT	Poliester / *poliester*	Poliuretan/ *Polyurethane*	Poliester / *poliester*	Rukavica za jednostavne mehaničke i poljoprivredne radove / *Glove for simple mechanical and agricultural work*	EN ISO 21420 EN 388 (3121X)	6-11	1/240
6AR-NONY WT	Najlon / *Nylon*	Poliuretan / *Polyurethane*	Najlon / *Nylon*	Visoka spretnost prstiju, dobro hvatanje, zaštite od kontaktne toplote do 100°C / *High finger dexterity, good grip, protection from contact heat up to 100°C*	EN ISO 21420 EN 388 (4131X)	7-11	12/120 WT = 1/120

FLORA

6FLORAPWT



LACUNA

EN 388

2131X

CE

FLORA

6FLORARWT



LACUNA

EN 388

2131X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6FLORAP	Poliester / *poliester*	Poliuretan / *Polyurethane*	Poliester / *poliester*	Rukavice sa cvetnim uzorkom, odlične za upotrebu kod baštenskih poslova / *Gloves with a floral pattern, great for use in gardening*	EN ISO 21420 EN 388 (2131X)	8	12/120 WT= 1/120
6FLORAR	Poliester / *poliester*	Poliuretan / *Polyurethane*	Poliester / *poliester*	Rukavice sa cvetnim uzorkom, odlične za upotrebu kod baštenskih poslova / *Gloves with a floral pattern, great for use in gardening*	EN ISO 21420 EN 388 (2131X)	8	12/120 WT= 1/120

LENTE

6LENTE

LACUNA



EN ISO 21420

MINTA

6MINT

LACUNA



EN ISO 21420

ŠIFRA *CODE*	PLETIVO *KNITTING*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6LENTE	Pamuk / *Cotton*	Pamuk / *Cotton*	Rukavica od kombinacije poliestera i pamuka, za jednostavne mehaničke poslove */ Glove made of a combination of polyester and cotton, for simple mechanical jobs*	EN ISO 21420	6-12	12/600
6MINT	Pamuk / poliester / *Cotton / poliester*	Pamuk / poliester/ *Cotton/ poliester*	Rukavica od 100% pamuka, za jednostavne mehaničke poslove */ 100% cotton glove for simple mechanical work*	EN ISO 21420	6-12	12/600

TANA

6TANAWT

LACUNA





EN ISO 21420

ŠIFRA *CODE*	PLETIVO *KNITTING*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6TANA	Pamuk / *Cotton*	Pamuk / *Cotton*	Lagane, udobne, za precizne poslove, granule omogućuju dobro hvatanje */ Light, comfortable, for precise work, the granules provide a good grip*	EN ISO 21420	10	WT = 1/300

TIRA

6TIRA

LACUNA



CE **EN ISO 21420**

ŠIFRA *CODE*	PLETIVO *KNITTING*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6TIRA	Pamuk / *Cotton*	Pamuk / *Cotton*	Dlan sa PVC granulama za bolje hvatanje / *Palm with PVC granules for better grip*	EN ISO 21420	10	12/240 WT = 1/240

EUROLITE 4300/4305

4305

coverguard



CE **EN ISO 21420**

EUROSTRONG 9650

9650

coverguard



EN 388

4111X

EN 407

X1XXXX

CE **EN ISO 21420**

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
4305	Pamuk/ *Cotton*	-	Pamuk / *Cotton*	Lagane, udobne, za precizne poslove / *Light, comfortable, for precise jobs*	EN ISO 21420	7, 10	10/250
9650	Pamuk / *Cotton*	Nitril/*Nitrile*	Nitril/*Nitrile*	Za upotrebu u građevinarstvu, rudarstvu i transportu. / *For use in construction, mining and transport.*	EN ISO 21420:2020 EN 388:2016 + A1:2018 EN 407:2020	8 - 10	10/100



RUKAVICE ZA TEŠKE I GRUBE POSLOVE

GLOVES FOR HEAVY AND ROUGH WORK

CODO

6CODO
6CODOWT



LACUNA

EN 388
2142X

CE

TREND

6TREND
6TRENDWT



LACUNA

EN 388
3142X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6CODO	Poliester / *Poliester*	Lateks / *Latex*	Poliester / *Poliester*	Vrhunska udobnost, odlično hvatanje, premaz naboranim Lateksom, elastična manžetna / *Superior comfort, high grip, coated with wrinkled Latex, elastic cuff*	EN ISO 21420 EN 388 (2142X)	10	12/120 WT = 1/120
6TREND	Poliester, pamuk / *Poliester, cotton*	Lateks / *Latex*	Poliester, pamuk / *Poliester, cotton*	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz naboranim Lateksom, elastična manžetna / *For use in construction work, high grip, wrinkled Latex coating, elastic cuff*	EN ISO 21420 EN 388 (3142X)	10	12/120 WT = 1/120

HAKON

6HAKON
6HAKONWT



LACUNA


EN 388
2131X

CE

BEST

6BEST
6BESTWT





LACUNA

EN 388
2121X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6HAKON / 6HAKON WT	Poliester / *Poliester*	Lateks / *Latex*	Poliester / *Poliester*	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz / *Superior comfort, good grip, Latex coating, elastic cuff*	EN ISO 21420 EN 388 (2131X)	10	12/120 WT = 1/120
6BEST	Pamuk / *Cotton*	Lateks / *Latex*	Pamuk / *Cotton*	Za upotrebu kod građevinskih radova, elastična manžetna / *For use in construction work, elastic cuff*	EN ISO 21420 EN 388 (2121X)	10	12/120 WT = 1/120

DIFFER — 6DIFFORWT



DIFFER — 6DIFFNYWT



ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6DIFFORWT	Poliester / *Poliester*	Lateks / *Latex*	Poliester / *Poliester*	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz naboranim Lateksom, elasična manžetna / *For use in construction work, good grip, Latex coating, elastic cuff*	EN ISO 21420 EN 388 (2132X)	10	12/120 WT = 1/120
6DIFFNYWT	Poliester / *Poliester*	Lateks / *Latex*	Poliester / *Poliester*	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz naboranim Lateksom, elastična manžeta / *For use in construction work, good grip, Latex coating, elastic cuff*	EN ISO 21420 EN 388 (2132X)	10	12/120 WT = 1/120

DIFFER — 6DIFFYLWT



DIFFER — 6DIFFGMWT



ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6DIFFYLWT	Poliester / *Poliester*	Lateks / *Latex*	Poliester / *Poliester*	Za upotrebu kod građevinskih radova, odlično hvatanje, premaz naboranim Lateksom, elasična manžetna / *For use in construction work, good grip, Latex coating, elastic cuff*	EN ISO 21420 EN 388 (2132X)	10	12/120 WT = 1/120
6DIFFGMWT	Poliester / *Poliester*	Lateks / *Latex*	Poliester / *Poliester*	Za upotrebu kod građevinskih radova, odlično hvatanje,, premaz naboranim Lateksom, elastična manžetna / *For use in construction work, good grip, Latex coating, elastic cuff*	EN ISO 21420 EN 388 (2132X)	10	1/120

CORDA

6CORDA
6CORDAWT

LACUNA





EN 388
4111X


CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6CORDA	Pamuk / *Cotton*	Nitril / *Nitrile*	Pamuk / *Cotton*	Vrhunski kvalitet i udobnost, za sve teže mehaničke radove / *Top quality and comfort, for increasingly difficult mechanical work*	EN ISO 21420 EN 388 (4111X)	10	12/120 WT= 1/120

SINOP

6SINOP
6SINOPWT

LACUNA






EN 388
3111X

CE

SINOP

6SINOPNY
6SINOPNYWT

LACUNA





EN 388
3111X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6SINOP	Pamuk / *Cotton*	Nitril / *Nitrile*	Pamuk / *Cotton*	Za uporabu kod mehaničkih radova, premaz nitrilom, elastična manžetna / *For use in mechanical work, nytril coating, elastic cuff*	EN ISO 21420 EN 388 (3111X)	10	12/120 WT = 1/120
6SINOPNY	Pamuk / *Cotton*	Nitril / *Nitrile*	Pamuk / *Cotton*	Za uporabu kod mehaničkih radova, premaz nitrilom, elastična manžetna / *For use in mechanical work, nytril coating, elastic cuff*	EN ISO 21420 EN 388 (3111X)	10	12/120 WT =1/120



TEHNIČKE RUKAVICE PROTIVREZNE & RUKAVICE ZA SPECIJALNE RIZIKE

TECHNICAL ANTI-CUT GLOVES AND SPECIAL RISK GLOVES

EUROCUT 1CRAG

1CRAG

coverguard



EN 388

4342C

CE

EUROWINTER L20

1LAFO

coverguard



EN 388

2242X

EN 511

X2X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1CRAG	HPPE, Sintetička vlakna, staklena vlakna / *HPPE, Synthetic fibers, glass fibers*	Poliuretan / *Polyurethane*	HPPE, Sintetička vlakna, staklena vlakna / *HPPE, Synthetic fibers, glass fibers*	Velika trajnost, optimizovana pokretljivost, protivrezne karakteristike, dobra otpornost na prljavštinu / *Great durability, optimized mobility, anti-cut, good resistance to dirt*	EN ISO 21420 EN 388 (4342C)	6-11	12/120
1LAFO	Akril / *Acrylic*	Lateks / *Latex*	Akril / *Acrylic*	Hi-viz žuto pletivo, dvostruki premaz na dlanu, visoka fleksibilnost, dobra prozračnost / *Hi-viz yellow knit, double coating on the palm, high flexibility, good permeability, protection from moisture and water*	EN ISO 21420 EN 388 (2242X) EN 511 (X2X)	8-11	5/50

EUROWINTER L22

1LAWO

coverguard



EN 388

2141X

EN 511

X1X

CE

EUROWINTER 6610

6610

coverguard



EN 388

2243X

EN 511

X2X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1LAWO	Akril / *Acrylic*	Lateks / *Latex*	Akril / *Acrylic*	Hi-viz žuto pletivo, dvostruki premaz na dlanu, visoka fleksibilnost, dobra prozračnost, zaštita od vlage i vode / *Hi-viz yellow knit, double coating on the palm, high flexibility, good permeability, protection from moisture and water*	EN 420, EN 388 2141X, EN511 X1X;	8-11	5/50
6610	Poliester, akril / *Poliester, Acrylic*	Lateks / *Latex*	Poliester, akril / *Poliester, Acrylic*	Elastična manžeta, visoka udobnost i trajnost, 3/4 Lateks premaz, odlično hvatanje / *Elastic cuff, high comfort and durability, 3/4 Latex coating, good grip*	EN ISO 21420 EN 388 (2243X) EN 511 (X2X)	8-11	10/100

EURO ICE 2

1WIPP0

coverguard



EN 388
3231X

EN 511
X2X

CE

EUROCUT IMPACT 100

1CHIC60

coverguard



EN 388
4232CP

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1WIPP0	Akril / *Acrylic*	PVC (polivinilklorid) / *PVC*	Akril / *Acrylic*	Elastična manžetna, visoka udobnost i trajnost, odlično hvatanje, vodoonepropusna / *Elastic cuff, high comfort and durability, good grip, water-repellent*	EN ISO 21420 EN 388 (3231X) EN 511 (X2X)	7-11	10/100
1CHIC60	HPPE pletivo / *HPPE knit*	Latex / *Latex*	Nitril / *Nitrile*	Otpornost na udarce, visoka protureznost (razina C), visoka trajnost (abrazija razine 4/4) / *Impact resistance, high resistance (level D), high durability (abrasion level 4/4)*	EN ISO 21420 EN 388 (4342CP)	7-11	5/50

ARKAD

6ARKA
6ARKAWT

LACUNA



EN 388
3233X

CE

PREVENT

38301

prevent. safety



EN 420

EN 388
4243X

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
6ARKA	Goveđa koža, poliester / *Cow leather, polyester*	-	Poliester / *Poliester*	Kombinacija kože i poliestera , pogodna za radove u građevini , antivibracijska svojstva / *Combination of leather and polyester, suitable for construction work, anti-vibration properties*	EN ISO 21420 EN 388 (3233X)	10-S11	12/72 WT = 1/72
38301	Pamuk/*Cotton*	Poliester-guma/*Polyester-rubber*	Poliester-guma/*Polyester-rubber*	Izdržljivost, naborani poliesterski premaz u narandžastoj boji za vrhunski hvat./ *Durability, orange crinkled polyester coating for superior grip.*	EN 420, EN 388; 4243X	9	100


cover guard
WET
HILTI
SFC 22-A

EUROHEAT 4655/4657

4655
4657



EN 388
1x40D
EN 407
44XXXX

CE

EUROHEAT 4700

4700



EN 388
2231X
EN 407
X1XXXX

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
4655 - 27 cm 4657 - 35 cm	Kevlar / *Kevlar*	Elastična / *Elastic*	Debeli pamuk / *Thick cotton*	Termalna izolacija do 350°C, za rukovanje oštrim i vrućim predmetima / *Thermal insulation up to 350°C, for handling sharp and hot objects*	EN ISO 21420 EN 388 (1X40D) EN 407 (44XXXX)	10	5/50
4700	*Pamuk* */Cotton*	Elastična / *Elastic*	*Pamuk* */Cotton*	*Vatrootpornost, termalna izolacija (do 250°C), za opšte i grube radove sa vrućim predmetima./ Fire resistance, thermal insulation (up to 250°C), for general and rough work with hot objects.*	EN 388 2231X, EN 420, EN 407 X2XXXXX	10	5/60

ELEKTRIČARSKE RUKAVICE ELECTROVOLT
ELECTRICAL INSULATING GLOVE ELECTROVOLT

8024-8411

KLASA/*CLASS* 00 **2.500 V**	**8024 - 8027** **VEL./*SIZE* 8 - 11**
KLASA/*CLASS* 0 **5.000 V**	**8054 - 8057** **VEL./*SIZE* 8 - 11**
KLASA/*CLASS* 1 **10.000 V**	**8108 - 8111** **VEL./*SIZE* 8 - 11**
KLASA/*CLASS* 2 **20.000 V**	**8208 - 8211** **VEL./*SIZE* 8 - 11**
KLASA/*CLASS* 3 **30.000 V**	**8308 - 8311** **VEL./*SIZE* 8 - 11**
KLASA/*CLASS* 3 **40.000V**	**8408 - 8411** **VEL./*SIZE* 8 - 11**



MADE IN EUROPE

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	MANŽETNA *CUFF*	PODSTAVA *LINING*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
8024-8411	Prirodna guma / *Natural rubber*	Gumena / *Rubber*	–	Visoka dielektrična zaštita, ergonomski oblik / *High dielectric protection, Ergonomic shape*	EN60903:2003 CEI 60903:2014 EPI Kategorija III/ EPI Category III	8-11	1

EUROLITE EST90

1EST90

NOVO
NEW

coverguard



EN 388

4142X

EN16350

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	NASLOJ *LAYER*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
1EST90	Poliester 60%, ugljen 40% / *Polyester 60%, charcoal 40%*	PU / *PU*	Elastična / *Elastic*	Sastav rukavica osigurava zaštitu od antistatičkog pražnjenja (poliester / ugljik) - elektrostatička disipacija smanjuje rizik od eksplozije. / *The composition of the gloves provides protection against antistatic discharge (polyester / carbon) - electrostatic dissipation reduces the risk of explosions.*	EN21420 EN388 (4142X) EN16350	6-12	10/100

MESARSKA RUKAVICA - KRATKA
GLOVE FOR MEAT INDUSTRY - SHORT

810

REIKO



CE

MESARSKA RUKAVICA - DUGA
GLOVE FOR MEAT INDUSTRY - LONG

812

REIKO



CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	MANŽETNA *CUFF*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
810	Nerđajući čelik / *Stainless steel*	-	Lančana rukavica od metalnih prstena sa plastičnom trakom za pričvršćivanje, odgovara na levu i desnu ruku / *Chain glove made of metal rings with a plastic strap for attachment, fits left and right hand*	EN 1082-1	XXS-XL	1/60
812	Nerđajući čelik / *Stainless steel*	16 cm	Lančana rukavica od metalnih prstena sa plastičnom trakom za pričvršćivanje, odgovara na levu i desnu ruku / *Chain glove made of metal rings with a plastic strap for attachment, fits left and right hand*	EN1082-1	XXS-XL	1/60


claw
By
cover guard
CLAW CUT
Nova generacija rukavica
otpornih na sečenje
Uncover
your skills

CLAW CUT A9 400 — 1CL9400



EN388:2016 + A1:2018
4.X.4.3.F.
ANSI A9
EN 407:2020
X.1.X.X.X.X

NOVO NEW

CUT F

CE

CLAW CUT D 400 — 1CLD400



EN388:2016 + A1:2018
4.X.4.2.D.
ANSI A4
EN 407:2020
X.1.X.X.X.X

NOVO NEW

CUT D

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	PREMAZ/ *COATING*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
1CL9400	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Nitril / *Nitrile*	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Za precizan rad u suvim i blago nauljenim okruženjima. / *For precise work in dry and slightly oily environments.*	EN ISO 21420 EN 388 (4X43F)	6-12	10/100
1CLD400	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Nitril / *Nitrile*	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Za precizan rad u suvim i blago nauljenim okruženjima. / *For precise work in dry and slightly oily environments.*	EN ISO 21420 EN 388(4X42D)	6-11	10/100

CLAW CUT D 500 — 1CLD500



EN388:2016 + A1:2018
4.X.4.2.D.
ANSI A4
EN 407:2020
X.1.X.X.X.X

NOVO NEW

CUT D

CE

CLAW CUT D 700 — 1CLD700



EN388:2016 + A1:2018
3.X.4.2.D.
ANSI A4
EN 407:2020
X.1.X.X.X.X

NOVO NEW

CUT D

HOT 1

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	PREMAZ/ *COATING*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
1CLD500	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Nitril / *Nitrile*	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Za precizan rad u suvim i masnim okruženjima. / *For precise work in dry and oily environments.*	EN ISO 21420 EN 388 (4X42D)	6-12	10/100
1CLD700	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Latex/ *Latex*	11–20% RCS recikliranog poliestera / *11–20% RCS recycled polyester*	Za precizan rad u suvim i vlažnim okruženjima, zaštita od kontaktne toplote do 100°C. / *For precise work in dry and wet environments, contact heat protection up to 100°C.*	EN ISO 21420, EN 388 (3X42D), EN 407 (X1XXXX)	6-12	1/100

CLAW CUT F 400 — 1CLF400



EN388:2016 + A1:2018
4.X.4.2.F.
ANSI A6
EN 407:2020
X.1.X.X.X.X

NOVO NEW
HOT 1
CUT F
CE

CLAW CUT D 500 — 1CLF500



EN388:2016 + A1:2018
4.X.4.2.F.
ANSI A6
EN 407:2020
X.1.X.X.X.X

NOVO NEW
HOT 1
CUT F
CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	PREMAZ/ *COATING*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
1CLF400	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Nitril/ *Nitrile*	11–20% RCS recikliranog poliestera / *11–20% RCS recycled polyester*	Za precizan rad u suvim i blago nauljenim okruženjima, zaštita od kontaktne toplote do 100°C, ojačanje između palca i kažiprsta pruža odlično prianjanje. / *For precise work in dry and slightly oily environments, contact heat protection up to 100°C, reinforcement between the thumb and index finger provides excellent grip.*	EN ISO 21420, EN 388 (4X42F), EN 407 (X1XXXX)	6-12	1/100
1CLF500	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Nitril/ *Nitrile*	11–20% RCS recikliranog poliestera / *11–20% RCS recycled polyester*	Za precizan rad u suvim i uljnim okruženjima, zaštita od kontaktne toplote do 100°C, ojačanje između palca i kažiprsta pruža odlično prianjanje. / *For precise work in dry and oily environments, contact heat protection up to 100°C, reinforcement between the thumb and index finger provides excellent grip.*	EN ISO 21420, EN 388 (4X42F), EN 407 (X1XXXX)	6-12	1/100

CLAW CUT D 505 — 1CLF505



EN388:2016 + A1:2018
4.X.4.3.F.
ANSI A6
EN 407:2020
X.1.X.X.X.X

NOVO NEW
HOT 1
CUT F
CE

CLAW CUT D 707 — 1CLF707



EN388:2016 + A1:2018
3.X.4.2.F.
ANSI A6
EN 407:2020
X.1.X.X.X.X

NOVO NEW
HOT 1
CUT F
CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	PREMAZ/ *COATING*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
1CLF505	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Nitril / *Nitrile*	11–20% RCS recikliranog poliestera / *11–20% RCS recycled polyester*	Za precizan rad u suvim i uljnim okruženjima, zaštita od kontaktne toplote do 100°C, ojačanje između palca i kažiprsta pruža odlično prianjanje. / *For precise work in dry and oily environments, contact heat protection up to 100°C, reinforcement between the thumb and index finger provides excellent grip.*	EN ISO 21420, EN 388 (4X43F), EN 407 (X1XXXX)	6-12	1/100
1CLF707	HPPE na bazi recikliranog poliestera i spandeksa / *HPPE based on recycled polyester and elastane*	Latex/ *Latex*	11–20% RCS recikliranog poliestera / *11–20% RCS recycled polyester*	Za precizan rad u suvim i vlažnim okruženjima, zaštita od kontaktne toplote do 100°C, ojačanje između palca i kažiprsta pruža odlično prianjanje. / *For precise work in dry and wet environments, contact heat protection up to 100°C, reinforcement between the thumb and index finger provides excellent grip.*	EN ISO 21420, EN 388 (3X42F), EN 407 (X1XXXX)	6-12	1/100

ACCES CUT F 100

1ACF100



EN388:2016
+ A1:2018
4.X.4.2.F.
ANSI A7

NOVO NEW

CUT F

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	PREMAZ/ *COATING*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
1ACF100	HPPE, čelična vlakna, spandeks, poliester / *HPPE, steel fibers, spandex, polyester*	Poliuretan / *Polyurethane*	HPPE, čelična vlakna, spandeks, poliester / *HPPE, steel fibers, spandex, polyester*	Za precizan rad u suvim okruženjima. / *For precise work in dry environments.*	EN ISO 21420:202, EN 388 (4X42F)	5-13	1/100

ACCESS CUT D 200

1ACD1200



EN388:2016
+ A1:2018
4.X.4.3.D.
ANSI A7

NOVO NEW

CUT D

CE

ACCESS CUT D 100

1ACD100



EN388:2016
+ A1:2018
3.X.4.2.D.
ANSI A4

NOVO NEW

CUT D

CE

ŠIFRA *CODE*	PLETIVO *KNITTING*	PREMAZ/ *COATING*	MANŽETA *CUFF*	POSEBNE ZNAČAJKE *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKIRANJE *PACKAGING*
1ACD1200	HPPE, čelična vlakna, spandeks, poliester / *HPPE, steel fibers, spandex, polyester*	Nitril / *Nitrile*	HPPE, čelična vlakna, spandeks, poliester / *HPPE, steel fibers, spandex, polyester*	Za precizan rad u suvim i uljnim okruženjima. / *For precise work in dry and oily environments.*	EN ISO 21420 EN 388 (4X43D)	5-13	10/100
1ACD100	HPPE, čelična vlakna, spandeks, poliester / *HPPE, steel fibers, spandex, polyester*	Poliuretan / *Polyurethane*	HPPE, čelična vlakna, spandeks, poliester / *HPPE, steel fibers, spandex, polyester*	Za precizan rad u suvim okruženjima. / *For precise work in dry environments.*	EN ISO 21420 EN 388 (3x42D)	5-13	10/100



JEDNOKRATNE RUKAVICE

DISPOSABLE GLOVES

RAZLIKA IZMEĐU NITRIL, LATEKS I VINIL JEDNOKRATNIH RUKAVICA

Najpopularniji materijali od koji se izrađuju jednokratne rukavice danas su nitril, lateks i vinil.

Koje su razlike između nitril, lateks i vinil rukavica i za koje se primene i industrije preporučuju:

LATEKS jer prirodni materijal dobijen iz mlečnog soka biljke Hevea brasiliensis iz porodice kaučukovca koji se nakon prerade koristi kao proizvodna supstanca u raznim industrijama. Lateks je još uvek najpopularnija supstanca za proizvodnju jednokratnih rukavica, ali kod određenog broja ljudi izaziva alergijske reakcije pa su razvijene tzv. lateks free alternative u obliku nitril i vinil rukavica.
U medicinskom sektoru lateks je još uvek prvi izbor kad su u pitanju jednokratne rukavice zbog sledećih performansi:
• visok nivo zaštite
• fleksibilnost i izuzetna spretnost prstiju
• visoka dodirna osetljivost („second skin“ osećaj) i komfor
Osim medicinskog sektora, lateks se preporučuje za sve industrije gde nema prevelikog dodira sa teškim uljima i mastima (kozmetički saloni, poslovi održavanja i čišćenja).
Kao prirodni materijal, lateks je i biorazgradiv što mu daje dodatnu prednost u odnosu na veštački stvorene materijale.

NITRIL (Acrylonitrile butadiene rubber NBR) je sintetička guma proizvedena iz organskih hemikalija.
Krajem devedesetih godina, razvijena je kao alternativa lateksu tj. prirodnoj gumi koja je do tad bila nezamenljiva u mnogim industrijama. Nitril odnosno nitrilna guma ima sledeće performanse:
• superiorna čvrstina i rezistentnost na hemikalije u odnosu na prirodni lateks
• izuzetna rezistentnost na teške masnoće i ulja
• visoka stabilnost na ekstremnim temperatura od -40 °C do + 108 °C
• antialergijska svojstva - latex free
• dugotrajnost
Nitril je opšteprihvaćen kao proizvodna supstanca u svim industrijama, od automobilske, avio industrije, proizvodnje obuće, proizvodnje lične zaštitne oprema, do proizvodnje rukavica.
Jednokratne rukavice od nitrila, uz sve navede performanse, pokaza le su izuzetnu otpornost i na mikroorganizme i odlična su alternativa prirodnom lateksu. Jedini nedostatak nitril rukavica je manja fleksibilnost i komfor u odnosu na prirodni lateks.
Primena: nitril je primenljiv u svim sektorima i industrijama, a posebno u prehrambenoj, automobilskoj, hemijskoj, naftnoj industriji, ali sve više i u medicinskom i farmaceutskom sektoru, kao i u domaćinstvima. U svetu je poslednjih godina zabeležen rast popularnosti rukavica izrađenih od nitrila i one definitivno preuzimaju primat u ukupnoj potrošnji jednokratnih rukavice u svetu.

VINIL je sintetički materijal i jedna od vrsta PVC-a, tačnije film nastao na bazi nafte. Primarna prednost vinil jednokratnih rukavica je jeftinija sirovina u odnosu na nitril i lateks, a uprkos tome što su manje izdržljive od lateks i nitril rukavica te nude ograničenu zaštitu od hemijske ili biomedicinske izloženosti, mnogo se koriste upravo zbog pristupačnih cena.
Vinil rukavice manje prianjaju uz ruku, manje su elastične te pružaju manji osećaj opipa od lateks ili nitril rukavica, ali se preporučuju ljudima koji su skloni alergijama jer su prijatne za kožu, pružaju osećaj komfora i dobra su opcija za dosta radnih pozicija.
Preporučena primena u prehrambenoj industriji kod kontakta sa nemasnom hranom, u domaćinstvu, veterini, uslužnim delatnostima kao što su frizerski saloni, zatim u prerađivačkoj industriji kao i drugim sektorima sa niže rizičnim okruženjem.

DIFFERENCE BETWEEN NITRILE, LATEX AND DISPOSABLE GLOVES VINYL

The most popular materials from which disposable gloves are made today are nitrile, latex and vinyl.

What are the differences between nitrile, latex and vinyl gloves and for which applications and industries are some of these gloves recommended:

LATEX *because the natural material is obtained from the milky juiceof the plant Hevea brasiliensis from the rubber family, which after processing is used as a production substance in various industries. Latex is still the most popular substance for the production of disposable gloves, but it causes allergic reactions in a certain number of people, so the so-called latex free alternatives are developped in the form of nitrile and vinyl gloves. In the medical sector, latex is still the first choice when it comes to disposable gloves due to the following performances:*
• high level of protection
• flexibility and exceptional dexterity of the fingers
• high touch sensitivity (second skin feeling) and comfort
Apart from the medical sector, latex is recommended for all industries where there is not too much contact with heavy oils and fats (beauty salons, maintenance and cleaning work).
As a natural material, latex is also biodegradable, which gives it an additional advantage over artificially
created materials.

NITRILE *(Acrylonitrile butadiene rubber NBR) is a synthetic rubber produced*
from organic chemicals.
At the end of the nineties, it was developed as an alternative to latex, ie. natural rubber, which until then had been irreplaceable in many industries. Nitrile, or nitrile rubber, is characterized by the following performance:
• superior strength and resistance to chemicals compared to natural latex
• extreme resistance to heavy fats and oils
• high stability at extreme temperatures from -40 ° C to + 108 °C
• antiallergic properties - latex free
• longevity
NITRIL is generally accepted as a production substance in all industries,
from the automotive, aviation industry, footwear production, production of personal protective equipment and thus the production of gloves. Disposable nitrile gloves with all the above performance showed are excellent resistance to both microorganisms and are an excellent alternative natural latex. The only disadvantage of nitrile gloves is less flexibility and comfort compared to natural latex.
APPLICATION: nitrile is applicable in all sectors and industries, especially
food, automotive, chemical, oil industries, but everything more in the medical sector, pharmacy, household. It's in the world in recent years, there has been a growing popularity of gloves made from nitriles and they definitely take precedence in the total consumption of disposable gloves in the world.

VINYL *is a synthetic material and one of the types of PVC, more precisely a film created on the basis of oil. The primary advantage of vinyl disposable gloves is cheaper raw materials compared to nitrile and latex, despite being less durable from latex and nitrile gloves and offering limited protection from chemical or biomedical exposure, they are widely used precisely because of the affordable prices.*
Vinyl gloves stick less to the hand, are less elastic and provide less sense of touch than latex or nitrile gloves, but are recommended for people who are prone to allergies because they are comfortable for the skin, provide a sense of comfort and are a good option for a lot of work positions. Recommended application in the food industry in contact with low-fat food, in the household, veterinary, service activities such as hairdressing salons, processing industry and in other sectors with a lower risk environment.

LACUNA
STAY PROTECTED

NOVO
NEW

NITRAGUARD
EXAMINATION GLOVES



ŠIFRA *CODE*
2NITRA

Materijal: Nitril bez pudera
Boja: Plava
Posebne karakteristike: Nega pacijenata, dentalna medicina, veterinarska medicina, kozmetički saloni, kontakt sa hranom, mehaničarski radovi i auto industrija, štamparije, kućna radinost
Standard: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3
Veličina: XS - XL
Originalno pakiranje: 10/100

Material: *Powder-free nitrile*
Color: *Blue*
Special features: *Patient care, dental medicine, veterinary medicine, beauty salons, food contact, mechanical work and automotive industry, printing houses, handicrafts*
Standard: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3
Size: XS - XL
Packaging: *10/100*

XS | S | M | **L** | XL

21
PAP

DERMAGEL COATED

RD100060

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3

COMFORT POWDER FREE

RD1000500

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3

ŠIFRA *CODE*	MATERIJAL *MATERIAL*	BOJA *COLOR*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
RD100060	Latex bez pudera / *Latex without powder*	Krem / *Beige*	Za rad u laboratoriju, industriji nameštaja, dijagnostici, salonima lepote, nezi bolesnika; dentalna medicina, veterinarska medicina, kontakt sa hranom / *For laboratory work, furniture industry, diagnostics, beauty salons, patient care, dental medicine, veterinary medicine, contact with food*	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3	XS - XL	100 kom paket /100 pcs package/ 10 packages box
RD1000500	Latex bez pudera / *Latex without powder*	Bela / *White*	Za rad u laboratoriju, industriji nameštaja, dijagnostici, salonima lepote, nezi bolesnika; dentalna medicina, veterinarska medicina, kontakt sa hranom / *For laboratory work, furniture industry, diagnostics, beauty salons, patient care, dental medicine, veterinary medicine, contact with food*	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420	XS - XL	100 kom paket /100 pcs package/ 10 packages box

SANTEX POWDERED

RD11257

MERCATOR MEDICAL



EN 455-1, EN 455-2, EN 455-3, EN 455-4, EN ISO 15223-1, EN 1041, EN ISO 13485 , EN ISO 374-1 (tip C), EN 374-2, EN 374-4, EN 374-5, EN 16523-1, EN 420

VINYLEX POWDER FREE

RD200180

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3

NITRYLEX CLASSIC

RD300190

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

ŠIFRA *CODE*	MATERIJAL *MATERIAL*	BOJA *COLOR*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
RD300190	Nitril bez pudera / *Nitrile without powder*	Plava / *Blue*	Nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hranom, mehaničarski radovi i auto industrija, štamparije, kućna radinost / *Patient care, dental medicine, veterinary medicine, beauty salons, food contact, mechanical works and car industry, printing houses, handicrafts i*	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3	XS - XL	100 kom paket /100 pcs package/ 10 packages box

NITRYLEX BLACK

RD301040

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

ŠIFRA *CODE*	MATERIJAL *MATERIAL*	BOJA *COLOR*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
RD301040	Nitril bez pudera / *Nitrile without powder*	Crna / *Black*	Mehaničarski radovi i auto industrija, tattoo saloni, osoblje za čišćenje, nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hranom, štamparije, kućna radinost / *Mechanical works and car industry, tattoo parlors, cleaning staff, patient care, dental medicine, veterinary medicine, beauty salons, food contact, printing houses, handicrafts.*	EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN374-3	XS - XL	100 kom paket /100 pcs package/ 10 packages box

MERCATOR gogrip



3x deblje od standardnih rukavica
3x thicker than standard gloves

Otporne na odabrane hemikalije (tip B)
Resistant to selected chemicals (type B)

Jasne, lako uočljive boje koji se ističe u svakom okruženju
Distinct, easy-to-see colour that stands out in any environment

Rad na mobilnim uređajima
Operation of mobile devices

Revolucionarna 3D dijamantna tekstura:
- **stabilno i sigurno hvatanje prstima čak i u teškom radnom okruženju**
- **sprečava znojenje ruku tokom upotrebe**

Revolutionary 3D diamond texture:
- *provides a stable and secure grip even in a difficult work environment*
- *prevents hand sweating during use*

Visoka kvaliteta i snaga
High quality and strength



2x deblje od standardnih rukavica
2x thicker than standard gloves.

Otporne na odabrane hemikalije kao i viruse, bakterije i gljivice
Resistant to selected chemicals as well as viruses, bacteria and fungi

Zaštita zdravlja i sigurnost na radu u teškim okruženjima
Occupational health and safety in difficult environments

Rad na mobilnim uređajima
Operation of mobile devices


Fleksibilne i izrazito otporne na rastezanje
Flexible and highly resistant to stretching

Revolucionarna 3D dijamantna tekstura:
- **stabilno i sigurno hvatanje prstima čak i u teškom radnom okruženju**
- **sprečava znojenje ruku tokom upotrebe**

Revolutionary 3D diamond texture:
- *provides a stable and secure grip*
- *even in a difficult work environment*
- *prevents hand sweating during use*

Odobrene za kontakt s hranom
Approved for contact with food

MERCATOR gogrip long



Otporne na odabrane hemikalije kao i viruse, bakterije i gljivice
Resistant to selected chemicals as well as viruses, bacteria and fungi

Dvostruka dijamantna snaga: Dvostrana 3D struktura
Double diamond power: Double-sided 3D structure

Duža manžetna: min. 300 mm
Longer cuff: min. 300 mm

Zaštita zdravlja i sigurnost na radu u teškim okruženjima
Occupational health and safety in difficult conditions

Pogodne za touchscreen
Touchscreen-ready

Najdeblje rukavice u asortimanu sa dijamantnom teksturom. Debljina na prstima: 0,28 mm
The thickest gloves in the assortment with the diamond texture. Thickness on fingers: 0,28 mm

SKALA DEBLJINE RUKAVICA
LESTVICA DEBELINE ROKAVIC



Revolucionarna 3D dijamantna tekstura:
- **stabilno i sigurno hvatanje prstima čak i u teškom radnom okruženju**
- **sprečava znojenje ruku tokom upotrebe**

Revolutionary 3D diamond texture:
- *Provides a stable and secure grip even in difficult work conditions*
- *Prevents excessive sweating of the hands when wearing gloves, even in extended periods*

GOGRIP PRO RP3006300

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

GOGRIP PRO RP3006000

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

ŠIFRA *CODE*	MATERIJAL *MATERIAL*	BOJA *COLOR*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
RP3003000	Nitril bez pudera / *Nitrile without powder*	Plava / *Blue*	2 puta deblja od standardnih jednokratnih rukavica, obložena granulama za bolje prianjanje; Preporučena područja upotrebe: prehrambena industrija, prerada mesa i ribe, profesionalno čišćenje i održavanje, hotelijerstvo i ugostiteljstvo, Uradi sam trgovine / *2 times thicker than standard disposable gloves, coated with granules for better grip; Recommended areas of use: food industry, meat and fish processing, professional cleaning and maintenance, hotel management and catering, DIY stores*	EN ISO 374-1, EN 374-2, EN 374-4, EN374-5, EN 16523-1, EN ISO 21420	S-XXL	50 kom paket/ 10 paketa kutija / 50 pcs package/ 10 packages box
RP3002300	Nitril bez pudera / *Nitrile without powder*	Crna / *Black*	2 puta deblja od standardnih jednokratnih rukavica, obložena granulama za bolje prianjanje; Preporučena područja upotrebe: Automobilska industrija, građevina, montažni radovi, mehaničarski poslovi, industrija, prehrambena industrija, Uradi sam trgovine / *2 times thicker than standard disposable gloves, coated with granules for better grip; Recommended areas of use: Automotive industry, construction, assembly works, mechanical works, industry, food industry, DIY stores*	EN ISO 374-1(Type B), EN 374-2, EN 374-4, EN374-5, EN 16523-1 EN ISO 21420	M-XXL	50 kom paket/ 10 paketa kutija / 50 pcs package/ 10 packages box

GOGRIP PRO RP3006200

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

GOGRIP PRO RP3006100

MERCATOR MEDICAL



EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420

ŠIFRA *CODE*	MATERIJAL *MATERIJAL*	BOJA *COLOR*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
RP3002900	Nitril bez pudera / *Nitrile without powder*	Zelena / *Green*	3 puta deblja od standardnih jednokratnih rukavica, obložena granulama za bolje prianjanje; Preporučena područja upotrebe: poljoprivreda, hortikultura, EN ISO 374-1, EN vrtlarstvo, profesionalno čišćenje i održavanje, kontakt s hranom, auto industri- 374-2, EN 374-4. Uradi sam. / *3 times thicker than standard disposable gloves, coated with granules for better grip; Recommended areas of use: agriculture, horticulture, gardening, professional cleaning and maintenance, contact with food, auto industry,DIY stores*	EN ISO 374-1, EN 374-2, EN 374-4, EN374-5, EN 16523-1, EN ISO 21420	M-XXL	50 kom paket/ 10 paketa kutija /50 pcs package/ 10 packages box
RP3002500	Nitril bez pudera / *Nitrile without powder*	Narančasta / *Orange*	3 puta deblja od standardnih jednokratnih rukavica, obložena granulama za bolje prianjanje; Preporučena područja upotrebe: Hemijska industrija, Automo- EN ISO 374-1 (Type bilska industrija, građevina, montažni radovi, mehaničarski)/ *3 times thicker than standard disposable gloves, coated with granules for better grip; Recommended areas of use: Chemical industry, Automotive industry, construction, assembly works, mechanical works, industry, food industry, DIY stores*	EN ISO 374-1(Type B), EN 374-2, EN 374-4, EN374-5, EN 16523-1 EN ISO 21420	M-XXL	50 kom paket/ 10 paketa kutija /50 pcs package/ 10 packages box

GOGRIP PRO LONG BLUE

RP3006400

NOVO
NEW

MERCATOR MEDICAL



DIAMOND TEXTURE
EXTRA STRONG

CE **EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420**

ŠIFRA *CODE*	MATERIJAL *MATERIAL*	BOJA *COLOR*	POSEBNE KARAK. *SPECIAL FEATURES*	STANDARD *STANDARD*	VELIČINE *SIZE*	PAKOVANJE *PACKAGING*
RP3003100	Nitril bez pudera / *Nitrile without powder*	Plava / *Blue*	Najdeblje rukavice u asortimanu sa dijamantnom teksturom. Debljina na prstima: 0,28 mm Preporučena područja upotrebe: prehrambena industrija, prerada mesa i ribe, profesionalno čišćenje i održavanje, hotelijerstvo. / *The thickest gloves in the assortment with a diamond texture. Finger thickness: 0.28 mm Recommended areas of use: food industry, meat and fish processing, professional cleaning and maintenance, hotel and catering, DIY shops*	EN ISO 374-1 EN 374-2 EN 374-4 EN374-5 EN 16523-1 EN ISO 21420	S-XXL	50 kom paket/10 paketa kutija /50 pcs package/ 10 packages box



ZAŠTITA GLAVE I SLUHA

HEAD AND HEARING PROTECTION

LACUNA

coverguard

Climax

ZAŠTITA GLAVE I SLUHA

Lacuna nudi široki izbor artikala za zaštitu glave i sluha. Naša ponuda čepića za uši, antifona, kaciga, vizira i ostalih artikala iz ovog asortimana osigurava rešenja u skladu sa potrebama vašeg radnog mesta.
Izuzetan dizajn, maksimalna udobnost i izvanredna zaštita su glavne karakteristike naših proizvoda. Zaštite svoj sluh i glavu uz kvalitetne artikle branda COVERGUARD i CLIMAX.

HEAD AND HEARING PROTECTION

Lacuna offers a wide selection of head and hearing protection items. Ours offer earplugs, ear muffs, helmets, visors and other items from this range provides solutions in accordance with the needs your workplace.
Exceptional design, maximum comfort and outstanding protection are the main features of our products. Protect your hearing and head with quality COVERGUARD and CLIMAX brand items.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue .*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check on LACUNA B2B*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*



EVROPSKI STANDARD ZA ZAŠTITU SLUHA

Evropska regulativa 2016/425 određuje kategorizaciju LZO (Lične Zaštitne Opreme); za svaku kategoriju određuje postupak sertifikovanja i tehničkih pravila koje oprema mora zadovoljiti.

*Tip I LZO: manji rizici (namenjeni zaštiti od površinskih povreda).
Proizvođač ima CE sertifikat. On izjavljuje da, kada je nova, LZO odgovara zahtevima direktive. Njegova lična odgovornost je uključena. Proizvod je potom označen sa CE.

*Tip II LZO: Srednji rizici (namenjeni za zaštitu od mehaničkih, toplotnih i hemijskih rizika). Proizvođač podnosi zahtev za CE inspekciju, praćen tehničkom dokumentacijom LZO, jednoj od 80 obaveštenih evropskih laboratorija, koja nastavlja sa nizom testova i dodeljuje EC sertifikat za ispitivanje tipa (TEC) ako LZO odgovara zahtevima.

*Tip III LZO: smrtna opasnost (namenjena zaštiti od smrtne opasnosti ili rizika nepovratne zdravstvene štete).
Proizvođač ima izbor za nadzor proizvodnje svog proizvoda između završenog CE sistema osiguranja proizvoda (11A) ili sistema osiguranja kvaliteta sa nadzorom proizvodnje (11B). Pre toga trebao je obaviti isti postupak kao i za LZO TIP II - srednji rizici. LZO namenjena zaštiti od pada sa visina pripadaju kategoriji III. CE oznaka odnosi se na sve tri kategorije.

Proizvodi overeni na ovaj način nose oznaku CE, a za kategoriju III sledi broj prijavljenog tela kojim se upravlja kontrola kvaliteta. Za svaki sertifikovani proizvod, proizvođač isporučuje korisnička uputstva sa njegovim imenom i adresom, čuvanjem, korištenjem i uputstvima za održavanje, preporučenim vremenom upotrebe i značenjem oznaka. Sve ove specifikacije su propisane prethodno navedenim “usklađenim” EN standardima.

Prema Evropskoj regulativi 2016/425, pojedinačni zaštitnici od buke svrstani su u Tip III LZO: smrtna opasnost (na menjena zaštiti od smrtne opasnosti ili rizika nepovratne zdravstvene štete).

STANDARDI

EN 352 > Evropski standard za zaštitu sluha napravljen je u nekoliko delova zbog bezbednosti i testiranja na različitim tipovima individualnih štitnika za sluh.

U ovom katalogu nalaze se:

EN 352-1 štitnici za uši EN 352-2 čepići za uši

EN 352-3 šlem sa montiranim štitnicima EN 352-4 nivo-zavisni štitnici

EN 352-8 štitnici sa ugrađenim radio prijemnikom

EN 166 > Specifikacije za individualnu zaštitnu opremu za oči i lice. Određuje se specifikacija za konstrukciju izvedbe (optičke karakteristike kao što su snaga, transmisija i difuzija faktora svetla, mehaničke karakteristike kao što su čvrstoća, termalna stabilnost i otpor).

EN 1731 > Štitnici za oči i lice, za industrijsku i neindustrijsku upotrebu, zaštita od mehaničkih rizika i/ili od vrućine.

EN 812 > Ovim standardom određeni su fizički zahtevi, kao i zahtevi u vezi izvedbe, načina testiranja te zahtevi za poklopce koji se koriste u industriji, a otporni su na jake udarce. Poklopci koji su otporni na udarce namenjeni su za ograničenu zaštitu glave, u okolnostima kada može doći do jakih udaraca, dovoljno snažnih za povredu ili onesposobljavanje radnika. U suštini su namenjeni okolnostima gde objekti ne mogu pasti. Poklopci nisu namenjeni zaštiti od efekata padajućih objekata kao ni visećih ili pomerajućih tereta. Poklopci otporni na udarce ne mogu ni u kojem slučaju zameniti zaštitnu industrijski šlem koja je u skladu sa EN 397 standardom.

EN 397 > Evropski standard EN 397 određuje zahteve vezane uz metode testiranja kao i zahteve za zaštitni šlem koje se koriste u industriji. Ti šlemovi štite od padajućih objekata. EN50365 - Električno izolacioni šlemovi za upotrebu na instalacijama niskog napona. Ovaj se standard primenjuje na električno izolacione šlemove koje se koriste za rad na delovima pod naponom ili u njihovoj blizini instalacijama koje ne prelaze 1.000 V AC ili 1500 V DC. Ti šlemovi, kada se koriste istovremeno sa drugom električno izolacionom zaštitnom opremom, sprečavaju opasne električne udare koji prolaze kroz glavu.

SNR = Single Number Rating - Globalni index prigušenja označava nivo dB od koje LZO može zaštiti . To nije precizan indeks.

OBRAZLOŽENJE

SNR - Single Number Rating.
Govori o prigušenosti zvuka kojeg provode pojedini artikli H, M, L
Prikazuje prigušenost pojedinih štitnika obzirom na stepen frekvencije:
H: visoka frekvencija iz prirode
M: srednja frekvencija iz prirode
L: niska frekvencija iz prirode

EUROPEAN STANDARD FOR HEARING PROTECTION

European Regulation 2016/425 provides for the categorization of PPE (personal protective equipment), and for each category, a certification procedure and technical rules that the equipment must meet are specified.

**PPE type I: lower risks (intended to protect against surface damage).*
The manufacturer is CE certified, and states that personal protective equipment, when new, responds to the requirements of the directive. Its personal responsibility is included.
The product is then CE marked.
**PPE type II: medium risks (intended for protection against mechanical, thermal and chemical risks). The manufacturer shall request a CE inspection, together with a technical inspection PPE documentation for one of the 80 informed European laboratories, which continues the series of tests and awards the EC type-examination certificate (TEC) if the PPE meets the requirements.*

**PPE type III: risk of death (intended to protect against death or danger of irreparable damage to health). In the meantime, the manufacturer may monitor the production of the product by a completed CE product assurance system (11A) or a quality assurance system with production control (11B). Prior to that, he had to do the same procedure as for TYPE II PPE - medium risk PPE intended for protection against falls from heights fall into category III.*

The CE mark is valid for all three categories. The products thus certified bear the CE marking, followed by the number of the notified body responsible for quality control after category III ofcertificationand the product manufacturer shall enclose the instructions for use with its name and theaddress, instructions for storage, use and maintenance, recommended time of use and meaning of labels. All these specifications are prescribed by the above-mentioned "harmonized" EN standards.

In accordance with the European Regulation 2016/425, individual noise protection devices are classified as personal protective equipment type III: lethal hazard (intended to protect against fatal or irreparable damage to health)

STANDARD

EN 352 > The European Standard for noise protectors is made in several parts for the safety and testings on the different types of individual noise protectors.

This catalog contains:
EN 352-1 ear protectors
EN 352-2 earplugs
EN 352-3 helmet with mounted shields
EN 352-4 level-dependent shields
EN 352-8 shield with integrated radio receiver
EN 166 > Specifications for individual eye and face protection equipment . The specification of the construction performance is determined (optical characteristics such as power, transmittance and diffusion of light factors, mechanical characteristics such as strength, thermal stability and resistance).
EN 1731 > Eye and face protectors, for industrial and non-industrial use, protection against mechanical hazards and/or heat.
EN 812 > This standard specifies physical and performance requirements, test methods and requirements for covers used in industry and resistant to strong shocks. Impact-resistant covers are intended for limited protection of the head in cases where strong impacts may occur which are strong enough to injure or disable the workers. In essence, they are designed for situations where objects cannot fall. The covers are not intended to protect against the effects of falling objects or hanging or moving loads. Impact-resistant covers can in no case replace a protective industrial helmet that complies with standard EN 397.
EN 397 > European standard EN 397 sets out requirements for test methods and requirements for safety helmets used in industry. These helmets protect against falling objects. EN50365 - Electrical insulating helmets for use on low voltage installations. This standard applies to electrical insulating fronts used for work on or near parts of the installation not exceeding 1000 V AC or 1500 V DC. These helmets, when used at the same time as other electrical insulating protective equipment, prevent the passage of dangerous electric shocks through the head.

***SNR** = Single Number Rating- Global depreciation index indicates the level of dB against which PPE can protect. This is not an exact index.*

EXPLANATION

***SNR** - Single Number Rating It speaks about the attenuation of sound, which is carried out by certain objects H, M, L. Shows the weakening of individual shields depending on frequency:*

***H:** high frequency from nature*
***M:** medium frequency from nature*
***L:** low frequency from nature*

ČEPIĆI ZA UŠI/
EAR PLUGS

30205

Opis: čepići za uši
Materijal: poliuretan
Karakteristike: anatomski oblikovani, vrlo mekani i udobni
SNR: 39 dB
Boja: narandžasta
Standard: EN352-2:2002
Originalno pakovanje: 200 pari u paketu, 10 paketa u kutiji

Description: *ear plugs*
Material: *polyurethan*
Features: *anatomically shaped, very soft and comfortable*
SNR: *36 dB*
Color: *orange*
Standard: *EN 352-2:2002;*
Original packaging: *200 pairs in a package, 10 packages in a box*

coverguard



CE **EN352-2:2002**

ČEPIĆI ZA UŠI/
EAR PLUGS

30215

Opis: čepići za uši
Materijal: poliuretan
Karakteristike: anatomski oblikovani, vrlo mekani i udobni
SNR: 39 dB
Boja: narandžasta
Standard: EN352-2:2002
Originalno pakovanje: 500 pari u paketu, 10 paketa u kutiji

Description: *ear plugs*
Material: *polyurethan*
Features: *anatomically shaped, very soft and comfortable*
SNR: *36 dB*
Color: *orange*
Standard: *EN 352-2:2002*
Original packaging: *500 pairs in a package, 10 packages in a box*

coverguard



CE **EN352-2:2002**

ČEPIĆI ZA UŠI /
EAR PLUGS

30215WT/10-1

Opis: čepići za uši
Materijal: poliuretan
Karakteristike: anatomski oblikovani, vrlo mekani i udobni
SNR: 39 dB
Boja: narandžasta
Standard: EN352-2:2002
Originalno pakovanje: 10 pari u paketu

Description: *earplugs*
Material: *polyurethane*
Features: *anatomically shaped, very soft and comfortable*
SNR: *39 dB*
Color: *orange*
Standard: *EN352-2:2002*
Original packaging: *10 pairs per pack*

coverguard



CE **EN352-2:2002**

ČEPIĆI ZA UŠI S DRŽAČEM/
EAR PLUGS WITH LACE


6BEX060NSI

Opis: čepići za uši
Materijal: poliuretan, luk od polipropilena
Karakteristike: vrlo lagani i udobni
SNR: 20 dB
Boja: žuta
Standard: EN352-2:2002
Originalno pakovanje: 40 pari u paketu, 10 paketa u kutiji

Description: *earplugs*
Material: *polyurethane, polypropylene arch*
Features: *very lightweight and comfortable*
SNR: *20 dB*
Color: *yellow*
Standard: *EN352-2:2002*
Original packaging: *40 pairs per pack, 10 packs per box*

coverguard

NOVO
NEW





CE **EN 352-2:2020**

ČEPIĆI ZA UŠI/
EAR PLUGS

30221

Opis: zamjenski čepići za uši za 30220
Materijal: poliuretan
Karakteristike: vrlo lagani i udobni
SNR: 20 dB
Boja: žuta
Standard: EN352-2:2002
Originalno pakovanje: 20 pari u paketu, 10 paketa u kutiji

Description: *replacement earplugs for 30220*
Material: *polyurethane*
Features: *very light and comfortable SNR: 20 dB*
Color: *yellow*
Standard: *EN 352-2:2002*
Original packaging: *20 pairs in a package, 10 packages in a box*

coverguard





CE **EN352-2:2002**

ČEPIĆI ZA UŠI SA VEZICOM/
EAR PLUGS WITH LACE

30206

Opis: čepići za uši s vezicom
Materijal: poliuretan , PVC vezica
Karakteristike: anatomski oblikovani, vrlo mekani i udobni
SNR: 38 dB
Boja: narandžasta
Standard: EN352-2:2002
Originalno pakovanje: 150 pari u paketu, 10 paketa u kutiji

Description: *earplugs with lace*
Material: *polyurethane, PVC lace*
Features: *anatomically shaped, very soft and comfortable*
SNR: *36 dB*
Color: *orange*
Standard: *EN 352-2:2002*
Original packaging: *150 pairs in a package, 10 packages in a box*

coverguard





CE **EN352-2:2002**

ČEPIĆI ZA UŠI SA VEZICOM/
EAR PLUGS WITH LACE

30211

Opis: čepići za uši s vezicom
Materijal: plavi elastomer (PU pjena bez lateksa), vezica od tkanine
Karakteristike: anatomski oblikovani, individualno pakovanje po 1 par u kutiji, detektabilni - pogodni za industriju hrane, mogu se prati i ponovo koristiti
SNR: 26 dB
Boja: plava
Standard: EN352-2:2002
Originalno pakovanje: 50 pari u paketu, 12 paketa u kutiji

Description: *earplugs with lace*
Material: *blue elastomer (PU foam without latex), fabric cord*
Features: *anatomically shaped, individually packed 1 pair in a box, perceptible - suitable for the food industry, can be washed and reused*
SNR: *30 dB*
Color: *blue*
Standard: *EN 352-2:2002*
Original packaging: *50 pairs in a package, 12 packages in a box*

coverguard





CE **EN352-2:2002**

ČEPIĆI ZA UŠI SA VEZICOM/
EAR PLUGS WITH LACE

30213

Opis: čepići za uši s vezicom
Materijal: žuti elastomer (PU pjena bez lateksa), vezica od tkanine
Karakteristike: anatomski oblikovani, individualno pakovanje po 1 par u kutiji, mogu se prati i ponovo koristiti
SNR: 30 dB
Boja: žuta
Standard: EN352-2:2002
Originalno pakovanje: 50 pari u paketu, 12 paketa u kutiji

Description: *earplugs with lace*
Material: *blue elastomer (PU foam without latex), fabric lace*
Features: *anatomically shaped, individually packed 1 pair in a box, perceptible - suitable for the food industry, can be washed and reused*
SNR: *30 dB*
Color: *yellow*
Standard: *EN 352-2:2002*
Original packaging: *50 pairs in a package, 12 packages in a box*

coverguard





CE **EN352-2:2002**

SPREMNIK ZA ČEPIĆE ZA UŠI/
EAR PLUG CONTAINER

30300

Opis: prazni spremnik za čepiće za uši
Karakteristike: puni se sa artiklom 30215, kapacitet 500 pari, ima opciju pričvršćenja na zid
Boja: zelena
Originalno pakovanje: 1 komad u paketu, 4 paketa u kutiji

Description: *empty earplugs*
Features: *refillable with item 30215, capacity 500 pairs, has the option of wall mounting*
Color: *green*
Original packaging: *1 piece in a package, 4 packs in a box*

coverguard



ANTIFON MAX 340/
SILENCER MAX 340

6MX3400NSI

Opis: antifon MAX 340
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovan, prilagodljiva veličina, individualno pakovani
SNR: 34dB
Težina: 261 g
Standrad: EN352-1:2002
Originalno pakovanje: 1/20

Description: *muffler MAX 340*
Material: *ABS shell, PVC pads*
Features: *anatomically shaped, flexible sizes, individually packaged*
SNR: *34 dB*
Weight: *261 g*
Standard: *EN 352-1:2002*
Original packaging: *1/20*



coverguard





CE **EN 352-1:2002**

ANTIFON MAX 700/
SILENCER MAX 700

6MX7000NSI

Opis: antifon MAX 7000
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovan, prilagodljiva veličina, individualno pakovani
SNR: 32dB
Težina: 236 g
Standrad: EN352-1:2002
Originalno pakovanje: 1/20

Description: *muffler MAX 700*
Material:*ABS shell, PVC pads*
Features: *anatomically shaped, flexible sizes, individually packaged*
SNR: *32 dB*
Weight: *236 g*
Standard: *EN 352-1:2002*
Original packaging: *1/20*



coverguard



CE **EN 352-1:2002**

ANTIFON MAX 200/
SILENCER MAX 200

31020

Opis: antifon MAX 200
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovani, prilagodljiva veličina, individualno pakovani
SNR: 27,6 dB
Težina: 166 g
Standard: EN352-1:2002
Originalno pakovanje: 1/60

Description: *muffler MAX 200*
Material: *ABS shell, PVC pads*
Features: *anatomically shaped, flexible sizes, individually packaged*
SNR: *27,6 dB*
Weight: *166 g*
Standard: *EN 352-1:2002*
Original packaging: *1/60*



coverguard





CE **EN 352-1:2002**

ANTIFON MAX 400/
SILENCER MAX 400

31040

Opis: antifon MAX 400
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovan,prilagodljiva veličina, individualno pakovani
SNR: 27,6 dB
Težina: 178 g
Standard: EN352-1:2002
Originalno pakovanje: 1/60

Description: *muffler MAX 400*
Material: *ABS shell, PVC pads*
Features: *anatomically shaped, flexible sizes, individually packaged*
SNR: *27,5 dB*
Weight: *178 g*
Standard: *EN 352-1:2002*
Original packaging: *1/60*



coverguard





CE **EN352-1:2002**

ANTIFON MAX 500/
SILENCER MAX 500

31050

Opis: antifon MAX 500
Materijal: ABS školjka, PVC jastučići
Karakteristike: anatomski oblikovan, preklopni, prilagodljiva veličina, individualno pakovani
SNR: 30,4 dB
Težina: 257 g
Standard: EN352-1:2002
Originalno pakovanje: 1/60

Description: *muffler MAX 500*
Material: *ABS shell, PVC pads*
Features: *anatomically shaped, flexible sizes, individually packaged*
SNR: *232,1 dB*
Weight: *250 g*
Standard: *EN 352-1:2002*
Original packaging: *1/60*



coverguard





CE **EN352-1:2002**



ZAŠTITNA KAPA/
PROTECTIVE CAP

6SYM120MSI

Opis: zaštitna šilt kapa s unutarnjom zaštitom od udaraca, ne štiti od padajućih predmeta
Materijal: 75% mikrovlakana, 25% mrežica, ABS školjka, jastučić od EVA pjene
Karakteristike: anatomski oblikovan, prilagodljiva veličina, individualno pakovani, metal free
Standrad: EN812:2012
Originalno pakovanje: 1/20

Description: *protective cap with internal impact protection, does not protect against falling objects*
Material: *75% microfiber, 25% mesh, ABS shell, cushion made of EVA foam*
Characteristics: *anatomical shaped, adjustable size, individually packed, metal free*
Standard: *EN812:2012*
Original packaging: *1/20*





EN 812:2012

ZAŠTITNA KAPA/
PROTECTIVE CAP

57300

Opis: zaštitna šilt kapa s unutarnjom zaštitom od udaraca, ne štiti od padajućih predmeta
Materijal: 100% pamuk, plastična školjka od ABS-a
Karakteristike: unutrašnjost podložena sa EVA jastučićima, metalne zračnice, regulator veličine
Standard: EN 812:2012
Originalno pakovanje: 1/60

Description: *protective cap with internal impact protection, no protection against falling objects*
Material: *100% cotton, ABS plastic shell*
Features: *the interior is lined with EVA pads, metal pipes, size regulator*
Standard: *EN 812:2012*
Original packaging: *1/60*





EN 812:2012

57300	57302	57305	57306	57307
plava *blue*	zelena *green*	crvena *red*	crna *black*	hi-viz žuta *hi viz yellow*











ZAŠTITNI ŠLEM GP3000/
PROTECTIVE HELMET GP3000

65211

Opis: zaštitni šlem GP3000
Materijal: PE HD UV, unutarnja školjka: poliester, plastika
Karakteristike: otporna na temperature od + 50 do - 20 C, električna otpornost 440 VCA, regulator veličine, uložak za upijanje znoja
Standard: EN 397: 2012
Originalno pakovanje: 1/24

Description: *protective helmet G3000*
Material: *PE HD UV, inner shell: polyester, plastic*
Features: *resistant at temperatures from + 50 to - 20 C, electric resistor 440 VCA, size regulator, sweat absorber insert*
Standard: *EN 397:2012*
Original packaging: *1/24*



LACUNA

MADE IN EUROPE



CE EN397:2012

652111	652112	652113	652114	652115	652117
bela *white*	crvena *red*	plava *blue*	žuta *yellow*	narandžasta *orange*	fluo žuta *hi viz yellow*



ZAŠTITNI ŠLEM GP PALLADIO/
PROTECTIVE HELMET GP PALLADIO

65222

Opis: zaštitni šlem GP PALLADIO
Materijal: PE HD UV, unutarnja školjka: poliester, plastika
Karakteristike: otporna na temperature od + 50 do - 20 C, regulator veličine, uložak za upijanje znoja, specijalni dvostruki sistem za ventilaciju
Standard: EN 397:2012
Originalno pakovanje: 1/24

Description: *protective helmet GP PALLADIO*
Material: *PE HD UV, inner shell: polyester, plastic*
Features: *resistant to temperatures of + 50 to - 20 C, size regulator, cartridge for sweat absorption, special double system ventilation*
Standard: *EN 397:2012*
Original packaging: *1/24*



LACUNA

MADE IN EUROPE



CE EN 397:2012

652221	652222	652223	652224	652225
plava *blue*	bela *white*	žuta *yellow*	crvena *red*	narandžasta *orange*



ZAŠTITNI ŠLEM CLASSIC/
PROTECTIVE HELMET CLASSIC

65100

Opis: zaštitni šlem CLASSIC
Materijal: PE polietilen
Karakteristike: regulator veličine, uložak za upijanje znoja, otvori za ventilaciju sa strane
Težina: 370 g
Standard: EN 397: 2012
Originalno pakovanje: 1/24

Description: *protective helmet CLASSIC*
Material: *PE polyethylene*
Features: *size regulator, cartridge, which absorbs sweat, side openings for ventilation*
Weight: *370 g*
Standard: *EN 397:2012*
Original packaging: *1/24*







coverguard

MADE IN EUROPE

CE EN 397:2012

65100	65101	65102	65103	65104	65105
bela *white*	plava *blue*	zelena *green*	žuta *yellow*	narandžasta *orange*	crvena *red*



VEZICE ZA ŠLEM/
HELMET TIES

65150

Opis: vezica 65150 namijenjena je za šlem CLASSIC (65100-65105)
Materijal: koža
Karakteristike: prilagodljiva dužina od 25 do 44 cm
Originalno pakovanje: 10/1000

Description: *65150 lace intended for CLASSIC helmet (65100-65105),*
Material: *leather*
Features: *adjustable length from 25 to 44 cm*
Original packaging: *10/1000*





coverguard

MADE IN EUROPE

CE EN352-1:2002

VEZICE ZA ŠLEM/
HELMET TIES

65153

Opis: pletena vezica za šlem, namijenjena za šlem GP3000 (652111-652116)
Materijal: poliester
Karakteristike: podesiva vezica koja omogućava bolju zaštitu i prianjanje za korisnika šlema
Originalno pakovanje: 10/2000

Description: *knitted helmet strap, intended for the GP3000 helmet (652111-652116)*
Material: *polyester*
Features: *adjustable lace which enables better protection and fit for the helmet user*
Original packaging: *10/2000*



LACUNA

VEZICE ZA ŠLEM CHS/
HELMET TIES CHS

CHS

Opis: vezica CHS namijenjena za šlem Curro, 5RS, 5RG, Tirreno TXR
Materijal: poliester
Karakteristike: lako se sastavlja i rastavlja zahvaljujući plastičnim kukama
Originalno pakovanje: 1/100

ed for helmet Curro, 5RS, 5RG, Tirreno TXR
Material: *polyester*
Characteristics: *easy to assemble and disassembles thanks to plastic with hooks*
Original packaging: *1/100*

Climax



Description: *lace CHS intend-*

ZAŠTITNA ŠLEM ALTAI PRO/
PROTECTIVE HELMET ALTAI PRO

7ALTP40NSI **7ALTP60NSI**

Opis: zaštitni električarski šlem ALTAI PRO
Materijal: ABS
Karakteristike: šlem je podesiv po opsegu glave 52-63 cm
Težina: 470 g/m²
Standard: EN50365:2002, EN397:2012+A1:2012
Originalno pakovanje: 1/20

Description: *protective electrician's helmet ALTAI PRO*
Material: *ABS*
Characteristics: *the helmet is adjustable for head circumference 52-63 cm*
Weight: *470 g/m²*
Standard: *EN50365:2002, EN397:2012+A1:2012*
Original packaging: *1/20*









CE **EN397:2012**
EN 50365:2002

ZAŠTITNI ŠLEM ALTAI WIND/
PROTECTIVE HELMET ALTAI WIND

7ALTW40NSI **7ALTW60NSI**

Opis: zaštitni šlem ALTAI WIND
Materijal: ABS
Karakteristike: šlem je podesiv po opsegu glave 52-63 cm, ventilacijski otvori
Težina: 470 g/m²
Standard: EN397:2012+A1:2012
Originalno pakovanje: 1/20

Description: *protective helmet ALTAI WIND*
Material: *ABS*
Characteristics: *the helmet is adjustable for head circumference 52-63 cm, ventilation openings*
Weight: *470 g/m²*
Standard: *EN397:2012+A1:2012*
Original packaging: *1/20*










CE **EN 397:2012**


cover guard

ZAŠTITNI ŠLEM FALCON VOLT /
PROTECTIVE HELMET FALCON VOLT

6FAL400NSI

Materijal: ABS
Karakteristike: šlem se može podesiti po obimu glave 52–63 cm
Težina: 780 g
Standard: EN166, EN170, EN397:2012 + A1:2012, EN50365:2002
Originalno pakovanje: 1/3

Material: *ABS*
Features: *helmet can be adjusted to head circumference 52–63 cm*
Weight: *780 g*
Standard: *EN166, EN170, EN397:2012 + A1:2012, EN50365:2002*
Original packaging: *1/3 (1 piece per pack, 3 per box)*

coverguard

NOVO
NEW



CE **EN397:2012 + A1:2012**
EN50365:2002



ZAŠTITNI ŠLEM 5RG/
PROTECTIVE HELMET 5RG

5RG

Opis: 5-RG dizajniran je i proizveden kako bi osigurao optimalnu zaštitu od udaraca od predmeta kao što su kamenje, crijep, cigla i drugi predmeti slične težine, kao i od električnih pražnjenja do 1000Vac ili 1500Vdc
Materijal: HDPE
Dodatak: uključena traka za znoj, automatsko podešavanje pojasa za glavu, 6 tačaka kopčanja
Težina: 322 g
Standard : EN 397 CE, EN 50365 CE
Originalno pakovanje: 1/56

Description: *5-RG is designed and manufactured to provide optimal protection against impacts from objects such as stones, tiles, bricks and other objects of similar weight, as well as from electrical discharges up to 1000Vac or 1500Vdc*
Material: *HDPE*
Extra: *sweatband included, automatic belt adjustment for head, 6 fastening points*
Weight: *322 g*
Standard: *EN 397 CE, EN 50365 CE*
Original packaging: *1/56*





EN397:2012
EN 50365:2002

5RG/WH	5RG/RD	5RG/BL	5RG/YL	5RG/OR
bela *white*	crvena *red*	plava *blue*	žuta *yellow*	narandžasta *orange*



ZAŠTITNI ŠLEM 5RS/
PROTECTIVE HELMET 5RS

5RS

Opis: 5-RS dizajniran je i proizveden kako bi osigurao optimalnu zaštitu od udaraca od predmeta kao što su kamenje, crjep, cigla i drugi predmeti slične težine, kao i od električnih pražnjenja do 1000Vac ili 1500Vdc
Materijal: HDPE
Dodatak: uključena traka za znoj, ručno podešavanje pojasa za glavu, 6 točaka kopčanja
Težina: 322 g
Standard: EN 397 CE, EN 50365 CE
Originalno pakovanje: 1/56

Description: *The 5-RS is designed and manufactured to provide optimal protection against impacts from objects such as stones, tiles, bricks and other objects of similar weight, as well as against electric discharges up to 1000Vac or 1500Vdc*
Material: *HDPE*
Extra: *sweatband included, manual belt adjustment for head, 6 fastening points*
Weight: *322 g*
Standard: *EN 397 CE, EN 50365 CE*
Original packaging: *1/56*





EN 397:2012
EN 50365:2002

5RS/WH	5SG/RD	5RS/BL	5RS/YL	5RS/OR
bela *white*	crvena *red*	plava *blue*	žuta *yellow*	narandžasta *orange*



ZAŠTITNI ŠLEM TIRRENO/
PROTECTIVE HELMET TIRRENO

TIRRENO/TXR

Opis: idealno za puno radno vrijeme na mjestima gdje postoji opasnost od pada predmeta i električnih pražnjenja do 440 Vac, nudi savršenu i dugotrajnu zaštitu
Materijal: ABS
Dodatak: uključena traka za znoj, automatsko podešavanje pojasa za glavu, 4 točaka kopčanja
Težina: 355 g
Standard: EN 397
Originalno pakovanje: 1/36

Description: *ideal for full-time work in places where there is a risk of falling objects and electrical discharges up to 440 Vac, offers perfect and long-lasting protection*
Material: *ABS*
Extras: *included sweatband, automatic head strap adjustment, 4 fastening points*
Weight: *355 g*
Standard: *EN 397*
Original packaging: *1/36*







TIRRENO/TXR/WH	TIRRENO/TXR/YL
bela *white*	žuta *yellow*

CE **EN397:2012**

ZAŠTITNI ŠLEM CURRO/
PROTECTIVE HELMET CURRO

CURRO

Opis: CURRO električarski šlem nudi zaštitu od električnog napona do 1000 V. CURRO šlem je specijalno dizajniran za rad na visini, za hitne intervencije i rad u uskim prostorima, bez vizira, ventilirana, prikladan je za primenu i u industriji, građevini, javnim radovima, šumarstvu, pomorstvu
Materijal: ABS
Dodatak: ručno podešavanje pojasa za glavu, 6 točaka kopčanja u dvije visine
Težina: 369 g
Standard: EN 397 CE, EN 50365 CE
Boja: bela
Originalno pakovanje: 1/20

Description: *The CURRO electrician's helmet offers protection against electric voltage up to 1000 V. The CURRO helmet is specially designed for work at height, for emergency interventions and work in narrow spaces, without a visor, ventilated, suitable for use in industry, construction, public works, forestry, maritime*
Material: *ABS*
Accessory: *manual head strap adjustment, 6 fastening points in two heights*
Weight: *369 g*
Standard: *EN 397 CE, EN 50365 CE*
Color: *white*
Original packaging: *1/20*





CE **EN 397:2012**
EN 50365:2002

DRŽAČ VIZIRA/
VISOR HOLDER

60700

Opis: držač vizira
Materijal: polipropilen
Karakteristike: regulator veličine, uložak za upijanje znoja, podesiv u tri položaja
Standard: EN 166:2002, N1731:2007
Originalno pakovanje: 1/40

Description: *visor holder*
Material: *polypropylene*
Features: *size regulator, sweat-absorbing cartridge, adjustable in three positions*
Standard: *EN 166:2002, EN1731: 2007*
Original packaging: *1/40*



coverguard



CE **EN 166:2002**
EN 1731:2007

DRŽAČ VIZIRA ZA ANTIFON 31040/
VISOR HOLDER FOR SILENCER 31040

60740

Opis: držač vizira za antifon 31040
Materijal: polipropilen
Karakteristike: regulator veličine, uložak za upijanje znoja, podesiv u tri položaja, antifon nije uključen
Standard: EN 166:2002, EN1731:2007
Originalno pakovanje: 1/50

Description: *visor holder for muffer 31040*
Material: *polypropylene*
Features: *size regulator, sweat pad, adjustable in three positions, the ear muffler is not included*
Standard: *EN 166:2002, EN 1731:2007*
Original packaging: *1/50*

coverguard





CE **EN 166:2002**
EN 1731:2007

60700 + 60710



60740 + 31040 + 60710



PROZIRNI VIZIR/
TRANSPARENT VISOR

60710

Opis: prozirni vizir
Materijal: polikarbonat
Karakteristike: veličina 200x400 mm, štiti od tečnosti, kompatibilan sa artiklima 60700, 60740, 60707, 60705
Standard: EN 166: 2002; EN 1731:2007
Originalno pakovanje: 1/100

Description: *transparent visor*
Material: *polycarbonate*
Features: *size 200x400 mm, protects against liquids, compatible with items 60700, 60740, 60707, 60705*
Standard: *EN 166:2002, EN 1731:2007*
Original packaging: *1/100*



CE **EN166:2002**
EN 1731:2007

MREŽASTI VIZIR/
MESH VISOR

60720 **60721**

Opis: mrežasti vizir
Materijal: žičana mrežica
Karakteristike: kompatibilan sa artiklima 60700, 60740, 60707, 60705
Standard: EN 166:2002, EN1731:2007
Originalno pakovanje: 1/100

60720 - dimensions 30x19 cm
60721 - dimensions 40x19 cm

Description: *mesh visor*
Material: *wire mesh*
Features: *compatible with items 60700, 60740, 60707, 60705*
Standard: *EN 166:2002, EN 1731:2007*
Original packaging: *1/100*







CE **EN166:2002**
EN 1731:2007

ADAPTER ZA NOSAČ VIZIRA/
VISOR HOLDER ADAPTER

60706

Opis: adapter za fiksiranje nosača vizira 60707 na zaštitni šlem CLASSIC
Karakteristike: omogućuje nošenje vizira na kacigi bez antifona
Originalno pakovanje: 50/100

Description: *adapter for attaching the holder of visor 60707 on protective helmet CLASSIC*
Features: *allows to wear visor on helmet without muffer*
Original packaging: *50/100*





ANTIFON ZA ŠLEM/
HELMET SILENCER

60750

Opis: antifon za ugradnju na šlem
Materijal: ABS školjka, PVC jastučići
Karakteristike: može se kombinirati sa svim modelima šlemova SNR 60750:25,9 dB SNR 60755,60757:23 dB
Težina: 178 g
Standard: EN352-3:2003
Originalno pakovanje: 1/60
BOJA: 60750 - žuta, 60755 - zeleni, 60757 - narandžasti

Description: *helmet muffler*
Material: *ABS shell, PVC pads*
Features: *in combination with all helmet models;*
SNR 60750: 25,9 dB, SNR 60755,60757: 23 dB
Weight: *178 g*
Standard: *EN 352-3: 2003*
Original packaging: *1/60*
COLOR: *60750 - yellow, 60755 - green, 60757 - orange*





CE **EN352-3:2003**

ANTIFON ZA ŠLEM MAX300 /
HELMET SILENCER MAX300

6MX300NSI

Opis: antifon MAX300 za ugradnju na šlem CLASSIS
Materijal: ABS školjka, PVC jastučići
Karakteristike: dobra kombinacija visoke razine zaštite i udobnosti i lakoće nošenja
SNR: 30 dB
Težina: 301 g
Standrad: EN352-1:2002, EN352-3:2002
Originalno pakovanje: 1/20

Description: *silencer MAX300 for installation on CLASSIS helmet*
Material: *ABS shell, PVC pads*
Characteristics: *a good combination of a high level of protection and comfort and ease of wearing*
SNR: *30 dB*
Weight: *301 g*
Standard: *EN352-1:2002, EN352-3:2002*
Original packaging: *1/20*





NOSAČ VIZIRA ZA ŠLEM / *HELMET VISOR HOLDER*

60707

Opis: nosač vizira za zaštitni šlem CLASSIC
Karakteristike: mora se koristiti u kombinaciji s artiklom 60706
Standard: EN166:2022; EN1731:2007
Originalno pakovanje: 10/60

Description: *visor holder for protective helmet CLASSIC*
Characteristics: *must be used in combination with article 60706*
Standard: *EN 166:2022; EN 1731:2007*
Original packaging: *10/60*

coverguard





CE **EN166:2002**
EN 1731:2007

NOSAČ VIZIRA ZA ŠLEM/ *HELMET VISOR HOLDER*

60705

Opis: nosač vizira za zaštitnu šlem CLASSIC
Karakteristike: fiksira se na kacigu putem rastezljive trake, podesiv u tri pozicije
Standard: EN166:2022; EN1731:2007
Originalno pakovanje: 10/60

Description: *visor holder for protective helmet CLASSIC*
Features: *it is fixed to the helmet via an elastic band, adjustable in three positions*
Standard: *EN 166:2022; EN 1731:2007*
Original packaging: *10/60*

coverguard





CE **EN166:2002**
EN 1731:2007

PRIMJERI UPOTREBE/*EXAMPLES OF USE*







ZAŠTITA OČIJU
EYE PROTECTION

coverguard UNIVET

ZAŠTITA OČIJU

Zaštitne naočare štite oko i njegovo okolno područje od upada različitih čestica ili hemikalija.
Lacuna nudi veliki izbor zaštitnih naočara za rad u svim vremenskim uslovima.
Izuzetan dizajn, maksimalna udobnost i vrhunska zaštita glavne su karakteristike naših zaštitnih naočara.
Zaštite svoj vid i odaberite kvalitetne zaštitne naočare marke UNIVET i COVERGUARD.

EYE PROTECTION

Goggles protect the eye and the surrounding area from various particles or chemicals.
Lacuna offers a large selection of glasses for work in all weather conditions.
Exceptional design, maximum comfort and exceptional protection are the main features of our glasses.
Protect your eyes and choose quality UNIVET i COVERGUARD.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check on LACUNA B2B*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*



STANDARDI ZA NAOČALE

STANDARDS FOR GLASSES


SVI NAŠI MODELI SU ISPITANI PO NORMI EN...

ALL OUR MODELS ARE TESTED BY NORM EN...

EN166	Specifikacije	*Specifications*
EN169	Filtri za zavarivanje i slične tehnike	*Welding filters and related techniques*
EN170	Ultraljubičasti filtri	*Ultraviolet filters*
EN172	Sunčani filtri za industrijsku uporabu	*Ultraviolet filters*
EN175	Oprema za zaštitu očiju i lica pri zavarivanju i srodnim procesima	*Equipment for protection of eyes and face in welding and related processes*
EN379	Automatski filtri za zavarivanje	*Equipment for protection of eyes and face in welding and related processes*
EN1731	Mrežasti štitnici za oči i lice	*Mesh eye and face protectors*
EN12312-1	Sunčane naočale i sunčani filtri za opću uporabu i filtri za izravno promatranje sunca	*Sunglasses and goggles filters for general use and filters for direct Sun observation*

OZNAKE NA OKVIRIMA I SOČIVIMA

MARKINGS ON FRAMES AND LENSES



OTPORNOST NA UDARCE/*IMPACT RESISTANCE*		
POKRIVENI RIZICI/*RISKS COVERED*	Maksimalna brzina/Maximum speed	Simbol/Symbol
Jaki udarci/ *Strong blows*	190	A
Srednje jaki udarci/*Medium blows*	120	B
Slabi udarci/*Weak blows*	45	F
Pojačana čvrstoća/*Increased strength*	12	S

SPECIFIKACIJA MOGUĆIH OPCIJA/*SPECIFICATION OF POSSIBLE OPTIONS*	
RIZICI/*RISKS*	Simbol/Symbol
Otpornost na ogrebotine/*Scratch resistance*	K
Otpornost na pare/isparavanje/ *Vapor/evaporation resistance*	N
Otpornost na udare pri visokoj temperaturi/*High temperature shock resistance*	T
Otpornost na tečnosti/*Resistance to liquids*	3
Otpornost na prašinu/*Dust resistance*	4

OPTIČNI RAZRED/*OPTICAL CLASS*	
TOLERANCIJA OPTIČKE SNAGE/*OPTICAL POWER TOLERANCE*	Simbol/Symbol
+-0.06 za stalno nošenje/*Frequent wear*	1
+-0.12 povremeno nošenje/*Occasional wear*	2
+-0.25 nošenje u izuzetnim prilikama/*Wearing on exceptional occasions*	3

ZAŠTITA PROTIV UV-A I UV-B ZRAČENJA

PROTECTION AGAINST UV AND UV-B RADIATION

Smanjivanje zaštitnog ozonskog omotača naglašava sve veći značaj zaštite od sunca. Ljudsko oko i koža su veoma osetljivi na visoku energiju zraka sadržanih u ultravioletnom (UV) spektru. Čak i za vreme naoblačenja, UV zaštita je izuzetno bitna jer oblaci absorbiraju vidljivu svetlost, ali veoma malo UV. Oči su još više izložene prilikom planinarenja ili u okruženju u kojem se UV reflektuju kroz sneg, vodu, pesak, jeku kroz porozne zidove, prozore ili ogledala (npr. voda reflektuje 5 do 10% UV zraka; pesak 20%, sneg 85%). U planinama, količina UV zračenja raste 10% na svakih 1000 metara. Iz ovih razloga naše zaštitne naočare LUX OPTICAL filtriraju 99,9% UV zraka.

POLARIZOVANA SOČIVA - Polarizovani filteri pružaju veću udobnost u zonama sa visokim nivoom reflektovanja svetla (zgrade sa reflektujućim zidovima,voda, lagani pesak, sneg..) i bolju percepciju reljefa i kontrasta.

UV400 - Dodatna zaštita do 400 nm protiv plavog svetla, koji sledi ultravioletne zrake (do 380 nm) sertifikovana 100%-tna zaštita protiv UV zraka.

IR - Infrared (infra crvene) zraci slede vidljivu crvenu svetlost, nevidljivi su ljudskom oku i vode zagrejavanju isijavajućih površina i tela.

EN 12312-1 - Sočiva sunčanih naočara štite protiv opasnih sunčevih zraka. Evropski standard EN 1836 klasifikuje sočiva u 5 kategorija koje se razlikuju prema procentu absorbujućeg svetla preko sočiva.

Reduction of the protective ozone layer emphasizes the growing importance of sun protection. The human eye and skin are very sensitive to the high energy of the rays contained in the ultraviolet (UV) spectrum. Even during a cloud day, UV protection is extremely important because clouds absorb visible light, but very little UV. The eyes are even more exposed at hiking or in an environment where UV is reflected through snow, water, sand, echoing through transparent walls, windows or mirrors (eg water reflects 5 to 10% of UV rays; sand 20%, snow 85%). In the mountains, the amount of UV radiation increases by 10% every 1000 meters. This is why our LUX OPTICAL glasses filter 99.9% UV rays.

POLARIZED LENSES *- Polarized filters provide greater comfort on areas with a high level of light reflection (buildings with mirrored walls, water, light sand, snow...) and better perception of relief and contrast.*


UV400 *- Additional protection up to 400 nm against the following blue light ultraviolet rays (up to 380 nm) certified 100% UV protection.*


IR *- Infrared rays follow visible red light, invisible to the human eye that lead to heating of the radiating surfaces and bodies.*

EN 12312-1 *- Sunglasses protect against dangerous sunlight. European standard EN1836 classified lenses into 5 categories, which differ by percent in absorbing light through the lens.*



BOJA SOČIVA *LENS COLOR*	BROJ CE SKALE *NUMBER OF "CE" SCALE*	EN NORMA EU NORM	% VIDLJIVE PROZIRNE SVJETLOSTI *% VISIBLE TRANSPARENT LIGHT*	KARAKTERISTIKE *CHARACTERISTICS*
IR3	3	EN169	8-18%	Pogodna za indirektnu izloženost okolini sa niskim do srednjim razinama IR zračenja (npr. ljevanje metala, lemljenje, rezanje...) *Suitable for indirect exposure to low to medium levels of IR radiation (eg casting, soldering, cutting...*
IR5	5	EN169	1.18-3.16%	Pogodna za okolinu izloženu niskim do srednjim razinama IR zračenja (npr. Ljevanje metala, lemljenje, rezanje...) Nije preporučljivo vozačima. *Suitable for environments exposed to low to medium levels of IR radiation (eg metal casting, soldering, cutting ...) Not recommended for drivers.*
Prozirna *Transparent*	2-1.2	EN170	90%	Osnovna značajka jest da pruža maksimalnu vidljivost. Unutarnje leće, pogodne za mehaničke poslove, tamnije prostore i poslove koji se obavljaju noću. *The basic feature is that it allows maximum visibility. Indoor lenses suitable for mechanical tasks, darker rooms and tasks performed at night.*
Žuta *Yellow*	2-1.2	EN170	89%	Maksimalno poboljšanje kontrasta boja u slabo osvjetljenim prostorijama, npr. skladištima. Zaustavlja 87% plave svjetlosti; osigurava svjetliji pogled u rano jutro ili kasno navečer, kod naoblačenja, magle. Preporuča se vozačima koji voze noću., mehaničkim radnicima. *Maximum improvement in color contrast in poorly lit rooms, e.g. Stops 87% of blue light; allows for a brighter view in the early morning or late evening when it is cloudy, foggy. Recommended for drivers driving at night, mechanics.*
I/O zrcalna I/O mirror	5-1.7	EN172 UV400	53%	Prozirna UV400 leća sa laganim zlatnim premazom za upotrebu u zatvorenim kao i otvorenim prostorima. 100% zaštita protiv štetnih UV-A i UV-B zraka. Daje stvarnu percepciju boja. Najčešće korištena za osobe koje se kreću između zatvorenih i otvorenih prostora; npr. viličari, dostavljači.. *Transparent UV400 lens with light gold coating for indoor and outdoor use. 100% protection against harmful UV-A and UV-B rays. The real thing is color perception. They are most commonly used for people moving between enclosed and open spaces, on. pr. forklift drivers, delivery trucks.*
Braon *Brown*	1.5	EN172	23%	Poboljšava percepciju prilikom promjene svjetla i sjene, posebice u šumskom okruženju. Mala transmisija svjetla poboljšava oštrinu vida i percepciju boja. *Improves perception when changing light and shadow, especially in a forest environment. Poor light transmission improves visual acuity and color perception*
Srebrno zrcalna Silver mirror	5-2.5	EN172	20%	Reducira sunčev odsjaj i intenzivno sunčevo svjetlo. Tamna leća bez degradacije boja. Često korištene za aktivnosti na otvorenom i iznimnim sunčanim uvjetima, pogotovo za radnike na otvorenom. *Reduces sun glare and intense sunlight. Dark lens without decomposition colors It is often used for outdoor activities and extreme sunny conditions, especially for outdoor workers.*
Plava zrcalna *Blue*	5-2.5	EN172	20%	Reducira sunčev odsjaj i intenzivno sunčevo svjetlo. Tamna leća bez degradacije boja. Često korištene za aktivnosti na otvorenom i iznimnim sunčanim uvjetima. Idealne za aktivnosti na vodi, poput ribolova te razne druge vodene aktivnosti, te vožnju i letenje. *Reduces sun glare and intense sunlight. Dark lens without color decomposition It is often used for outdoor activities and exceptional sunny conditions. Ideal for water activities such as fishing and various other water activities as well as driving and flying.*
Tamna *Dark*	5-2.5	EN172	17%	Štiti oči od jakog sunčevog odsjaja i visokih razina opasnih vidljivih svjetlosti i ultra ljubičastih zračenja bez distorzije (iskrivljenja) percepcije boja. Idealne na otvorenom, posebno za sunčane dane i jaku sunčevu svjetlost, ali ne poboljšava vid. Opća svrha je kao zaštitna leća. *Protects the eyes from strong sunlight and a high level of dangerous visible light and ultra-violet radiation without distorting (distorting) the color perception. Ideal outdoors, especially on sunny days and strong sunlight, but does not improve vision. The general purpose is as a protective lens.*
Zelena *Green*	3-3	EN170 UV400	16%	Zelena ZV400 leća (100% zaštita). Pruža zaštitu od prefjeranog odsjaja i 100% od štetne ultra ljubičaste (UV-A i UV-B) radijacije. Alternativa za standardne zatamljene leće. *Green lens ZV400 (100% protection). It provides protection against excessive glare and 100% against harmful ultraviolet (UV-A and UV-B) radiation. An alternative to standard tinted lenses.*
Crveno zrcalna *Red mirror*	5-3.1	EN172	14%	Reducira sunčev odsjaj i intenzivno sunčevo svjetlo. Tamna leća bez degradacije boja. Često korištene za aktivnosti na otvorenom i jakom suncu. Zrcalo reflektira svjetlo, pritom reducirajući količinu svjetla koje prolazi kroz leću. *Reduces sun glare and intense sunlight. Dark lens without discoloration. It is often used for outdoor activities and strong sun. In doing so, the mirror reflects light reducing the amount of light that passes through the lens.*
Tamna *Dark*	5-4.1	EN172	6%	Za iznimno jaku sunčevu svjetlost i uvjete jakih odsjaja, ali nisu prikladne za vožnju u prometu. Preporučene za aktivnosti na velikim visinama i za zaštitu od odsjaja od snijega, pijeska i građevina. *For extremely strong sunlight and conditions of strong glare, but not suitable for driving traffic. Recommended for altitude activities and for protection against glare from snow, sand and buildings.*
Polarizirana tamna Polarized dark smoke	5-4.1	EN172	6%	Odlične za iznimno jaku i izravnu svjetlost te uvjete jakih odsjaj a. Nisu prikladne za vožnju u prometu. Preporučene za aktivnost na otvorenom i na velikim visinama. Blokira reflektirane zrake svjetla (voda, zrcala,snijeg...) i poboljšava kontrast. 100% UV zaštita. *Great for extremely bright and direct light and strong glare driving in traffic. Recommended for outdoor activities and improve contrast. 100% UV protection.*

SLIKA/ *PICTURE*	ŠIFRA/ *CODE*	BOJA OKVIRA/ *FRAME COLOR*	BOJA SOČIVA/ *LENS COLOR*	KARAKTERISTIKE / *FEATURES*	OZNAKA OKVIRA/ *FRAME MARKING*	OZNAKA SOČIVA/ *LENS MARK*	STANDARD/ *STANDARD*
	6TIFC00NSI	Prozirna/crna *Transparent/black*	Prozirna *Transparent*	Ojačana/Anti UV/Anti-scratch *Reinforced/UV solar protection/ Anti-scratch*	FT	2C-1.2 1FT	EN166 EN170
	6TIFS00NSI	Crna *Black*	Tamna *Dark*	Ojačana/Anti UV/Anti-scratch *Reinforced/UV solar protection/ Anti-scratch*	FT	5 - 3,1 FT	EN166 EN172
	6TIMC00NSI	Crna/limeta *Black/lime*	Prozirna *Transparent*	Ojačana/Anti UV/Anti-scratch *Reinforced/UV solar protection/ Anti-scratch*	FT	5-3.1 1FTN	EN166 EN172
	6TIHC00NSI	Prozirna/siva/ limeta *Transparent/grey/ lime*	Prozirna *Transparent*	Ojačana/Anti UV/Anti-scratch *Reinforced/UV solar protection/ Anti-scratch*	FT	2C-1.2 1FTKN	EN166 EN170
	6LYNC00NSI	Crna/plava *Black/blue*	Prozirna *Transparent*	Ojačana/Anti UV/Anti-scratch *Reinforced/UV solar protection/ Anti-scratch*	FT	2C-1.2 1FT	EN166 EN170
	6PSIO	Prozirna *Transparent*	Tamna *Dark*	Ojačane/UV *Reinforced/UV*	SFT	2-1.2 1SFTK	EN166 EN170
	6PSI3	Tamna *Dark*	Prozirna *Transparent*	Ojačane/UV solarna zaštita *Reinforced/UV solar protection*	SFT	5-3.1 1SFTK	EN166 EN172
	6LIMC00	Tamna *Dark*	Prozirna *Transparent*	Ojačane/Protiv magljenja /UV solarna zaštita *Reinforced/Anti fog/UV solar protection*	FT	5-3.1 1SFTK	EN166 EN172
	6LIMS00	Prozirna *Transparent*	Tamna *Dark*	Ojačane/UV *Reinforced/UV*	FT	2-1.2 1FTK	EN166 EN170
	6PHI0	Prozirna *Transparent*	Prozirna *Transparent*	Ojačane/UV *Reinforced/UV*	SFT	2-1.2 1SFTK	EN166 EN170
	6PHI3	Crna/crvena *Black/red*	Tamna *Dark*	Ojačane/UV solarna zaštita *Reinforced/UV solar protection*	SFT	5-3.1 1SFTK	EN166 EN172
	6RHO0	Prozirna/crni *Transparent/black*	Prozirna *Transparent*	Ojačane/protiv zamagljivanja *Reinforced/Anti-fog*	SFT	2-1.2 1SFTK	EN166 EN170
	6PHI3	Crna/crvena *Black/red*	Tamna *Dark*	Ojačane/UV solarna zaštita *Reinforced/UV solar protection*	SFT	5-3.1 1SFTK	EN166 EN172
	60560	Crna *Black*	Prozirna *Transparent*	Ojačane/UV *Reinforced/UV*	FT	2-1.2 1SFTK	EN166 EN170
	60563	Crna *Black*	Tamna *Dark*	Ojačane/UV solarna zaštita *Reinforced/UV solar protection*	1FT	5-3.1 1SFTK	EN166 EN172
	60350	Prozirna *Transparent*	Prozirna *Transparent*	Ojačane/UV *Reinforced/UV*	FT	2-1.2 1SFTK	EN166 EN170
	60353	Plava *Blue*	Tamna *Dark*	Ojačane/UV solarna zaštita *Reinforced/UV solar protection*	SFT	5-3.1 1SFTK	EN166 EN172
	6SIG0	Prozirna *Transparent*	Prozirna *Transparent*	Ojačane/Protiv zamagljivanja/UV *Anti-fog/Reinforced/UV*	SFT	2-1.2 1SFTK	EN166 EN170
	6SIG3	Crna *Black*	Tamna *Dark*	Ojačane/Protiv zamagljivanja/UV solarna zaštita *Reinforced/Anti-fog/UV solar protection*	SFT	5-3.1 1SFTK	EN166 EN172

SLIKA/ *PICTURE*	ŠIFRA/ *CODE*	BOJA OKVIRA/ *FRAME COLOR*	BOJA SOČIVA/ *LENS COLOR*	KARAKTERISTIKE / *FEATURES*	OZNAKA OKVIRA/ *FRAME MARKING*	OZNAKA SOČIVA/ *LENS MARK*	STANDARD/ *STANDARD*
	60550	Prozirna *Transparent*	Prozirna *Transparent*	Ojačane/Protiv zamagljivanja/UV *Anti-fog/Reinforced/UV*	SFT	2-1.2 1SFTK	EN166 EN170
	60513	Crna *Black*	Tamna *Temna*	Ojačane/UV solarna zaštita *Reinforced/UV solar protection*	SFT	5-3.1 1SFTK	EN166 EN172
	6GAM0	Crna *Black*	Prozirna *Transparent*	Ojačane/UV zaštita *Reinforced/UV*	SFT	2C-1.2 1FT	EN166 EN170
	60363	Crna *Black*	Prozirna *Transparent*	UV zaštita *UV protection*	F	2-1.2 1F	EN166 EN170
	60363	Crna *Black*	Tamna *Dark*	UV solarna zaštita *UV solar protection*	F	5-3.1 1F	EN166 EN172
	6OVEC00	Sivo/limeta *Gray/lime*	Prozirna *Transparent*	UV zaštita *UV protection*	FT	2-1.2 1 FTK	EN166 EN170
	60401	Prozirna *Transparent*	Prozirna *Transparent*	UV zaštita *UV protection*	FT	2-1.2 1 FTK	EN166 EN170
	60599	Zelena *Green*	Prozirna *Transparent*	Podesivo/tečnosti *Adjustable/fluids*	3B	1B	EN166
	60600	Zelena *Green*	Prozirna *Transparent*	Protiv zamagljivanja/UV/tečnosti *Atin fog/UV/fluids*	3B	1 BN	EN166
	6STOC00	Prozirna *Transparent*	Prozirna *Transparent*	Podesivo/Protiv zamagljivanja/UV *Adjustable/Anti-fog/UV*	3.4 FT	2-1.2 1FTN	EN166 EN170
	60590	Prozirna *Transparent*	Prozirna *Transparent*	Podesivo/UV *Adjustable/UV*	BT	2-1.2 BT	EN166 EN170
	516.01.00.00	Prozirna/zelena *Transparent/green*	Prozirna *Transparent*	Ojačane/Anti UV *Reinforced/Anti UV*	FT	2C-1.2 U 1 FT	EN166 EN170
	516.01.10.02	Crna/zelena *Black/geen*	Tamna *Dark*	Ojačana/Anti UV *Reinforced/Anti UV*	FT	2C-2.5/5-2.5 U 1 FT	EN166 EN170 EN172
	5X8.01.00.00	Prozirna *Transparent*	Prozirna *Transparent*	Anti UV *Anti UV*	FT	2C-1.2 U 1 FT	EN166 EN170
	5X8.03.11.00	Crna/zelena *Black/geen*	Prozirna *Transparent*	Ojačana/Anti UV *Reinforced/Anti UV*	FT	2C-1.2 U 1 FT K N	EN166 EN170
	553Z.01.00.00	Prozirna *Transparent*	Prozirna *Transparent*	Ojačana/Anti UV *Reinforced/Anti UV*	FT	2C-1.2 U 1 FT K	EN166 EN170
	506U.04.04.05	Crna/zelena *Black/geen*	Tamna *Dark*	Ojačana/Anti UV *Reinforced/Anti UV*	FT	2C-3/5-3.1 U 1 FT	EN166 EN170 EN172
	506U.63.08.00	Prozirna *Transparent*	Prozirna *Transparent*	Ojačana/Anti UV *Reinforced/Anti UV*	FT	2C-1.4/5-1.4 U 1 FTKN	EN166 EN170
	506U.03.00.00	Prozirna/zelena *Transparent/green*	Prozirna *Transparent*	Protiv zamagljivanja/ojačane/UV *Anti-fog/Reinforced/UV*	FT	2C-1.2 U 1FTKN	EN166 EN170 EN172

SLIKA/ *PICTURE*	ŠIFRA/ *CODE*	BOJA OKVIRA/ *FRAME COLOR*	BOJA SOČIVA/ *LENS COLOR*	KARAKTERISTIKE / *FEATURES*	OZNAKA OKVIRA/ *FRAME MARK-ING*	OZNAKA SOČIVA/ *LENS MARK*	STANDARD/ *STANDARD*
	513.01.00.00	Prozirna *Transparent*	Prozirna *Transparent*	Ojačane/UV zaštita *Reinforced/UV protection*	FT	2C-1.2 U 1 FT	EN166 EN170
	511.03.01.00	Plava *Blue*	Prozirna *Transparent*	Ojačane/ UV *Reinforced/UV*	F	2C-1.2 U 1 F	EN166 EN170
	601.03.07.00	Prozirna *Transparent*	Prozirna *Transparent*	Protiv zamagljivanja/ojačane/UV *PAnti-fog/Reinforced/UV*	F	3 4 5 9 BT 2C-1.2	EN166 EN170
	619.02.01.00	Plava *Blue*	Prozirna *Transparent*	Protiv zamagljivanja/ojačane/UV *Anti-fog/Reinforced/UV*	FT	3 4 9 B 2C-1.2	EN166 EN170
	620U.02.10.00	Prozirna *Transparent*	Prozirna *Transparent*	Protiv zamagljivanja/ojačane/UV *Anti-fog/Reinforced/UV*	FT	3 4 BT 2C-1.2	EN166 EN170
	6LIMC8RNSI	Siva prozirna *Grey transparent*	Prozirna *Transparent*	Anti UV/Protiv zamagljivanja *Anti UV/Proti meglenju*	FT	5-3.1 1FTN	EN172
	6OVEC8RNSI	Siva prozirna *Grey transparent*	Prozirna *Transparent*	Anti UV/Anti-acratch *Anti UV/Anti-acratch*	FT	2-1.2 1FTK	EN170
	60970	Crna *Black*	Prozirna *Transparent*	Anti UV/Protiv zamagljivanja *Anti UV/Anti-fog*	F	2-1.2 1FN	EN170




FOX

6FOXC00NSI | **6FOXS00NSI**

Okvir: polikarbonat + TPR (termoplastična guma)
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 22 g
Originalno pakovanje: 1/100

Frame: *polycarbonate + TPR (thermoplastic rubber)*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Thickness: *2.2 mm*
Weight: *22 g*
Original packaging: *1/100*



EN 166

PANTHER

6PANC00NSI | **6PANS00NSI**

Okvir: polikarbonat + TPR (termoplastična guma) + SBC kopolimer
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 1,6 mm
Težina: 22 g
Originalno pakovanje: 1/100

Frame: *polycarbonate + TPR (thermoplastic rubber) + SBC copolymer*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Thickness: *1.6 mm*
Weight: *22 g*
Original packaging: *1/100*



EN 166

	FOX	FOX	PANTHER	PANTHER
BOJA OKVIRA/ *FRAME COLOR*	Prozirna/crvena *Transparent/red*	Crna/crvena *Black/red*	Siva/plava/crna *Grey/blue/black*	Siva/plava/crna *Grey/blue/black*
KOD/*CODE*	6FOXC00NSI	6FOXS00NSI	6PANC00NSI	6PANS00NSI
OZNAKA OKVIRA/ *FRAME MARK*	1FT	FT	FT	FT
SOČIVA/*LENSES*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anit UV* Anti-scratch/*Anti-scratch*	Tamna/*Dark* Ojačana/*Reinforced* Anti UV/*Anit UV* Anti-scratch/*Anti-scratch*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anit UV* Anti-scratch/*Anti-scratch*	Tamna/*Dark* Ojačana/*Reinforced* Anti UV/*Anit UV* Anti-scratch/*Anti-scratch*
OZNAKA SOČIVA/ *LENS LABEL*	2C-1.2 1FT	5-3.1 1FT	2C-1.2 1FT	5-3.1 1 FT
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN172	EN170	EN172

TIGER FIRST

6TIFC00NSI **6TIFS00NSI**

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 1,6 mm
Težina: 17 g
Orginalno pakovanje: 1/100

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Thickness: *1.6 mm*
Weight: *17 g*
Original packaging: *1/100*



EN 166

TIGER MEDIUM

6TIMC00NSI

Okvir: polikarbonat + TPR (termoplastična guma)
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 1,6mm
Težina: 18 g
Orginalno pakovanje: 1/100

Frame: *polycarbonate + TPR (thermoplastic rubber)*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Thickness: *1.6mm*
Weight: *18 g*
Original packaging*: 1/100*



EN 166

TIGER HIGH

6TIHC00NSI

Okvir: polikarbonat + TPR (termoplastična guma)
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 1,6mm
Težina: 22 g
Orginalno pakovanje: 1/100

Frame: *polycarbonate + TPR (thermoplastic rubber)*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Thickness: *1.6mm*
Weight: *22 g*
Original packaging: *1/100*



EN 166

	TIGER FIRST	TIGER FIRST	TIGER MEDIUM	TIGER HIGH
BOJA OKVIRA/ *FRAME COLOR*	Prozirna/crna *Transparent/black*	Crna *Black*	Prozirna/Limeta *Transparent/lime*	Prozirna/siva/limeta *Transparent/gray/lime*
KOD/*CODE*	6TIFC00NSI	6TIFS00NSI	6TIMC00NSI	6TIHC00NSI
OZNAKA OKVIRA/ *FRAME MARK*	FT	FT	FT	FT
SOČIVA/ *LENSES*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV* Anti-scratch/*Anti-scratch*	Tamna/*Dark* Ojačana/*Reinforced* Anti UV/*Anti UV* Anti-scratch/*Anti-scratch*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV* Anti-scratch/*Anti-scratch* Protiv zamagljivanja/ *Anti fog*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV* Anti-scratch/*Anti-scratch* Protiv zamagljivanja/ *Anti fog*
OZNAKA SOČIVA/ *LENS LABEL*	2C-1.2 1FT	5 - 3,1 FT	2C-1.2 1FTN	2C-1.2 1FTKN
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN172	EN170	EN170



LYNXX

6LYNC00NSI

Okvir: polikarbonat + TPR (termoplastična guma)
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 28 g
Orginalno pakovanje: 1/100

Frame: *polycarbonate + TPR (thermoplastic rubber)*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Thickness: *2.2 mm*
Weight: *28 g*
Original packaging: *1/100*



EN 166

PSI

6PSIO **6PSI3**

Okvir: polikarbonat, ne klizajuće ležište za nos
Krila: polikarbonat sa PVC mekim vrhom
Sočiva: polikarbonat
Debljina: 2,4 mm
Težina: 24g
Originalno pakovanje: 1/120

Frame: *polycarbonate, non-slip nasal bridge*
Temples: *polycarbonate with PVC soft top*
Lenses: *polycarbonat*
Thickness: *2,4 mm*
Weight: *24 g*
Original packaging: *1/120*



EN 166

	LYNXX	PSI	PSI
BOJA OKVIRA/ *FRAME COLOR*	Crna/plava *Black/blue*	Crna *Black*	Crna *Black*
KOD/*CODE*	6LYNC00NSI	6PSI0	6PSI3
OZNAKA OKVIRA/ *FRAME MARK*	FT	SFT	SFT
SOČIVA/*LENSES*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anit UV* Anti-scratch/*Anti-scratch*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV*	Tamna/*Dark* Ojačana/*Reinforced* UV Solarna zaštita/ *UV Solar protection*
OZNAKA LEĆE/ *LENS LABEL*	2C-1.2 1FT	2-1.2 1 SFTK	5-3.1 1 SFTK
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN170	EN172

LIMELUX

6LIMC00 **6LIMS00**

Okvir: polikarbonat, PVC (polivinilklorid)
Krila: polikarbonat, PVC (polivinilklorid)
Sočiva: polikarbonat
Debljina: 2 mm
Težina: 23 g
Originalno pakovanje: 1/100

Frame: *polycarbonate, PVC (polyvinyl chloride)*
Temples: *polycarbonate, PVC (polyvinyl chloride)*
Lenses: *polycarbonat*
Thickness: *2 mm*
Weight: *23 g*
Original packaging: *1/100*





coverguard

CE EN 166

PHI

6PHI0 **6PHI3**

Okvir: polikarbonat sa neklizajućim jastučićom za nos
Krila: polikarbonat sa mekim TPU jastukom
Sočiva: polikarbonat
Debljina: 2,3 mm
Težina: 22 g
Originalno pakovanje: 1/120

Frame: *polycarbonate, non-slip nasal bridge*
Temples: *polycarbonate with soft TPU pillow*
Lenses: *polycarbonat*
Thickness: *2,3 mm*
Weight: *22 g*
Original packaging: *1/120*





coverguard

CE EN 166

	LIMELUX	LIMELUX	PHI	PHI
BOJA OKVIRA/ *FRAME COLOR*	Crna/Limeta *Black/lime*	Crna/Limeta *Black/lime*	Prozirna/Žuta *Transparent/yellow*	Crna/Crvena *Black/red*
KOD/*CODE*	6LIMC	6LIMS	6PHI0	6PHI3
OZNAKA OKVIRA/ *FRAME MARK*	FT	FT	SFT	SFT
SOČIVA/*LENSES*	Prozirna/*Transparent* Anti UV/*Anti UV* Protiv zamagljivanja/ *Anti fog*	Tamna/*Dark* Anti UV/*Anti UV* Protiv zamagljivanja/*Anti fog*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV*	Tamna/*Dark* Ojačana/*Reinforced* UV Solarna zaštita/ *UV Solar protection*
OZNAKA SOČIVA/ *LENS LABEL*	2-1.2 1 FTN	5-3.1 1 FTN	2-1.2 1 SFTK	5-3.1 1 SFTK
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN172	EN170	EN172

RHO

6RHO0 | **6RHO3**

Krila: polikarbonat sa PVC mekim vrhom i neklizajućim jastučićom za nos
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 24g
Originalno pakovanje: 1/120

Temples: *polycarbonate with soft and non-slip nasal pad*
Latenses: *polycarbonate*
Thickness: *2,2 mm*
Weight: *24 g*
Original packaging: *1/120*



CE EN 166

SOFTILUX

60560 | **60563**

Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,4 mm
Težina: 22 g
Originalno pakovanje: 1/120

Temples: *polycarbonate*
Lenses: *polycarbonate*
Thickness: *2,4 mm*
Weight: *22 g*
Original packaging: *1/120*



CE EN 166

	RHO	RHO	SOFTILUX	SOFTILUX
BOJA OKVIRA/ *FRAME COLOR*	Crna *Black*	Crna *Black*	Crna *Black*	Crna *Black*
KOD/*CODE*	6RHO0	6RHO3	60560	60563
OZNAKA OKVIRA/ *FRAME MARK*	SFT	SFT	FT	FT
SOČIVA/*LENSES*	Prozirna/*Transparent* Ojačana/*Reinforced* Protiv zamagljivanja/*Anti fog* Anti UV/*Anti UV*	Tamna/*Dark* Ojačana/*Reinforced* Protiv zamagljivanja/*Anti fog* UV Solarna zaštita/*UV Solar protection*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV*	Tamna/*Dark* Ojačana/*Reinforced* UV Solarna zaštita/ *UV Solar protection*
OZNAKA SOČIVA/ *LENS LABEL*	2-1.2 1 SFTKN	5-3.1 1 SFTKN	2-1.2 1FTK	5-3.1 1FTK
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN172	EN170	EN172

SABLUX

60350

60353

Okvir: najlon
Krila: najlon, podesiva dužina
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 36 g
Originalno pakovanje: 1/120

Frame: *nylon*
Temples: *nylon, adjustable length*
Lenses: *polycarbonate*
Thickness: *2,2 mm*
Weight: *36 g*
Original packaging: *1/120*



CE EN 166

SIGMA

6SIG0

6SIG3

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,3 mm
Težina: 24 g
Originalno pakovanje: 1/120

Temples: *polycarbonate*
Lenses: *polycarbonate*
Debelina: *2,3 mm*
Thickness: *24 g*
Original packaging: *1/120*



CE EN 166

	SABLUX	SABLUX	SIGMA	SIGMA
BOJA OKVIRA/ *FRAME COLOR*	Prozirna *Transparent*	Tamna *Dark*	Prozirna *Transparent*	Crna *Black*
KOD/*CODE*	60350	60353	6SIG0	6SIG3
OZNAKA OKVIRA/ *FRAME MARK*	FT	FT	SFT	SFT
SOČIVA/*LENSES*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV*	Tamna/*Dark* Ojačana/*Reinforced* UV Solarna zaštita/ *UV Solar protection*	Prozirna/*Transparent* Ojačana/*Reinforced* Protiv zamagljivanja/*Anti fog* Anti UV/*Anti UV*	Tamna/*Dark* Ojačana/*Reinforced* Protiv zamagljivanja/*Anti fog* UV Solarna zaštita/*UV Solar protection*
OZNAKA SOČIVA/ *LENS LABEL*	2-1.2 1FTK	5-3.1 1FTK	2-1.2 1 SFTKN	5-3.1 1 SFTKN
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN172	EN170	EN172

POKELUX

60550

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,4 mm
Težina: 23 g
Originalno pakovanje: 1/120

Okvir: *polikarbonat*
Ročke: *polikarbonat*
Leče: *polikarbonat*
Debelina: *2,4 mm*
Teža: *23 g*
Originalna embalaža: *1/120*



EN 166

THUNDERLUX

62583

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 25 g
Orginalno pakovanje: 1/120

Frame: *polycarbonate*
Temples polycarbonate
Lenses: *polycarbonate*
Thickness: *2,2 mm*
Weight: *25 g*
*O****riginal packaging:*** *1/120*



EN 166

GAMMA

6GAM0

Okvir: najlon
Krila: najlon, podesiva
Sočiva: polikarbonat
Debljina: 2,5 mm
Težina: 38 g
Originalno pakovanje: 1/120

Temples: *nylon, adjustable*
Lenses: *polycarbonate*
Thickness: *2,5 mm*
Weight: *38 g*
Original packaging: *1/120*



EN 166

	POKELUX	THUNDERLUX	GAMMA
BOJA OKVIRA/ *FRAME COLOR*	Prozirna *Transparent*	Crno/crveni *Black/red*	Crna *Black*
KOD/*CODE*	60550	62583	6GAM0
OZNAKA OKVIRA/ *FRAME MARK*	FT	F-CAT.3	SFT
SOČIVA/*LENSES*	Prozirna/*Transparent* Protiv zamagljivanja *Anti fog*	Tamna/*Dark* Ojačana/*Reinforced* UV Solarna zaštita/ *UV Solar protection*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV*
OZNAKA SOČIVA/ *LENS LABEL*	2-1.2 1FTN	5-3.1 1 FK	2-1.2 1SFTK
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN172	EN170

ECOLUX

60360

60363

Okvir: najlon
Krila: najlon, podesiva
Sočiva: polikarbonat
Debljina: 2,4 mm
Težina: 34 g
Originalno pakovanje: 1/120

Temples: *nylon, adjustable*
Lenses: *olycarbonate*
Thickness: *2,4 mm*
Weight: *34 g*
Original packaging: *1/120*



EN 166

OVERLUX

6OVEC00

Okvir: polikarbonat /TPE
Krila: polikarbonat/TPE, podesiva
Sočiva: polikarbonat
Debljina: 1,6 mm
Težina: 37 g
Originalno pakovanje: 10/80

Frame: *olycarbonate/TPE*
Temples*: polycarbonate/ TPE, adjustable*
Lenses: *polycarbonate*
Thickness: *1,6 mm*
Weight: *37 g*
Original packaging: *10/80*



EN 166

VISILUX

60401

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Debljina: 2,2 mm
Težina: 45 g
Originalno pakovanje: 1/120

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Thickness: *2,2 mm*
Weight: *45 g*
Original packaging: *1/120*



EN 166

	ECOLUX	ECOLUX	OVERLUX	VISILUX
BOJA OKVIRA/ *FRAME COLOR*	Crna *Black*	Crna *Black*	Sivo/Limeta *Gray/lime*	Prozirna *Transparent*
KOD/*CODE*	60360	60363	6OVEC00	60401
OZNAKA OKVIRA/ *FRAME MARK*	F	F	FT	FT
SOČIVA/*LENSES*	Prozirna/*Transparent* Anti UV/*Anti UV*	Tamna/*Dark* UV Solarna zaštita/ *UV Solar protection*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV*	Prozirna/*Transparent* Anti UV/*Anti UV*
OZNAKA SOČIVA/ *LENS LABEL*	2-1.2 1F	5-3.1 1F	2-1.2 1 FTK	2-1.2 1FT
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN172	EN170	EN170

CHIMILUX

60599

60600

Okvir: meki polivinilklorid (PVC)
Sočiva: polikarbonat
Debljina: 1,7 mm
Težina: 75 g
Originalno pakovanje: 1/200

Frame: *soft polyvinyl chloride (PVC)*
Lenses: *polycarbonate*
Thickness: *1,7 mm*
Weight: *75 g*
Original packaging: *1/200*





CE EN 166

STORMLUX

6STOC00NSI

Okvir: polivinilklorid (PVC) i polikarbonat
Sočiva: acetat
Debljina: 2,3 mm
Težina: 80 g
Originalno pakovanje: 10/50

Frame: *polyvinyl chloride (PVC) and polycarbonate*
Lens: *acetate*
Thickness: *2,3 mm*
Weight: *80 g*
Original packaging: *10/50*





CE EN 166

MONOLUX

60590

Okvir: meki polivinilklorid (PVC)
Sočiva: polikarbonat
Debljina: 1,7 mm
Težina: 60 g
Originalno pakovanje: 1/100

Frame: *soft polyvinylchlorid (PVC)*
Lenses: *polycarbonate*
Thickness: *1,7 mm*
Weight: *60 g*
Original packaging: *1/100*





CE EN 166

	CHIMILUX	CHIMILUX	STORMLUX	MONOLUX
BOJA OKVIRA/ *FRAME COLOR*	Zelena *Green*	Zelena *Green*	Prozirna *Transparent*	Prozirna *Transparent*
KOD/*CODE*	60599	60600	6STOC00NSI	60590
OZNAKA OKVIRA/ *FRAME MARK*	3B	3B	34 Ft	BT
SOČIVA/*LENSES*	Prozirna/*Transparent* Tečnosti/*Liquids*	Prozirna/*Transparent* Protiv Zamagljivanja/*Anti fog*	Prozirna/*Transparent* Protiv Zamagljivanja/ *Anti fog* Anti Uv/*Anti Uv*	Prozirna/*Transparent* Anti UV/*Anti UV*
OZNAKA SOČIVA/ *LENS LABEL*	1B	1BN	2-1.2 FTN	2-1.2 BT
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN166	EN166	EN170	EN170



UNIVET 516.01.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 24 g
Originalno pakovanje: 1/250

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *24 g*
Original packaging: *1/250*



EN 166

UNIVET 516.01.10.02

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 24 g
Originalno pakovanje: 1/250

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *24 g*
Original packaging: *1/250*



EN 166

UNIVET 5X8.01.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 24 g
Originalno pakovanje: 10/250

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *24 g*
Original packaging: *10/250*



EN 166

UNIVET 5X8.03.11.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 29 g
Originalno pakovanje: 1/250

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *29 g*
Original packaging: *1/250*



EN 166

	516.01.00.00	516.01.10.02	5X8.01.00.00	5X8.03.11.00
BOJA OKVIRA/ *FRAME COLOR*	Prozirna/zelena *Transparent/Green*	Crna/zelena *Black/green*	Prozirna *Transparent*	Crna/zelena *Black/green*
KOD/*CODE*	516.01.00.00	516.01.10.02	5X8.01.00.00	5X8.03.11.00
OZNAKA OKVIRA/ *FRAME MARK*	FT	FT	FT	FT
SOČIVA/*LENSES*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV*	Tamna/*Dark* Ojačana/*Reinforced* Anti UV/*Anit UV*	Prozirna/*Transparent* Anti UV/*Anti UV*	Prozirna/*Transparent* Anti UV/*Anti UV*
OZNAKA SOČIVA/ *LENS LABEL*	2C-1.2 U 1 FT	2C-2.5/5-2.5 U 1 FT	2C-1.2 U 1 FT	2C-1.2 U 1 FT KN
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN170, EN172	EN170	EN166, EN170

UNIVET 553Z.01.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 19 g
Originalno pakovanje:
1/250

Frame: *polycarbonate*
Temples*: polycarbonate*
Lenses: *polycarbonate*
Weight: *19 g*
Original packaging:
1/250



EN 166

UNIVET 506U.04.04.05

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 25 g
Originalno pakovanje:
1/250

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *25 g*
Original packaging:
1/250



EN 166

UNIVET 506U.63.08.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 25 g
Originalno pakovanje:
1/250

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *25 g*
Original packaging:
1/250



EN 166

UNIVET 506U.03.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 29 g
Originalno pakovanje:
1/250

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *25 g*
Original packaging:
1/250



EN 166

	553Z.01.00.00	506U.04.04.05	506U.63.08.00	506U.03.00.00
BOJA OKVIRA/ *FRAME COLOR*	Prozirna *Transparent*	Crna/zelena *Black/green*	Prozirna *Transparent*	Prozirna *Transparent*
KOD/*CODE*	553Z.01.00.00	506U.04.04.05	516.01.10.02	506U.03.00.00
OZNAKA OKVIRA/ *FRAME MARK*	FT	FT	FT	FT
SOČIVA/*LENSES*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV*	Tamna/*Dark* Ojačana/*Reinforced* Anti UV/*Anit UV*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti uv/*Anti UV*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti uv/*Anti UV* Protiv zamaljivanja/*Anti fog*
OZNAKA SOČIVA/ *LENS LABEL*	2C-1.2 U 1 FT K	2C-3/5-3.1 U 1 FT	2C-1.2 U 1 FT K	2C-1.2 U 1FTKN
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN170, EN172	EN170	EN170, EN172

UNIVET

513.01.00.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 23 g
Originalno pakovanje: 10/250

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *23 g*
Original packaging:
10/250



UNIVET

CE EN 166

	513.01.00.00
BOJA OKVIRA/*FRAME COLOR*	Prozirna/*Transparent*
KOD/*CODE*	513.01.00.00
OZNAKA OKVIRA/*FRAME MARK*	FT
SOČIVA/*LENSES*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti UV/*Anti UV* Protiv zamaljivanja/*Anti fogu*
OZNAKA SOČIVA/*LENS LABEL*	2C-1.2 U 1 FT
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170



UNIVET 511.03.01.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 30 g
Originalno pakovanje: 1/250

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses*: polycarbonate*
Weight: *30 g*
Original packaging: *1/250*



EN 166

UNIVET 601.03.07.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 123 g
Originalno pakovanje: 1/100

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *123 g*
Original packaging: *1/100*



EN 166

UNIVET 619.02.01.00

Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 84 g
Originalno pakovanje: 1/100

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *84 g*
Original packaging: *1/100*



EN 166

UNIVET 620U.02.10.00


Okvir: polikarbonat
Krila: polikarbonat
Sočiva: polikarbonat
Težina: 88 g
Originalno pakovanje: 1/100

Frame: *polycarbonate*
Temples: *polycarbonate*
Lenses: *polycarbonate*
Weight: *88 g*
Original packaging: *1/100*



EN 166

	511.03.01.00	601.03.07.00	619.02.01.00	620U.02.10.00
BOJA OKVIRA/ *FRAME COLOR*	Plava *Blue*	Prozirna *Transparent*	Plava *Blue*	Crna *Black*
KOD/*CODE*	511.03.01.00	601.03.07.00	619.02.01.00	620U.02.10.00
OZNAKA OKVIRA/ *FRAME MARK*	FT	3 4 5 9 BT 2C-1.2	3 4 9 B 2C-1.2	3 4 BT 2C-1.2
SOČIVA/*LENSES*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti uv/*Anti UV*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti uv/*Anti UV* Protiv zamaljivanja/*Anti fogu*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti uv/*Anti UV* Protiv zamaljivanja/*Anti fog*	Prozirna/*Transparent* Ojačana/*Reinforced* Anti uv/*Anti UV* Protiv zamaljivanja/*Anti fog*
OZNAKA SOČIVA/ *LENS LABEL*	2C-1.4/5-1.4 U 1 FTKN	2C-1.2 U 1 BT 9 K N	2C-1.2 U 1 B 9 K N	2C-1.2 U 1 BT K N
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170	EN170	EN170	EN170



LIMELUX VR

6LIMC8RNSI

Okvir: Bio-Circular Balanced polikarbonat, sertifikovan ISCC Plus
Krila: Bio-Circular Balanced PC + TPR
Leće: Bio-Circular Balanced polikarbonat, sertifikovan ISCC Plus
Težina: 23 g
Originalno pakovanje: 10/100

Frame: *Bio-Circular Balanced polycarbonate, ISCC Plus certified*
Temples (arms): *Bio-Circular Balanced PC + TPR*
Lenses: *Bio-Circular Balanced polycarbonate, ISCC Plus certified*
Weight: *23 g*
Original packaging: *10/100*

coverguard

NOVO
NEW





CE EN 166

OVERLUX VR

6OVEC8RNSI

Okvir: Bio-Circular Balanced polikarbonat, sertifikovan ISCC Plus
Krila: Bio-Circular Balanced PC + TPR
Leće: Bio-Circular Balanced polikarbonat, sertifikovan ISCC Plus
Težina: 37 g
Originalno pakovanje: 10/100 (10 komada u paketu, 100 u kutiji)

Frame: *Bio-Circular Balanced polycarbonate, ISCC Plus certified*
Temples (arms): *Bio-Circular Balanced PC + TPR*
Lenses: *Bio-Circular Balanced polycarbonate, ISCC Plus certified*
Weight: *37 g*
Original packaging: *10/100*

coverguard

NOVO
NEW





CE EN 166

	LIMELUX VR	OVERLUX VR
BOJA OKVIRA/ *FRAME COLOR*	Siva prozirna *Grey transparent*	Siva prozirna *Grey transparent*
KOD/*CODE*	6LIMC8RNSI	6OVEC8RNSI
OZNAKA OKVIRA/ *FRAME MARK*	FT	FT
SOČIVA/*LENSES*	Prozirna/*Transparent* Anti UV/*Anti UV* Protiv zamagljivanja/*Anti-fog*	Prozirna/*Transparent* Anti UV /*Anti UV* Anti-Scratch / *Anti-Scratch*
OZNAKA SOČIVA/ *LENS LABEL*	5-3.1 1FTN	2-1.2 1FTK
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN 172	EN170

MADLUX

60970

Okvir: najlon
Krila: najlon + polikarbonat
Leće: polikarbonat
Težina: 38 g
Originalno pakovanje: 10/120

Frame: *nylon*
Temples (arms): *nylon + polycarbonate*
Lenses: *polycarbonate*
Weight: *38 g*
Original packaging: *10/120*



coverguard

NOVO
NEW



CE EN 166

	MADLUX
BOJA OKVIRA/ *FRAME COLOR*	Crna/*Black*
KOD/*CODE*	60970
OZNAKA OKVIRA/*FRAME MARK*	F
SOČIVA/*LENSES*	Prozirna/*Transparent* Anti UV/*Anti UV* Protiv zamagljivanja/*Anti-fog*
OZNAKA SOČIVA/*LENS LABEL*	2-1.2 1FN
EVROPSKI STANDARD SOČIVA/ *EUROPEAN LENS STANDARD*	EN170



ZAŠTITA DISAJNIH ORGANA
RESPIRATORY PROTECTION

ZAŠTITA DISAJNIH ORGANA

Lacuna pruža kompletan asortiman za zaštitu disajnih organa kroz partnerstvo sa brendovima BLS i COVERGUARD. Svi artikli BLS brenda su proizvedeni u EU po najvišim standardima kvaliteta.

RESPIRATORY PROTECTION

Lacuna provides a complete range for respiratory protection through partnerships with the BLS and COVERGUARD brands.
All BLS brand products are manufactured in the EU to the highest standards quality.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check on LACUNA B2B.*
Na www.lacuna.hr možete videti proširen izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*



LIČNA SREDSTVA ZA ZAŠTITU DISAJNIH ORGANA

PROTECTIVE RESPIRATORS, MASKS AND HALF MASKS

OSOBNA SREDSTVA ZA ZAŠTITU DIŠNIH PUTOVA

• Respirator za zaštitu disajnih organa je namenjen ličnoj zaštiti protiv rizika udisanja opasnih supstanci koje se nalaze u radnoj atmosferi u obliku prašine ili tečnih aerosola, gasa ili pare.
• Korisnici respiratora moraju poznavati prirodu prisutnih rizika, koncentraciju opasnih supstanci u radnoj atmosferi, limite zaštite respiratora, dužinu radnog vremena kako bi se odabrao odgovarajući respirator i omogučila adekvatna zaštita.
• Potrebno je imati percepciju o limitima izlaganja rizicima. Limiti izlaganja su nivoi u kojima nezaštićeni radnik može biti izložen štetnim uticajima otrova. Razlikujemo dugotrajne limite izlaganja (LTEL-Long Term Exposure Limit; 8h izlaganje) i kratkotrajne limite izlaganja (STEL-Short Term Exposure Limit; 15 min izlaganje).
• Navedene vrednosti zavise o nacionalnim odredbama.

RESPIRATORI ZA JEDNOKRATNU UPOTREBU KOJI ŠTITE OD ČESTICA

• Sastoje se potpuno ili gotovo potpuno od filtera
• Mogu imati ventil za disanje.
• Artikle pokriva norma EN 149:2001. Označavaju se oznakama FFP1 (filter niskog kapaciteta), FFP2 (filter srednjeg kapaciteta) ili FFP3 (filter visokog kapaciteta), prema klasi efikasnosti.

Pune maske i polumaske sa filterom

• Pune maske prekrivaju čelo, nos, usta, bradu i imaju štitnik za oči; njihova su svojstva definisana u standardu EN 136.
• Polumaske pokrivaju nos, usta i bradu i njihova svojstva su definisana normom EN 140.
• Polumaske i maske moraju u potpunosti prianjati uz lice kako bi njihova upotreba bila potpuna (u protivnom, njihova primena će biti delimična).
• Svojstva zamenskih filtera definisana su standardom EN 141 (zaštita od organske i anorganske pare, prašine, kiseli gas, amonijak, rastvarači), EN 143 (prašina, neotoksični gas i sitne toksične čestice) i označeni su različitim bojama koje pred stavljaju određenu zaštitu prema evropskim standardima i klasi filtera: 1 = nizak kapacitet, 2 = srednji kapacitet, 3 = visok kapacitet.
• Nikada ne koristiti filter masku u uslovima kada je koncentracija kiseonika niža od 17 Vol.%

ITEMS FOR PERSONAL RESPIRATORY PROTECTION

• Respiratory protection respirator is intended for personal protection against the risk of inhalation of hazardous substances in the working atmosphere in the form of solid dust or liquid aerosols, gas or vapor.
• Respirator users must know the nature of the risks present, the concentration of hazardous substances in the working atmosphere, the protection limits of the respirator, the length of working hours in order to select an adequate respirator and provide adequate protection.
• It is necessary to have a perception of the limits of risk exposure. Exposure limits are the levels at which an unprotected worker may be exposed to the harmful effects of toxins. We distinguish between long-term exposure limits (LTEL-Long Term Exposure Limit; 8h exposure) and short-term exposure limits (STEL-Short Term Exposure Limit; 15 min exposure).
• The stated values depend on national regulations.

DISPOSABLE RESPIRATORS PROTECTING FROM PARTICLES

• They consist entirely or almost entirely of filters
• They may have a breathing valve
• Items are covered by EN 149: 2001. They are marked FFP1 (low capacity filter), FFP2 (medium capacity filter) or FFP3 (high capacity filter), in accordance with the efficiency class.

Full masks and half masks with filter

• Full masks cover the forehead, nose, mouth, chin and have an eye shield; their properties are defined in EN 136.
• Half masks cover the nose, mouth and chin and their properties are defined by EN 140.
• Half masks and masks must adhere completely to the face in order for their use to be complete (otherwise, their application will be partial).
• The properties of replacement filters are defined by EN 141 (protection against organic and inorganic vapors, dust, acid gas, ammonia, solutions), EN 143 (dust, neotoxic gas and fine toxic particles) and are marked with different colors that represent certain protection according to European standards and filter class: 1 = low capacity , 2 = medium capacity, 3 = high capacity.
• Never use a filter mask in conditions where the concentration is oxygen lower than 17 Vol.%.

OBJAŠNJENJE SKRAĆENICA

“SL”	artikl štiti i od prašine i od aerosola
“VO”	filteri koje štite od organiskih para
“GA”	artikl štiti od kiselih gasova
“NR”	jednokratni
“R”	višekratni
“D”	**dolomit test za dugotrajnost**
“C”	aktivni ugalj

EXPLANATION OF ABBREVIATIONS

“SL”	*article protects against both dust and aerosols*
“VO”	*filters that protect against organic vapors*
“GA”	*article protects against acid gases*
“NR”	*disposable*
“R”	*multiple*
“D”	***dolomite durability test***
“C”	*activated carbon*

Kompanija **BLS** osnovana je 1970 godine sa sedištem u Milanu sa misijom stvaranja proizvoda za zaštitu respiratornog sistema visokog stepena zaštite, kvaliteta i dugotrajnosti.
PPE (Personal Protective Equipment) tj. Lična Zaštitna Oprema se dele u 3 kategorije
• KATEGORIJA I _minimalni rizici – CAT I
• KATEGORIJA II_ rizici kod kojih može doći do povrede ljudi ali nemaju smrtne posledice – CAT II
• KATEGORIJA III_oprema za zaštitu od smrtnih rizika i ireverzibilnih (trajnih) štetnih povreda - CAT III
• RPP (Respiratory Protection Products) SPADAJU U KATEGORIJU III PPE služe za zaštitu ljudi od smrtnih rizika a osnovna podela je na proizvode koji štite od PRAŠINE, MAGLE, DIMA I AEROSOLA (RESPIRATORI) i proizvodi koji štite od GASOVA I PARA (MASKE I POLUMASKE I ODGOVARAJUĆI FILTERI)

BLS was founded in 1970 with its headquarters in Milan with the mission of creating products for the protection of the respiratory system with a high degree of protection, quality and longevity. PPE ie. Personal Protective Equipment is divided into 3 categories
• CATEGORY I _minimal risks - CAT I
• CATEGORY II_ risks that can injure people but do not have fatal consequences - CAT II
• CATEGORY III_equipment for protection against fatal risks and irreversible (permanent) harmful injuries - CAT III
• RPP (Respiratory Protection Products) BELONG TO CATEGORY III PPE are used to protect people from fatal risks and the basic division is into products that protect from DUST, FOG, SMOKE AND AEROSOLES (RESPIRATORS) and products that protect from GASES AND VAPORS (MASKS AND HALF MASKS) AND SUITABLE FILTERS)

RAZRED ZAŠTITE za prašinu, maglu, dim i aerosole - BLS ZERO/ ZERO FLAT SERIJA, BLS 500 SERIJA, BLS CLASSIC SERIJA, BLS 100 SERIJA

Evropski standard EN 529:2005 pokazuje kako odabrati ispravan aparat za disanje na osnovu procene rizika. Ovaj standard označava zaštitu" faktor" koji je po definiciji parametar koji izražava odnos između koncentracija zagađivača u okolini i njegovoj koncentraciji unutar aparata za disanje. Značajna razlika se odnosi na nominalni faktor zaštite (NPF) i dodeljeni faktor zaštite (APF). Nominalni faktor zaštite (NPF) je broj izveden iz maksimalnog postotka ukupnog gubitka (prema unutrašnjosti uređaja za disanje) dozvoljenog evropskim standardima. Dodeljeni faktor zaštite (APF) je nivo respiratorne zaštite koja se realno može očekivati na 95% radnih mesta korisnika LZO. Važna referenca za odabir uređaja za disanje je granična vrednost (TLV), odnosno "granična vrednost izloženosti" koja ukazuje na koncentraciju hemikalija u okolini kojoj većina radnika može biti izložena dnevno, bez ikakvog negativnog uticaja na njihovo zdravlje.

RESPIRATORI *RESPIRATORS*			**POLUMASKE** *HALF MASK*			**MASKE** *MASKS*		
CLASS	NPF	MAX CONC.	FILTER CLASS	NPF	MAX CONC.	FILTER CLASS	NPF	MAX CONC.
FFP1	4	4xTLV	P1	4	4xTLV	P1	5	5xTLV
FFP2	12	12xTLV	P2	12	12xTLV	P2	16	16xTLV
FFP3	50	50xTLV	P3	48	48xTLV	P3	1000	100xTLV

*TLV: time-weighted average concentration of a substance to which the operator can be exposed without adverse health effects.

KLASA ZAŠTITE za gasove i pare - BLS 4000next SERIJA, BLS SGE46, BLS 8000 SERIJA, BLS 5000 SERIJA, BLS 3000 SERIJA, BLS 2000 SERIJA , BLS 1000 SERIJA

Da biste odabrali pravu zaštitu protiv gasova i para, morate poznavati hemijsku prirodu zagađivača. Tabele koje pruža BLS, označavaju vrstu filtra kojeg treba koristiti, u zavisnosti od kontaminanta i nivoa koncentracije, pazeći da je nivo kiseonika veći od 17%. Propisane su tri klase filtera: niska (klasa 1), srednja (klasa 2), visoka (nivo 3). Za zaštitu od gasova i para, utvrđuje se nominalni faktor zaštite po vrsti maske.

Evropski standard 14387: 2004 + A1: 2008 definiše zaštitu od gasova i pare prema sledećoj tabeli:
European standard 14387: 2004 + A1: 2008 defines protection against gases and vapors according to the following table

TIP/*TYPE*		**BOJA/*COLOR***	**ZAŠTITA/*PROTECTION***
A		BRAON/*BROWN*	Organski gasovi i pare s vrelištem iznad 65°C *Organic gases and vapors boiling above 65°C*
B		SIVA/*GRAY*	Anorganski gasovi i para/*Inorganic gases and vapors*
E		ŽUTA/*YELLOW*	Kiseli gasovi/*Acid gases*
K		ZELENA/*GREEN*	Amonijak i derivati/*Ammonia and derivatives*
AX		BRAON/*BROWN*	Organski gasovi i pare s vrelištem nižim od 65°C *Organic gases and vapors with a boiling point lower than 65°C*
P		BELO/*WHITE*	Čestice, magle, pare/*articles, mists, vapors*
HG		CRVENO/*RED*	Živine pare/*Mercury vapors*
NO		PLAVA/*BLUE*	Nitrozni gasovi/*Nitrous gases*
CO		CRNA/*BLACK*	Ugljični oksid/*Carbon oxide*
Reaktor		Narandžasta/ *ORANGE*	Reaktor - Radioaktivni jod (uključujući radioaktivni jodometan/ *Radioactive iodine, including radioactive iodomethane*

PROTECTION CLASS for dust, fog, smoke and aerosols - BLS ZERO SERIES, BLS FLICKIT SERIES, BLS CLASSIC SERIES

European standard EN 529: 2005 shows how to choose the right breathing apparatus based on risk assessment. This standard denotes a protection factor which is by definition a parameter that expresses the relationship between the concentrations of pollutants in the environment and the concentration inside the breathing apparatus. A significant difference relates to the nominal protection factor (NPF) and the assigned protection factor (APF). The nominal protection factor (NPF) is a number derived from the maximum percentage of total loss (according to the inside of the breathing apparatus) allowed by European standards. Assigned protection factor (APF) is the level of respiratory protection that is can realistically expect 95% of PPE user jobs. An important reference for the selection of breathing apparatus is the limit value (TLV), ie the "exposure limit value" which indicates the concentration of chemicals in the environment to which most workers can be exposed daily without any negative impact on their health.





PROTECTION CLASS for gases and vapors - BLS 4000 SERIES, BLS SGE46, BLS 8000 SERIES, BLS 5000 SERIES, BLS 3000 SERIES

To choose the right protection against gases and vapors, you need to know the chemical nature of the pollutants. The tables provided by the BLS indicate the type of filter to be used depending on the contaminant and the concentration level, making sure that the oxygen level is higher than 17%. Three classes of filters are prescribed: low (class 1), medium (class 2), high (class 3). For protection against gases and vapors, the nominal protection factor is determined by the type of mask.

KLASA/ CLASS	**1**	**2**	**3**
KAPACITET/CAPACITY	NISKI/LOW	SREDNJI/MEDIUM	VISOKI/HIGH
GRANIČNA VREDNOST IZLAGANJA	1000 ppm	5000 ppm	10000 ppm

	POLUMASKA/ HALF MASK		**MASKA PUNO LICE/ FULL FACE MASK**	
	NPF	KONCENTRACIJA MASKE/ MASK CONCENTRATION	NPF	KONCENTRACIJA MASKE/ MASK CONCENTRATION
PLIN	50	50xTLV	2000	2000xTLV
PLIN P3	48	48xTLV	1000	1000xTLV

* TLV: vremenski ponderisana prosečna koncentracija materije kojoj operater može biti izložen bez štetnih efekata na zdravlje. / *TLV: time-limited value of average concentration of a substance to which an operator may be exposed without adverse health effects.*

OSNOVNE ZNAČAJKE JEDNOKRATNIH RESPIRATORA

BASIC CHARACTERISTICS OF DISPOSABLE RESPIRATORS

Trajanje proizvoda je predviđeno za jednu ili više radnih smena. Proizvod štiti samo od čestica. Proizvodi su podeljeni u tri klase prema efikasnosti filtriranja i prianjanju (FFP1, FFP2, FFP3).
The duration of the product is for one or more work shifts. They can only protect from particles. There are three classes of devices divided according to filtering and fitting efficiency (FFP1, FFP2, FFP3)


Karakteristike/*Features*



EOLO VENTIL/ *EOLO VALVE*

BLS-ova Eolo tehnologija ventila drastično smanjuje otpor disanja i dozvoljava 30% veći prolaz vazduha od klasičnih ventila, koncentrirajući to maksimalnim otvaranjem u dve tačke.

The Eolo technology of BLS valves drastically reduces breathing resistance and allows an air passage 30% higher than classic valves, concentrating it in two points of maximum opening.



ZAŠTITA/ *ARMOR*

Spoljni sloj osigurava zaštitu materijala za filtriranje od prljavštine, prašine i tečnosti i time čuva efikasnost filtriranja čineći proizvod sigurnijim.

It's an external layer that ensures the protection of the filtering material from dirt, dust and liquids extending and preserving filtering efficiency and making the device safer



KLIP ZA NOS/ *NOSE CLIP*

Zajedno sa zaptivkom, osigurava prianjanje na najkritičnijem delu lica, gornjem delu nosa, te poboljšava performanse u testnoj fazi pogodnosti proizvoda.

Along with the face seal it secures the fit of the filtering facepiece to the most critical part of the face, the upper part of the nose, and it improves performance in the fit test phase.




ZAPTIVKA/ *FACE SEAL*

Penasta traka postavljena oko respiratora garantuje maksimalnu zaštitu, izbegavajući prolaske strujanja vazduha kroz nezapečaćene delove. Može biti delimična (zaptivke gornjeg dela proizvoda) ili potpuna.

A foamy strip placed around the respirator is essential to guarantee maximum protection avoiding air flows passing through unsealed borders. It can be partial (sealing the upper part of the device) or complete.


Vrste filtriranja/*Filtration principles*



MEHANIČKO/ *MECHANICAL*

Ako se udahnu, nanočestice (veličine između 1 i 100 nanometara), mogu proći kroz stanične membrane dopirući do unutrašnjih organa i potencijalno uzrokovati ozbiljnu štetu telu pošto se vrlo teško izbacuju. Specifični testovi pomogli su u razvoju medijuma za filtriranje koji može uspešno blokirati pristup.

If inhaled, nanoparticles (between 1 and 100 nanometers wide), can pass through cellular membranes reaching internal organs and potentially cause severe harm to the body being very difficult to dispose. Specific tests have helped us to develop a filtering medium able to successfully block the access of such substances. With NANOFILTRATION, BLS can guarantee a new standard of protection against nanoparticles.



ELEKTROSTATIČNI/ *ELECTROSTATIC*

Manje čestice su predmet daljnje filtracije od strane elektrostatički nabijenog filtrirajućeg materijala. Stoga, što je manja čestica, jača je elektrostatička privlačnost.

Smaller particles are subject to a further filtration by the electrostatically charged filtering material. Therefore, smaller the particulate is, the stronger is the electrostatic attraction.



AKTIVNI UGLJEN/ *ACTIVATED CARBONS*

Sloj impregniran aktivinim ugljem je moguće dodati na materijal za filtriranje čime se povećava zaštita i udobnost proizvoda u prisutnosti neprijatnih mirisa.

A layer impregnated with activated carbons could be added to the filtering material enhancing the protection and comfort of the product in presence of nuisance odours.

PROIZVODI ZA JEDNOKRATNU UPOTREBU /
RESPIRATORI U OBLIKU ŠKOLJKE

BLS ZERO SERIJA

DISPOSABLE PRODUCTS / CUP SHAPED FILTERING FACEPIECES

BLS ZER0 SERIES



Karakteristike/*Features*

01 ANATOMSKI/*ANATOMIC*

Unapred oblikovana školjka respiratora i elastična potpora omogućuju lakše i pouzdano pristajanje, savršeno se prilagođavajući različitim fizionomijama i osiguravajući držanje na licu. Nudi izvanredno vidno polje i kompatibilnost naočarima.

The pre-formed cup and elastic support makes an easier and reliable fit, perfectly adapting to different physiognomies and ensuring an excellent hold. It offers an excellent visual field and a great compatibility with glasses.

02 VARENE ILI PRILAGODLJIVE ELASTIČNE VEZICE/*WELDED OR ADJUSTABLE ELASTICS*

Elastične vezice su ultrazvučno zavarene kako bi uklonile izložene metalne delove; napravljene su od hipoalergenog materijala bez lateksa, dok one koje su podesive, zahvaljujući inovativnom povratnom sistemu, olakšavaju korisniku pravilno postavljanje maske na lice.

The elastics, ultrasonically welded to eliminate the exposed metal parts, are made of hypoallergenic material without latex, while the adjustable ones, thanks also to the innovative drop-off system, facilitate the correct positioning of the facepiece on the user's face.

03 DOSTUPNE S AKTIVNIM UGLJEM/ *AVAILABLE WITH ACTIVATED CARBONS*

Aktivni ugalj štiti od kiselina, organskih gasova-para i ozona ispod maksimalno dozvoljene koncentracije (MDK) specifične za svaku materiju.

Activated carbons protect from acid and organic gases-vapours and ozone below the Threshold Limit Value (TLV), specific for every substance.

	STANDARD EN 149:2001+A1:2009	*BLS Zer0
ZAŠTITA/*PROTECTION* Bolja od FFP3/ *Better than a FFP3*	99%	> 99%

	UDISANJE//*INSPIRATION* 30 l/m		UDISANJE//*INSPIRATION* 95 l/m		IZDISANJE//*INSPIRATION* 160 l/m	
OTPORNOST KOD DISANJA/ *BREATHING RESISTANCE* Bolja od FFP1/ *Better than a FFP1*	< 0,6 mbar	0,5 mbar	< 2,1 mbar	1,4 mbar	< 3.0 mbar	1,1 mbar

RESPIRATOR FFP3 ZERO SA VENTILOM/
RESPIRATOR FFP3 ZERO WITH VALVE

BLS 030

Opis: respirator FFP3 NR D s ventilom u obliku školjke
Karakteristike: anatomski oblikovan respirator Zer0 serije pruža maksimalnu zaštitu i udobnost disanja
Zaptivka: djelomično (gornji dio respiratora) sastav polimer i poliester (PES)
Vezica: vareni termoplastični elastomer (TPE)
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Sloj za filtriranje: polipropilen
Zaštitni sloj: poletilen
Težina: 21 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 10/120

Description: *FFP3 NR D respirator with shell-shaped valve*
Features: *anatomically shaped Zer0 series respirator provides maximum protection and breathing comfort*
Gasket: *partial (upper part of the respirator) Composition polymer and polyester (PES)*
Tie: *welded thermoplastic elastomer (TPE)*
Nose clip: *polypropylene (PP)*
Valve: *polypropylene and rubber*
Filter layer: *polypropylene*
Protective layer: *polyethylene*
Weight: *21 g*
Standard: *EN 149:2001+A1:2009*
Original packaging: *10/120*



MADE IN EUROPE

EN 149:2001 + A1:2009

RESPIRATOR FFP3 ZERO SA VENTILOM S AKTIVNIM UGLJEM/
RESPIRATOR FFP3 ZERO WITH VALVE (WITH CARBON)

BLS 030C

Opis: respirator FFP3 NR D s ventilom u obliku školjke (s aktivnim ugljem)
Karakteristike: anatomski oblikovan respirator Zer0 serije pruža maksimalnu zaštitu i udobnost disanja
Zaptivka: djelomično (gornji dio respiratora) sastav: polimer i poliester (PES)
Vezica: vareni termoplastični elastomer (TPE)
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Sredstvo za filtriranje: polipropilen
Zaštitni sloj: poletilen
Sloj sa aktivnim ugljikom: poliester
Težina: 16 g
Standard: EN 149:2001+A1:2009
Original pakovanje: 10/120

Description: *FFP3 NR D respirator with shell-shaped valve (with activated carbon)*
Features: *anatomically shaped Zer0 series respirator provides maximum protection and breathing comfort*
Gasket: *partial (upper respirator) Composition polymer and polyester (PES)*
Tie: *welded thermoplastic elastomer (TPE)*
Nose clip: *polypropylene (PP)*
Valve: *polypropylene and rubber*
Filter layer: *polypropylene*
Protective layer: *polyethylene*
Weight: *16 g*
Standard: *EN 149:2001+A1:2009*
Original packaging: *10/120*



MADE IN EUROPE

EN 149:2001 + A1:2009

RESPIRATOR FFP3 ZERO SA VENTILOM (PUNA ZAPTIVKA)/
RESPIRATOR FFP3 ZERO WITH VALVE (FULL GASKET)

BLS 031

Opis: respirator FFP3 R D s ventilom u obliku školjke
Karakteristike: anatomski oblikovan respirator Zer0 serije pruža maksimalnu zaštitu i udobnost disanja
Zaptivka: puno (cijeli respirator)
Sastav: polimer i poliester (PES)
Vezica: vareni termoplastični elastomer (TPE)
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Sredstvo za filtriranje: polipropilen
Zaštitni sloj: poletilen
Težina: 20 g
Standard: EN 149:2001+A1:2009
Original pakovanje: 10/120

Description: *FFP3 NR D respirator with shell-shaped valve*
Features: *anatomically shaped Zer0 series respirator provides maximum protection and breathing comfort*
Gasket: *partial (upper respirator) Composition polymer and polyester (PES)*
Tie: *welded thermoplastic elastomer (TPE)*
Nose clip: *polypropylene (PP)*
Valve: *polypropylene and rubber*
Filter layer: *polypropylene*
Protective layer: *polyethylene*
Weight: *20 g*
Standard: *EN 149:2001+A1:2009*
Original packaging: *10/120*



MADE IN EUROPE

EN 149:2001 + A1:2009

RESPIRATOR FFP3 ZERO SA VENTILOM (S AKTIVNIM UGLJEM , PUNA ZAPTIVKA)/
RESPIRATOR FFP3 ZERO WITH VALVE (WITH CARBON, FULL GASKET)

BLS 031C

Opis: respirator FFP3 R D s ventilom u obliku školjke (s aktivnim ugljem)
Karakteristike: anatomski oblikovan respirator Zer0 serije pruža maksimalnu zaštitu i udobnost disanja
Zaptivka: puno (cijeli respirator) sastav:polimer i poliester (PES)
Vezica: vareni termoplastični elastomer (TPE)
Kvačica za nos: polipropilen (PP)
Ventil: polipropilen i guma
Sredstvo za filtriranje: polipropilen
Zaštitni sloj: poletilen
Sloj sa aktivnim ugljikom: poliester
Težina: 20 g
Standard: EN 149:2001+A1:2009
Original pakovanje: 10/120


Description: *FFP3 NR D respirator with shell-shaped valve (with activated carbon)*
Features: *anatomically shaped Zer0 series respirator provides maximum protection and breathing comfort*
Gasket: *partial (upper part of the respirator) Composition polymer and polyester (PES)*
Tie: *welded thermoplastic elastomer (TPE)*
Nose clip: *polypropylene (PP)*
Valve: *polypropylene and rubber*
Filter layer: *polypropylene*
Protective layer: *polyethylene*
Weight: *20 g*
Standard: *EN 149:2001+A1:2009*
Original packaging: *10/120*



MADE IN EUROPE

EN 149:2001 + A1:2009

















BLS ZER0 FLAT SERIES



01 **DOSTUPNO U DVE VELIČINE/*AVAILABLE IN TWO SIZES***

Ova serija je dostupna u dve veličine, S i M/L, kako bi savršeno pristajala svakom obliku licu. Veličina S je posebno dizajnirana za ženska lica.
This series is available in two different sizes, S and M/L, to perfectly fit all face types. The S size was specifically designed for female faces.

02 **VISOKO UČINKOVIT EOLO VENTIL/*HIGH-EFFICIENCY EOLO VALVE***

Eolo tehnologija je sistem ventila za disanje sa membranom učvršćenom na tri umesto na jednoj tački, a što omogućuje 30 % veći protok vazduha od 06 konvencionalnih ventila, koncentrirajući ga na dve tačke maksimalnog otvaranja.

Eolo Technology is our three-point, instead of one-point, valve diaphragm attachment system which allows 30% of air passing through exhalation more than conventional valves, concentrating it at two points of maximum opening.

03 **DOSTUPNE S AKTIVNIM UGLJEM/**
AVAILABLE WITH ACTIVATED CARBONS

Aktivni ugalj štiti od kiselina, organskih gasova-para i ozona ispod maksimalno dozvoljene koncentracije (MDK) specifične za svaku materiju.
Activated carbons protect from acid and organic gases-vapours and ozone below the Threshold Limit Value (TLV), specific for every substance.

04 **OPTIMALNO VIDNO POLJE/*OPTIMAL VISUAL FIELD***

Oblik respiratora garantuje veliku površinu filtriranja, ostavljajući vidno polje potpuno slobodnim.
The shape of the filtering facepiece guarantees a large filtering surface area, leaving the field of vision totally free.

eolo technology · ARMOR technology · nano filtration

RESPIRATOR FFP3 ZERO SKLOPIVI SA VENTILOM/
RESPIRATOR FFP3 ZERO FLAT WITH VALVE

BLS033

Opis: respirator FFP3 s ventilom sklopivi
Karakteristike: FFP3 respirator s ventilom Zer0 serije pruža maksimalnu zaštitu i udobnost disanja, izvrsno vidno polje, dostupan u dvije veličine, kompatibilan sa naočalama
Vezica: tekstilna elastična
Kvačica za nos: polipropilen (PP)
Ventil: EOLO ventil
Zaštitni sloj: polipropilen
Dostupne veličine: S, M/L
Standard: EN 1492001+A1:2009
Originalno pakovanje: 10/120

Description: *FFP3 respirator with valve foldable*
Characteristics: *FFP3 respirator with the Zer0 series valve provides maximum protection and comfort breathing, excellent field of vision, available in two sizes, compatible with glasses*
Lace: *textile elastic*
Nose clip: *polypropylene (PP)*
Valve: *EOLO valve*
Protective layer: *polypropylene*
Available sizes: *S, M/L*
Standard: *EN 1492001+A1:2009*
Original packaging: *10/120*



BLS MADE IN ITALY

MADE IN EUROPE

CE **EN 149:2001 + A1:2009**

RESPIRATOR FFP3 ZERO SKLOPIVI/
RESPIRATOR FFP3 ZERO FLAT

BLS033NV

Opis: respirator FFP3 sklopivi
Karakteristike: FFP3 respirator bez ventila Zer0 serije pruža maksimalnu zaštitu i udobnost disanja, izvrsno vidno polje, dostupan u dvije veličine, kompatibilan sa naočalama
Vezica: tekstilna elastična
Klip za nos: polipropilen (PP)
Sloj za filtriranje: polipropilen
Dostupne veličine: S, M/L
Standard: EN 1492001+A1:2009
Originalno pakovanje: 10/120

Description: *FFP3 respirator foldable*
Characteristics: *FFP3 respirator without Zer0 series valves provide maximum protection and breathing comfort, excellent field of view, available in two size, compatible with glasses*
Lace: *textile elastic*
Nose clip: *polypropylene (PP)*
Filter layer: *polypropylene*
Available sizes: *S, M/L*
Standard: *EN 1492001+A1:2009*
Original packaging: *10/120*

MADE IN EUROPE



CE **EN 149:2001 + A1:2009**

PREKLOPNI TRODIMENZIONALNI DIZAJN / *FLAT 3-FLAP DESIGN*











Karakteristike/*Characteristics*

05 **PREKLOPNI TRODIMENZIONALNI DIZAJN/*FLAT 3-FLAP DESIGN***

Zahvaljujući trodimenzionalnom preklopnom dizajnu respirator se savršeno prilagođava svim pokretima lica, osiguravajući maksimalnu zaštitu i efikasnost u svakom trenutku. Donji preklopni deo respiratora omogućuje jednostavno otvaranje respiratora bez kontaminacije unutrašnjosti. Izvanredno vidno polje i odlična kompatibilnost sa naočarima.

Thanks to the three-flap design, the device adapts perfectly to all facial movements, ensuring maximum protection and efficiency at all times. The folded lower flap allows easy opening of the facepiece without contaminating the inside. Excellent field of vision and great compatibility with glasses.

06 **UNUTRAŠNJA KLIP ZA NOS/*INTERNAL NOSE CLIP***

Klip za nos, smešten između slojeva filtrirajućih materijala sa unutrašnje strane, optimalno se prilagođava profilu nosa i očiju i tako garantuje dobru vidljivost i maksimalnu kompatibilnost sa naočarima.

The nose clip, placed internally between the layers of filter material, it adapts optimally to the profile of the nose and eyes, guaranteeing good visibility and maximum compatibility with glasses.

07 **TEKSTILNE ELASTIČNE VEZICE/*TEXTILE ELASTICS***

Elastične vezice izrađene su od izdržljivog i visokoefikasnog tekstilnog materijala. Podupirajući sloj vezica omogućuje prianjanje vezica na respirator bez korišćenja izloženih metalnih delova.

The elastic bands are made of enduring and high-performance textile material. The addition of a backing layer allows the elastics to adhere to the filter body without the use of exposed metal parts.

08 **VANJSKI ZAŠTITNI SLOJ/*EXTERNAL PROTECTIVE LAYER***

Spoljnji zaštitni sloj osigurava zaštitu filtrirajućeg materijala od prljavštine, prašine i tečnosti čime produžuje efikasnost filtriranja i čini proizvod sigurnijim.

It is an external protective layer that ensures the protection of the filtering material from dirt, dust and liquids extending and preserving filtering efficiency and making the device safer.

09 **KRUTA UNUTARNJE JEZGRO/*RIGID INNER CORE***

Dodatak inovativne unutrašnje jezgre osigurava čvrstoću respiratora i visoku prozračnost, istovremeno održavajući nizak nivo otpora prilikom disanja.
The addition of the innovative inner core ensures solidity to the filtering facepiece and high breathability, while maintaining low breathing resistance.

RESPIRATOR FFP2 500 SKLOPIVI/
RESPIRATOR FFP2 500 FOLDABLE

BLS502

Opis: respirator FFP2 NR
Karakteristike: sklopivi respirator sa gumenom vezicom, bez ventila
Filter: polipropilen (PP)
Kvačica za nos: polipropilen (PP)
Vezice: guma
Težina: 7 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: *respirator FFP2 NR*
Features: *folding respirator with rubber band, without valve*
Filter: *polypropylene (PP)*
Nose clip: *polypropylene (PP)*
Ties: *rubber*
Weight: *7 g*
Standard: *EN 149: 2001 + A1:2009*
Original packaging: *20/240*



MADE IN EUROPE



CE **EN 149:2001 + A1:2009**


RESPIRATOR FFP2 CLASSIC S VENTILOM/
FFP2 CLASSIC RESPIRATOR WITH VALVE

BLS129BW

Opis: respirator FFP2 R D s ventilom
Karakteristike: oblik školjke , elastična vezica pričvršćena u 4 točke, vezica varena za respirator i prilagodljive duljine, prilagodljiva kopča za nos za savršeno prijanjanje uz lice
Vezica: poliester, guma
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Zaptivka: polimer
Sloj za filtriranje: polipropilen
Težina: 14 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 15/180
Description: *respirator FFP2 R D with valve*
Characteristics: *shell shape, elastic tie fastened in 4 points; A strap welded to the respirator and adjustable lengths; Adjustable nose clip for a perfect fit to the face*
Tie: *polyester, rubber*
Nose clip: *polypropylene (PP)*
Valve: *polypropylene and rubber*
Gasket: *polymer*
Filter layer: *polypropylene*
Weight: *14 g*
Standard: *EN 149: 2001 + A1:2009*
Original packaging: *15/180*



MADE IN EUROPE



CE **EN 149:2001 + A1:2009**

RESPIRATOR FFP2 CLASSIC S VENTILOM/
RESPIRATOR FFP2 CLASSIC WITH VALVE

BLS226B

Opis: respirator FFP2 NR D s ventilom (sa aktivim ugljenom)
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 točke; Prilagodljiva kopča za nos za savršeno prijanjanje uz lice
Vezica: termoplastični elastomer (TPE)
Klip za nos: polipropilen (PP)
Ventil: polipropilen i guma
Zaptivka: polimer
Sloj za filtriranje: polipropilen
Težina: 19 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 10/120

Description: *respirator FFP2 NR D with shellshaped valve*
Characteristics: *shell shape, elastic tie fastened in 4 points; Adjustable nose clip for a perfect fit to the face*
Tie: *thermoplastic elastomer (TPE)*
Nose clip: *polypropylene (PP)*
Valve: *polypropylene and rubber*
Filter layer: *polypropylene*
Protective layer: *polyethylene*
Weight: *19 g*
Standard: *EN 149:2001+A1:2009*
Original packaging: *10/120*



MADE IN EUROPE

EN 149:2001 + A1:2009

RESPIRATOR FFP2 S VENTILOM/
RESPIRATOR FFP2 WITH VALVE

BLS102V

Opis: respirator FFP2 s ventilom u obliku školjke
Karakteristike: anatomski oblikovan FFP2 respirator sa ventilom, sa gumenom vezicom
Vezica: guma
Klip za nos: polipropilen (PE)
Ventil: polipropilen i guma
Sloj za filtriranje: polipropilen
Težina: 11 g
Standard: EN 1492001+A1:2009
Originalno pakovanje: 20/180

Description: *FFP2 respirator with valve in shell shape*
Characteristics: *anatomical molded FFP2 respirator with with a valve, with a rubber band*
Lace: *rubber*
Nose clip: *polypropylene (PE)*
Valve: *polypropylene and rubber*
Filter layer: *polypropylene*
Weight: *11 g*
Standard: *EN 1492001+A1:2009*
Original packaging: *20/180*



MADE IN EUROPE

EN 149:2001 + A1:2009



RESPIRATOR FFP1 S VENTILOM (SKLOPIVI)/
RESPIRATOR FFP1 WITH VALVE (FOLDABLE)

23105

Opis: respirator FFP1 NR D s ventilom sklopivi
Karakteristike: sklopivi respirator, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vezica: pritezanje pomoću sintetičke gume
Klip za nos: polietilen
Težina: 17 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: *respirator FFP1 NR D with folding valve*
Features: *collapsible respirator, elastic band*
Outer and inner layer: *polypropylene*
Tie: *tightening with synthetic rubber*
Nose clip: *polyethylene*
Weight: *17 g*
Standard: *EN 149:2001 + A1:2009*
Original packaging: *20/240 "*





coverguard





CE **EN 149:2001 + A1:2009**

RESPIRATOR FFP1 S VENTILOM/
RESPIRATOR FFP1 Z WITH VALVE

23106

Opis: respirator FFP1 NR D s ventilom
Karakteristike: oblik školjka, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vezica: pritezanje pomoću sintetičke gume
Klip za nos: aluminij
Težina: 12 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 10/120

Description: *respirator FFP1 NR D with valve*
Features: *shell shape, elastic band*
Outer and inner layer: *polypropylene*
Tie: *tightening with synthetic rubber*
Nose clip: *aluminum*
Weight: *12 g*
Standard: *EN 149:2001 + A1:2009*
Original packaging: *10/120*





coverguard





CE **EN 149:2001 + A1:2009**

RESPIRATOR FFP1/
RESPIRATOR FFP1

23101

Opis: respirator FFP1 NR D
Karakteristike: oblik školjka, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vezica: pritezanje pomoću sintetičke gume
Klip za nos: aluminij
Težina: 8 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: *respirator FFP1 NR D*
Features: *shell shape, elastic band*
Outer and inner layer: *polypropylene*
Tie: *ightening with synthetic rubber*
Nose clip: *aluminum*
Weight: *8 g*
Standard: *EN 149:2001 + A1:2009*
Original packaging: *20/240*





coverguard





CE **EN 149:2001 + A1:2009**

RESPIRATOR FFP2 S VENTILOM SKLOPIVI/
RESPIRATOR FFP2 WITH VALVE FOLDABLE

23205

Opis: respirator FFP2 NR D sklopivi
Karakteristike: sklopivi respirator s ventilom, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vezica: pritezanje pomoću sintetičke gume
Klip za nos: polietilen
Težina: 17 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: *respirator FFP2 NR D foldable*
Features: *foldable respirator with valve, elastic band*
Outer and inner layer: *polypropylene*
Tie: *tightening with synthetic rubber*
Nose clip: *polyethylene*
Weight: *17 g*
Standard: *EN 149:2001 + A1:2009;*
Original packaging: *20/240*







CE **EN 149:2001 + A1:2009**

RESPIRATOR FFP 2/
RESPIRATOR FFP2

23201

Opis: respirator FFP2 NR D
Karakteristike: oblik školjka, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vezica: pritezanje pomoću sintetičke gume
Klip za nos: aluminij
Težina: 9 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: *respirator FFP2 NR D*
Features: *shell shape, elastic band*
Outer and inner layer: *polypropylene*
Tie: *tightening with synthetic rubber*
Nose clip: *aluminum*
Weight: *9 g*
Standard: *EN 149:2001 + A1:2009*
Original packaging: *20/240*







CE **EN 149:2001 + A1:2009**

RESPIRATOR FFP2 S VENTILOM/
RESPIRATOR FFP2 WITH VALVE

23206

Opis: respirator FFP2 NR D s ventilom
Karakteristike: oblik školjka, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vezica: pritezanje pomoću sintetičke gume
Klip za nos: aluminij
Težina: 12 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 10/120

Description: *respirator FFP2 NR D with valve*
Features: *shell shape, elastic band*
Outer and inner layer: *polypropylene*
Tie: *tightening with synthetic rubber*
Nose clip: *aluminum*
Weight: *12 g*
Standard: *EN 149:2001 + A1:2009*
Original packaging: *10/120*







CE **EN 149:2001 + A1:2009**

RESPIRATOR FFP3 S VENTILOM SKLOPIVI/
RESPIRATOR FFP3 WITH VALVE FOLDABLE

23305

Opis: respirator FFP3 NR D sklopivi
Karakteristike: sklopivi respirator s ventilom, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vezica: pritezanje pomoću sintetičke gume
Klip za nos: polietilen
Težina: 19 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 20/240

Description: *respirator FFP3 NR D collapsible*
Features: *collapsible respirator with valve, elastic band*
Outer and inner layer: *polypropylene*
Tie: *tightening with synthetic rubber*
Nose clip: *polyethylene*
Weight: *19 g*
Standard: *EN 149:2001 + A1:2009*
Original packaging: *20/240*







EN 149:2001 + A1:2009

RESPIRATOR FFP3 S VENTILOM/
RESPIRATOR FFP3 WITH VALVE

23306

Opis: respirator FFP3 NR D s ventilom
Karakteristike: oblik školjka, elastična vezica
Spoljnji i unutarnji sloj: polipropilen
Vezica: pritezanje pomoću sintetičke gume
Klip za nos: aluminij
Težina: 12 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 5/60

Description: *FFP3 NR D respirator with valve*
Features: *shell shape, elastic band*
Outer and inner layer: *polypropylene*
Tie: *ightening with synthetic rubber*
Nose clip: *aluminum*
Weight: *12 g*
Standard: *EN 149:2001 + A1:2009*
Original packaging: *5/60*







EN 149:2001 + A1:2009



BLS4100next



POLUMASKA OD TERMOPLASTIKE SA DVA FILTERA (A1P2R D)/
THERMOPLASTIC HALF MASK FOR TWO FILTERS

BLS8100NEXT

Opis: višekratna polumaska s dva filtera (A1P2R D)
Zaptivka: termoplastični elastomer (TPE)
Sigurnosno kopčanje: poliester (PES) i guma
Ventil: silikonski
Kućište: polipropilen (PP) + akrilonitril butadien stiren (ABS)
Težina: 324 g
Standard: EN 405: 2001 + A1: 2009
Originalno pakovanje: 1/10
KOMPATIBILNA S FILTRIMA SERIJE 200

Description: *reusable half mask with two filters (A1P2R D)*
Seal: *thermoplastic elastomer (TPE)*
Safety fastening: *polyester (PES) and tire*
Valve: *silicone*
Housing: *polypropylene (PP) + acrylonitrile butadiene styrene (ABS)*
Weight: *324 g*
Standard: *EN 405: 2001 + A1: 2009*
Original packaging: *1/10*
COMPATIBLE WITH FILTERS SERIES 200



MADE IN EUROPE



CE **EN 405:2001+A1:2009**

POLUMASKA OD TERMOPLASTIKE ZA JEDAN FILTER/
THERMOPLASTIC HALF MASK FOR ONE FILTER

BLS1000

Opis: višekratna polumaska za jedan filter
Zaptivka: termoplastični elastomer (TPE)
Držač filtera: ABS
Držač ventila: poliamid (PA)
Sigurnosno kopčanje: elastična vezica
Težina: 126 g
Veličina: univerzalna
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 1/8
KOMPATIBILNA S FILTRIMA SERIJE 200

Description: *multiple half mask for one filter*
Gasket: *thermoplastic elastomer (TPE)*
Filter holder: *ABS*
Valve holder: *polyamide (PA)*
Safety buckle: *elastic strap*
Weight: *126 g*
Size: *universal*
Standard: *EN 149:2001 + A1:2009*
Original packaging: *1/8*
COMPATIBLE WITH 200 SERIES FILTERS



MADE IN EUROPE



CE **EN 140:1998**

POLUMASKA OD TERMOPLASTIKE ZA DVA FILTERA/
THERMOPLASTIC HALF MASK FOR TWO FILTERS

BLS4000NEXTR

Opis: višekratna polumaska s dva filtera i dvije točke kopčanja
Zaptivka: termoplastični elastomer (TPE)
Kućište: polipropilen (PE)
Sigurnosno kopčanje: poliester (PES) i guma
Ventil: silikonski
Težina: S-M = 96 g, M-L = 102g
Veličina: S-M / M-L
Standard: EN140:1998
Originalno pakovanje: 1/8
KOMPATIBILNA S FILTRIMA SERIJE 200

Description: *reusable half mask with two filters and two fastening points*
Gasket: *thermoplastic elastomer (TPE)*
Housing: *polypropylene (PE)*
Safety clasp: *polyester (PES) and rubber*
Valve: *silicone*
Weight: *S-M = 96 g, M-L = 102 g*
Size: *S-M / M-L*
Standard: *EN140:1998*
Original packaging: *1/8*
COMPATIBLE WITH 200 SERIES FILTERS



MADE IN EUROPE



CE **EN 140:1998**

POLUMASKA OD SILIKONA ZA DVA FILTERA/
SILICONE HALF MASK FOR TWO FILTERS

BLS4000NEXTS

Opis: višekratna polumaska s dva filtera i dvije točke kopčanja
Zaptivka: silikon
Kućište: polipropilen (PE)
Sigurnosno kopčanje: poliester (PES) i guma
Ventil: silikonski
Težina: S-M = 109 g, M-L = 114 g
Veličina: S-M / M-L
Standard: EN140:1998
Originalno pakovanje: 1/8
KOMPATIBILNA S BAYONET FILTRIMA SERIJE 200

Description: *reusable half mask with two filters and two fastening points*
Gasket: *silicone*
Housing: *polypropylene (PE)*
Safety clasp: *polyester (PES) and rubber*
Valve: *silicone*
Weight: *S-M = 109 g, M-L = 114 g*
Size: *S-M / M-L*
Standard: *EN140:1998*
Original packaging: *1/8*
COMPATIBLE WITH BAYONET FILTERS SERIES 200



MADE IN EUROPE



CE EN 140:1998

KOMPLET POLUMASKA S FILTERIMA (4000S+301+211)/
HALF MASK SET WITH FILTERS

BLS4100NEXT

Opis: polumaska sa dva filtera A2 i predfilterima P2 NR, komplet za upotrebu odmah
Materijal: nosni dio: od silikona i termoplastičnog elastomera, držači filtera od poliamida, ostali dijelovi polumaske su od polipropilena
Svojstva: ergonomski dijelovi sastoje se od naslona za glavu koji je prilagodljiv za korisnika
Polumaska: obuhvaća frontalni izdisajni ventil i dva bočna udisajna ventila koji su opremljeni sa specijalnom bajonet vezom
Težina: 126 g
Veličina: S-M/ M-L
Norma: EN 140, EN 14387
Originalno pakovanje: 1/8
KOMPATIBILNA S FILTRIMA SERIJE 400

Description: *half mask with two filters A2 and pre-filters P2 NR, set for immediate use*
Material: *nose part: made of silicone and thermoplastic elastomer, filter holders made of polyamide, other parts of the half mask are made of polypropylene*
Features: *ergonomic parts consist of a user-friendly headrest*
Half mask: *includes a front exhalation valve and two side inhalation valves equipped with a special bayonet connection*
Weight: *126 g*
Standard: *EN140:1998*
Original packaging: *1/8*



MADE IN EUROPE



CE EN 140, EN 14387

POLUMASKA OD SILIKONA ZA JEDAN FILTER/
SILICONE HALF MASK FOR ONE FILTER


BLSSGE46

Opis: višekratna polumaska s jednim filterom
Zaptivka: silikonska guma sa direktno spojenim vezicama od poliestera i obložene gume
Veličina: univerzalna, ergonomski prilagodljiva za svakog korisnika
Navoj: standardni navoj od polyamida (PA) (EN 148-1)
Ventil: dva izdišna ventila, kompatibilni svi ventili serije 400
Težina: 150 g
Standard: EN 149:2001+A1:2009
Originalno pakovanje: 1/8
KOMPATIBILNA S FILTRIMA SERIJE 400

Description: *multiple half mask with one filter*
Seal: *silicone rubber with directly connected ties made of polyester and coated rubber*
Size: *universal, ergonomically adjustable for each user*
Thread: *standard polyamide thread (PA), (EN 148-1)*
Valve: *two exhaust valves, all 400 series valves compatible*
Weight: *150 g*
Standard: *EN140:1998*
Original packaging: *1/1*



MADE IN EUROPE



CE EN 140:1998

MASKA OD TERMOPLASTIKE ZA DVA FILTERA/
THERMOPLASTIC MASK FOR TWO FILTERS

BLS5600

Opis: puna višekratna maska s dva filtera i bayonet povezivanjem
Zaptivka: termoplastični elastomer (TPE)
Navoj: bayonet povezivanjem
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotina i zamagljivanja
Ventil: kompatibilni svi ventili serije 200
Unutrašnjost: unutarnja usno - nosna silikonska guma
Težina: 570 g
Veličina: M
Standard: EN 136
Originalno pakovanje: 1/4 KOMPATIBILNA SA FILTERIMA SERIJE 200

Description: *full reusable mask with two filters and bayonet connection*
Sealant: *thermoplastic elastomer (TPE)*
Thread: *bayonet by connecting*
Visor: *panoramic visor class 1 (EN 166) made of polycarbonate (PC) + vitrification with protection against scratches and fogging*
Valve: *all 200 series valves compatible*
Inside: *inner lip - nose silicone rubber*
Weight: *570 g*
Size: *M*
Standard: *EN136:1998*
Original packaging: *1/4 COMPATIBLE WITH 200 SERIES FILTERS*



MADE IN EUROPE

CE **EN 136:1998**

MASKA OD SILIKONA ZA DVA FILTERA/
SILICONE MASK FOR TWO FILTERS

BLS5700

Opis: puna višekratna maska s dva filtera i bayonet povezivanjem
Zaptivka: silikon
Navoj: bayonet povezivanjem
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotina i zamagljivanja
Ventil: kompatibilni svi ventili serije 200
Unutrašnjost: unutarnja usno - nosna silikonska guma
Težina: 580 g
Veličine: S, M, L
Standard: EN 136
Originalno pakovanje: 1/4 KOMPATIBILNA SA FILTERIMA SERIJE 200

Description: *full reusable mask with two filters and bayonet connection*
Gasket: *silicone*
Thread: *bayonet by connecting*
Visor: *panoramic visor class 1 (EN 166) made of polycarbonate (PC) + vitrification with protection against scratches and fogging*
Valve: *all 200 series valves compatible*
Inside: *inner lip - nose silicone rubber*
Weight: *580 g*
Size: *S,M,L*
Standard: *EN136:1998*
Original packaging: *1/4 COMPATIBLE WITH 200 SERIES FILTERS*



MADE IN EUROPE

CE **EN 136:1998**

MASKA OD TERMOPLASTIKE ZA JEDAN FILTER/
THERMOPLASTIC MASK FOR ONE FILTER

BLS5150

Opis: puna višekratna maska s jednim filterom, fiksirana sa 6 quick release EPDM točaka
Zaptivka: termoplastični elastomer (TPE)
Navoj: standardni navoj od polyamida (PA), (EN 148-1)
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotina i zamagljivanja
Ventil: kompatibilni svi ventili serije 400
Unutrašnjost: unutarnja usno - nosna silikonska guma
Težina: 530 g
Veličina: M
Standard: EN 136
Originalno pakovanje: 1/4 KOMPATIBILNA SA FILTERIMA SERIJE 400

Description: *full reusable mask with one filter*
Sealant: *synthetic rubber (EPDM)*
Gasket: *synthetic rubber (EPDM)*
Thread: *standard polyamide (PA) thread, (EN 148-1)*
Visor: *polycarbonate anti-fog safety glass laminated with EVA antifragmentation which gives strong resistance to chemicals and cracking*
Filter holder: *acrylonitrile butadiene styrene (ABS)*
Valve: *all 400 series valves compatible*
Weight: *530 g*
Size: *S,M, L*
Standard: *EN136:1998*
Original packaging: *1/4 COMPATIBLE WITH 400 SERIES FILTERS*



MADE IN EUROPE

CE **EN 136:1998**

MASKA OD SILIKONA ZA JEDAN FILTER/
SILICONE MASK FOR ONE FILTER

BLS5400

Opis: puna višekratna maska s jednim filterom, fiksirana sa 6 quick release EPDM točaka
Zaptivka: silikon
Navoj: standardni navoj od polyamida (PA), (EN 148-1)
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotina i zamagljivanja
Ventil: kompatibilni svi ventili serije 400
Unutrašnjost: unutarnja usno-nosna silikonska guma
Težina: 540 g
Veličine: S, M, L
Standard: EN 136:1998
Originalno pakovanje: 1/4
KOMPATIBILNA SA FILTERIMA SERIJE 400

Description: *full reusable mask with one filter, fixed with 6 quick release EPDM points*
Gasket: *silicone*
Thread: *standard polyamide thread (PA), (EN 148-1)*
Visor: *panoramic visor class 1 (EN 166) made of polycarbonate (PC) + vitrification with protection against scratches and fogging*
Valve: *all 400 series valves compatible*
Inside: *inner lip-nose silicone rubber*
Weight: *540 g*
Size: *S,M,L*
Standard: *EN136:1998;*
Original packaging: *1/4*
COMPATIBLE WITH SERIES 400 FILTERS



MADE IN EUROPE

CE EN 136:1998

MASKA OD TERMOPLASTIKE ZA JEDAN FILTER/
THERMOPLASTIC MASK FOR ONE FILTER

BLS 2150

Opis: kompaktna višekratna maska s jednim filterom, klasa 2
Zaptivka: termoplastična guma
Navoj: standardi navoj (EN 148-1)
Vizir: polikarbonat protiv zamagljivanja
Ventil: kompatibilni svi ventili iz serije 400
Standard: EN 136:1998
Originalno pakovanje: 1/4
KOMPATIBILNA SA FILTERIMA SERIJE 400

Description: *compact reusable mask with with one filter, class 2*
Seal: *thermoplastic rubber*
Thread: *standard thread (EN 148-1)*
Visor: *polycarbonate against blurring*
Valve: *compatible with all valves from the series 400*
Standard: *EN 136:1998*
Original packaging: *1/4*
COMPATIBLE WITH FILTERS SERIES 400



MADE IN EUROPE

CE EN 136:1998

MASKA OD TERMOPLASTIKE ZA JEDAN FILTER/
THERMOPLASTIC MASK FOR ONE FILTER

BLS3150

Opis: višekratna maska s jednim filterom, klasa 3
Zaptivka: sintetička guma (EPDM)
Navoj: standardi navoj (EN 148-1)
Vizir: polikarbonat , protiv zamagljivanja
Ventil: kompatibilni svi ventili iz serije 400
Težina: 510 g
Standard: EN 136:1998
Originalno pakovanje: 1/4
KOMPATIBILNA SA FILTERIMA SERIJE 400

Description: *full reusable mask with one filter*
Sealant: *synthetic rubber (EPDM)*
Gasket: *synthetic rubber (EPDM)*
Thread: *standard polyamide (PA) thread, (EN 148-1)*
Visor: *polycarbonate anti-fog safety glass laminated with EVA antifragmentation which gives strong resistance to chemicals and cracking*
Filter holder: *acrylonitrile butadiene styrene (ABS)*
Valve: *all 400 series valves compatible*
Weight: *510 g*
Standard: *EN136:1998*
Original packaging: *1/4*
COMPATIBLE WITH 400 SERIES FILTERS



MADE IN EUROPE

CE EN 136:1998

BLS2150



ZAŠTITNA FOLIJA ZA MASKU/
PROTECTIVE FOIL FOR MASK

BLSK16 **BLSK19**

Opis: Zaštitni film (folija) u acetatu za masku za lice
Primena: kod industrijskog bojenja i u prisutnostiemijskih prskanja, dodatno štiti vizir i produžuje vijek trajanja vizira
Originalno pakovanje: 5/1

* BLSK16 - folija za masku serije 3000
* BLSK19 - folija za masku serije 5000

Description: *Protective film (foil) in acetate for face mask*
Application: *in industrial painting and in the presence of chemical sprays, additionally protects the visor and prolongs the life of the visor*
Original packaging: *1/1*

** BLSK16 - mask foil series 3000*
** BLSK19 - foil for face mask series 5000*



MADE IN EUROPE

CE

PREDFILTER SERIJE 301 I FILTER SERIJE 201-3/
PREFILTER SERIES 301 AND FILTER SERIES 201-3

KOMPATIBILNI SA:
***POLUMASKAMA SERIJE 4000 - BLS4000 NEXT S, BLS4000 NEXT R**
*** MASKAMA SERIJE 5000 - BLS5600, BLS5700, BLS1000**

COMPATIBLE WITH:
**** HALF MASKS SERIES 4000 - A BLS4000 NEXT S, BLS4000 NEXT R,***
**** MASKS SERIES 5000 - BLS5600, BLS5700, BLS1000***

MADE IN EUROPE





CE **EN 143:2000/A1:2006,**
EN 14387:2004 + A1:2008;

ŠIFRA/*CODE*	**NAZIV ARTIKLA**/*ARTICLE NAME*	**ZAŠTITA**/*PROTECTION*	**BOJA FILTERA**/*FILTER COLOUR*
BLS301	Predfilter P2 R/Prefiltar P2 R/	Prefiltra za prašinu namenjen za filtere serije 200/ *Dust prefilter for filtar series 200*	○
BLS201-3	Filter P3 R	Prašina/ *Dust*	○

FILTERI SERIJE 200/ FILTERS SERIES 200

KOMPATIBILNI SA:
***POLUMASKAMA SERIJE 4000 - BLS1000, BLS4000NEXTR, BLS4000NEXTS**
***MASKAMA SERIJE 5000 - BLS5600, BLS5700**

COMPATIBLE WITH:
**** HALF-MASK SERIES 4000 - BLS4000R, BLS4000 S, BLS1000, BLS4000NEKTR, BLS4000NEKC***
**** MASKS SERIES 5000 - BLS5600, BL***

MADE IN EUROPE



EN 143:2000/A1:2006,
EN 14387:2004 + A1:2008;

ŠIFRA/*CODE*	**NAZIV ARTIKLA**/*ARTICLE NAME*	**ZAŠTITA**/*PROTECTION*	**BOJA FILTERA**/*FILTER COLOUR*
BLS202	Filter P3 R	Prašina/*Dust*	○
BLS211	Filter A2	Organski gasovi i para, klasa 2/*Organic gases and vapors, class 2*	🟤
BLS212	Filter AX	Organski gasovi i para sa tačkom ključanja nižom od 65°C/*Inorganic gases, acid gases, organic gases and vapors with a boiling point above 65C*	🟤
BLS213	Filter ABE1	Anorganski gasovi, kiseli gasovi, organski gasovi i pare sa tačkom ključanja iznad 65°C/*Organic, inorganic and acid gases, vapors, ammonia and derivatives, class 1 and formaldehyde*	🟤⚫🟡
BLS214	Filter ABEK 1	Organski, anorganski i kiseli gasovi, para, amonijak i derivati, klasa 1 i formaldehid/*Organic, inorganic and acid gases, vapors, ammonia and derivatives, class 1 and formaldehyde*	🟤⚫🟡🟢
BLS221	Filter A2P3 R	Organski gasovi i para, klasa 2 i prašina/*Organic gases and vapors, class 2 and dust*	○🟤
BLS222	Filter ABEK1P3 R	"Organski, anorganski i kiseli gasovi i para i amonijak i derivati, klasa 1, prašine i formaldehida/*Organic, inorganic and acid gases and vapors and ammonia and derivatives, class 1, dust and formaldehyde*	🟤⚫🟡🟢○
BLS243	Filter ABEK2	Organski, anorganski i kiseli gasovi, para, amonijak i derivati, klasa 2 i formaldehid/*Organic, inorganic and acid gases and vapors and ammonia and derivatives, class 2, dust and formaldehyde*	🟤⚫🟡🟢
BLS254	Filter ABEK2HgP3	Anorganski gasovi, kiseli gasovi, amonijak i derivati, organski gasovi i pare sa tačkom ključanja iznad 65°C, čestice, magle, pare/*Organic, inorganic and acid gases and vapors and ammonia and derivatives, class 1, dust and formaldehyde*	🟤⚫🟡🟢○

* BLS254 je samo za maske za puno lice BLS5600, BLS5700 / BLS254 is only for full face masks BLS5600, BLS5700

FILTERI SERIJE 400/ FILTERS SERIES 400

KOMPATIBILNI SA:
***POLUMASKOM BLSSGE46**
***MASKAMA SERIJE 5000 I 3000 - BLS5150, BLS5400, BLS3150, BLS2150**

COMPATIBLE WITH:
**HALF MASK BLSSGE46*
**MASKS SERIES 5000 AND 3000 - BLS5150, BLS5400, BLS3150*

CE **EN 143:2000/A1:2006,**
EN 14387:2004 + A1:2008;

MADE IN EUROPE



ŠIFRA/*CODE*	**NAZIV ARTIKLA**/*ARTICLE NAME*	**ZAŠTITA**/*PROTECTION*	**BOJA FILTERA**/*FILTER COLOUR*
BLS401	Filter P3 R	Prašina/*Dust*	○
BLS411	Filter A2	Organski gasovi i para, klasa 2/*Organic gases and vapors, class 2*	●
BLS412	Filter AX	Organski gasovi i para sa tačkom ključanja nižom od 65°C/ *Organic gases and vapors with a boiling point below 65°C*	●
BLS413	Filter K2	Amonijak i derivati, klasa 2/*Ammonia and derivatives, class 2*	●
BLS414	Filter ABE2	Organski, anorgasnski i kiseli gasovi i pare, klasa 2/*Organic, inorganic and acid gases and vapors, class 2*	● ● ●
BLS415	Filter ABEK2	Organski, anorganski i kiseli gasovi i para i amonijak i derivati, klasa 2/ *Organic, inorganic and acid gases and steam and ammonia and derivatives, class 2*	● ● ● ●
BLS421	Filter A2P3 R	Organski gasovi, para, klasa 2 i prašina/*Organic gases, steam, class 2 and dust*	○ ●
BLS422	Filter AXP3 NR	Organski gasovi i para sa tačkom ključanja nižom od 65°C i prašina/ *Organic gases and vapors with a boiling point below 65° C and dust*	○ ●
BLS423	Filter ABE2P3 R	Organski, anorganski i kiseli gasovi i para, klasa i prašina/ *Organic, inorganic and acid gases and vapors, class and dust*	● ● ● ○
BLS424	Filter ABEK1P3 R	Organski, anorganski i kiseli gasovi i para, amonijak klasa 1 i toksična prašina/*Organic, inorganic and acid gases and vapors, ammonia class 1 and toxic dust*	● ● ● ● ○
BLS425	Filter ABEK2P3 R	Organski, anorganski i kiseli gasovi i para, amonijak klasa 2 i prašina/ *Organic, inorganic and acid gases and vapors, ammonia class 2 and dust*	● ● ● ● ○
BLS430	Filter ABEK2HgP3 R	Organski, anorganski i kiseli gasovi i para i amonijak i derivati, živa, klasa 2 i prašina/*Organic, inorganic and acid gases and vapors and ammonia and derivatives, mercury, class 2 and dust*	● ● ● ● ○ ●
BLS441	Filter ABEK2HgNOCOP3 R	Živine pare, anorganski gasovi, kiseli gasovi, amonijak i derivati, organski gasovi i pare sa tačkom ključanja iznad 65°C, čestice, magle, pare, ugljični oksid, nitrozni gasovi/*Organic, inorganic, acid gases and vapors, ammonia and derivatives, mercury vapor, sulfur dioxide, nitrous gases, carbon monoxide, and dust*	● ● ● ● ○ ● ● ●
BLS442	Filter Reaktor A2P3 R D	Reaktor - Radioaktivni jod (uključujući radioaktivni jodometan, organski gasovi i pare sa tačkom ključanja iznad 65°C, čestice, magle, pare/*Reactor - Radioactive iodine (including radioactive iodomethane, organic gases and vapors with a boiling point above 65C, particles, mists, vapors*	● ● ○

JEDNOKRATNI HIGIJENSKI PROIZVODI
DISPOSABLE HYGIENE PRODUCTS

LACUNA coverguard Tyvek

JEDNOKRATNI HIGIJENSKI PROIZVODI

Lacuna je razvila širok asortiman jednokratnih higijenskih proizvoda za upotrebu u svim granama industrije gde je potrebna kratkoročna i lagana zaštita tela. Naši artikli su pogodni za korišćenje u industriji, poljoprivredno-prehrambenoj industriji, ugostiteljstvu, hemijskoj industriji, farmaciji.

DISPOSABLE HYGIENE PRODUCTS

Lacuna has developed a wide range of disposable hygiene products for use in different industries where short-term and personal body protection is required.
Our products are suitable to use in industry, agriculture, food industry, catering, chemical industry, pharmacy.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check on LACUNA B2B*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*




JEDNOKRATNA ODEĆA

DISPOSABLE CLOTHING

VODIČ ZA MATERIJALE

Polietilen (PE)

Sintetički polimer i najčešći plastični materijal. Često se označava skraćenicom „PE“. Na osnovu raspodele molekulskih masa i nivoa grananja mogu se dobiti različite vrste polietilena sa različitim svojstvima i namenama:
• Polietilen male gustine (LDPE): ima više grana od HDPE-a, ovo je duktilniji i manje kruti materijal. Ima veliku fleksibilnost i veliku otpornost na udarce.
• Polietilen visoke gustine (HDPE): glavne karakteristike u poređenju sa polietilenom niske gustine su velika krutost i tvrdoća, kao i veća otpornost na toplotu.
Ovaj materijal ima vrhunska izolaciona svojstva hemijske stabilnosti. To je vrlo svestran materijal i jedna je od najjeftinijih plastika.



Hlorisani polietilen (CPE)

Hlorisani polietilen proizvodi se preradom polietilena visoke gustine, iskorištavajući svojstva hlorida. CPE je poseban plastični materijal sa dobrim svojstvima starenja i otpornosti.



Polipropilen (PP ili SPP) (spunbond/produvani polipropilen)

Polipropilen je termoplastična smola koja je rezultat polimerizacije propilena. Lanci u ovom polimeru su potpuno produženi i poređani jedan blizu drugog na istoj osi. Tehnikom produvavanja se dobije netkani materijal sa karakteristikama velike fleksibilnosti, čvrstih vlakana i prozračenosti.



Polipropilen (SMS) - MELT BLOWN (RASTOPLJEN) i SPUNBOND (PRODUVAN) polipropilen

Ovo je posebna netkana tkanina koja se sastoji od tri različita sloja polipropilena (Spunbond + Meltblown + Spunbond/Rasto- pljen + Produvan + Rastopljen). SMS tkivo ima vrhunska svojstva mehaničke otpornosti, zajedno sa efikasnom sposobnošću prozračnosti i mikrobiološkom otpornošću na prodiranje čestica i prskanja.
U kombinaciji sa aditivima, omogućuje i rasipanje površinskih elektrostatičkih naboja.



Tkani materijali - laminirani, mikroporozni

Polipropilen je termoplastična smola koja je rezultat polimerizacije propilena. Lanci u ovom polimeru potpuno su produženi i poredani jedan blizu drugog na istoj osi.
Tehnikom produvavanja se dobije netkani materijal sa karakteristikama velike fleksibilnosti, čvrstih vlakana i prozračnosti.



DUPONT TYVEK

Dupont Tyvek je netkani materijal proizveden eksluzivno od brenda DuPont. Vrlo je otporan na kidanje, lagan je i mekan. Propušta vazduh i vodenu paru, ali istovremeno odbija tečnosti na bazi vode i aerosola. Pruža odličnu zaštitu od sitnih čestica. Ima antistatička svojstva.



MATERIALS GUIDE

Polyethylene (PE)

Polyethylene is a thermoplastic resin. It is the simplest synthetic polymer and the most common plastic material. It is often abbreviated to "PE". Based on the distribution of molecular weights and levels branching we can obtain different types od polyethylene with different properties and purposes:
• Low density polyethylene (LDPE): it has more branches than HDPE, which is a more ductile and less rigid material. It has a lot of flexibility and is highly shock-resistant.
• High Density Polyethylene (HDPE): Main properties compared to low density polyethylene is high stiffness, hardness and heatresistance. This material has excellent insulating properties of chemical stability. It is very versatile material and is one of the cheapest plastics.

Chlorinated Polyethylene (CPE)

Chlorinated polyethylene is produced by processing high-density polyethylene, taking advantage of the properties of the chloride. CPE is a special plastic material with good properties and resistance to wearing.

Polypropylene (PP or SPP) (spunbond/blown polypropylene)

Polypropylene is a thermoplastic resin that results from the polymerization of propylene. The chains in this polymer are fully extended and aligned close to each other on the same axis. The blowing technique produces a non-woven material with the characteristics of high flexibility, strong fibers and permeability.

Polypropylene (SMS) - MELT BLOWN and SPUNBOND polypropylene

It is a special non-woven fabric made up of three different layers of polypropylene (Spunbond + Meltblown + Spunbond). SMS tissue has excellent mechanical resistance properties, along with effective permeability and microbiological resistance to particle penetration and sputtering.
In combination with additives, it also enables the discharge of surface electrostatic charges.

Tkani materiali - laminirani, mikroporozni

Polypropylene is a thermoplastic resin that results from the polymerization of propylene. The chains in this polymer are fully extended and aligned close to each other on the same axis. The blowing technique produces a non-woven material with the characteristics of high flexibility, strong fibers and permeability.

DUPONT TYVEK

Dupont Tyvek is a non-woven material produced exclusively by the DuPont brand. It is very resistant to tearing, it is very light and soft. It lets in air and water vapor, while repelling water-based liquids and aerosols. Provides excellent protection against fine particles. It has antistatic properties.

LEGENDA:

Bazne čestice prašine/*Dust base particles*



Kontaminirana prašina/*Contaminated dust*



Tečnosti i aerosoli/Liquids and aerosols



Isparavanje vode/Water evaporation



STANDARDI/ STANDARDS

CAT III	Kategorija III	*Category III*
EN13034 TYPE 6	Odeća za zaštitu od tečnih kemijskih proizvoda (prskanja)	*Protective clothing against liquid chemical products (spraying)*
EN13982-1 TYPE 5	Odeća za zaštitu od krutih kemijskih čestica	*Clothing for protection against solid chemical particles*
EN14605 TYPE 4	Odeća za zaštitu od hemikalija sa spojnim elementima otpornim na raspršivanje	*Protective clothing against chemicals s with spray-resistant compounds*
EN14605 TYPE 3	Odeća za zaštitu od hemikalija sa spojnim elementima otpornim na tečnost	*Clothing for protection against chemicals with liquid-resistant compounds*
EN943 TYPE 2	Odeća za zaštitu od hemikalija sa spojnim elementima otpornim na tečnost, krute čestice i plinovite hemikalije	*Clothing for protection against chemicals with liquid-resistant elements, solid particles and gaseous chemicals*
EN943 TYPE 1	Kombinezoni otporni na gasove	*Gas resistant coverall*
EN1149-5	Odeća za zaštitu sa elektrostatičnim svojstvima	*Protective clothing with electrostatic properties*
EN14126	Odeća za zaštitu od infektivnih materija	*Clothing for protection against infectious substances*
EN13073-2	Odeća za zaštitu od zagađenja radioaktivnim česticama	*Protective clothing against polluting radioactive particles*
EN14116	Odeća za zaštitu od ograničenog plamena	*Clothing with limited fire protection*


TIPOVI KOMBINEZONA / TYPES OF COVERALLS

Postoji šest tipova kombinezona koji pružaju zaštitu od kemijskih rizika.

There are six types of coveralls that provide protection against chemical risks



Nepropusno za gasove	*Impermeable to gases*
Ograničena nepro-pusnost za gasove	*Limited gas permeability*
Nepropusno za tečnosti	*Impermeable to liquids*
Nepropusno za čestice	*Impermeable to particles*
Zaštita od teških kemijskih čestica (single use odeća)	*Protection against heavy chemical particles (single use clothing)*
Zaštita od tečnih kemijskih proizvoda (mrlja i prskanja)	*Protection against liquid chemical products (stains and spraying)*



JEDNOKRATNI KOMBINEZON PALLAS
DISPOSABLE COVERALL PALLAS

2PALWH

Opis: jednokratni kombinezon PALLAS beli
Materijal: mikroporozni film, 65 gsm
Karakteristike: prozračan materijal; kapuljača; elastičan struk, manžetne i završeci nogavica za veću udobnost i bolje prijanjanje; zatvaranje na rajsferšlus
Originalno pakovanje: 1/50

Description: *PALLAS white disposable coverall*
Material: *microporous film, 65 gsm*
Features: *breathable material; hood; elastic waist, cuffs and leg openings for greater comfort and a better fit; zipper closure*
Original packaging: *1/50*

LACUNA

NOVO *NEW*



CE

EN 13034:2005 +A1:2009 TYPE 6

EN 13982-1:2004 +A1:2010 TYPE 5

EN 14126:2003

EN 1073-2:2002

EN 1149-5:2008

CAT III

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
BIJELA/*WHITE*	2PALWHS	2PALWHM	2PALWHL	2PALWHXL	2PALWHXXL	2PALWHXXXL



JEDNOKRATNI KOMBINEZON ARLE
DISPOSABLE COVERALLS ARLE

2ARLWH

Opis: jednokratni kombinezon ARLE beli i plavi
Materijal: polipropilen, 30 g/m²
Karakteristike: kapuljača s elastičnim pritezanjem, zatvaranje na patent zatvarač, rukavi i nogavice s elastičnim pritezanjem
Originalno pakovanje: 1/50

Description: *ARLE disposable coveralls, white and blue*
Material: *polypropylene, 30 g/m²*
Features: *hood with elastic tightening, zipper fastening, elasticated sleeves and ankle tightening*
Original packaging: *1/50*



LACUNA



CE EN ISO 13688

VELIČINA/*SIZE*	M	L	XL	XXL	XXXL
BELA/*WHITE*	2ARLWHM	2ARLWHL	2ARLWHXL	2ARLWHXXL	2ARLWHXXXL

TYVEK CLASSIC XPERT KOMBINEZON S KAPULJAČOM
TYVEK CLASSIC XPERT OVERALL WITH HOOD

40501 **40502** **40503** **40504** **40505** **40506**

Opis: jednokratni kombinezon TYVEK beli
Sirovinski sastav: TYVEK
Karakteristike: kapuljača s elastičnim pritezanjem
Zatvaranje na patent zatvarač
Rukavi i nogavice s elastičnim pritezanjem
Originalno pakovanje: 1/100

Description: *disposable overalls TYVEK white*
Raw material composition: *TYVEK*
Features: *hood with elastic tightening, zipper closure, sleeves and stockings with elastic tightening*
Original packaging: *1/100*



Tyvek

CE

EN 13034:2005 +A1:2009 TYPE 6

EN 13982-1:2004 +A1:2010 TYPE 5



EN 14126:2003 EN 1073-2:2002 EN 1149-5:2008 CAT III

VELIČINA/*SIZE*	S	M	L	XL	XXL	XXXL
BELA/*WHITE*	40501	40502	40503	40504	40505	40506


JEDNOKRATNI RADNI MANTIL ARI
DISPOSABLE LAB GOWN ARI

2ARIWH

Opis: jednokratni radni mantil ARI bela
Materijal: polipropilen, 25 g/m²
Karakteristike: klasični ovratnik, bez džepova, zatvaranje na drukere
Originalno pakovanje: 1/50

Description: *ARI disposable lab gown white*
Material: *polypropylene, 25 g/m²*
Features: *classic collar, no pockets, pressbuttons closing*
Original packaging: *1/50*





LACUNA

CE EN 13688

VELIČINA/*SIZE*	M	L	XL	XXL
BELA/*WHITE*	2ARIWHM	2ARIWHL	2ARIWHXL	2ARIWHXXL

JEDNOKRATNI RADNI MANTIL EZRA
DISPOSABLE LAB GOWN EZRA

2EZRWH

Opis: jednokratni radni mantil EZRA bela
Materijal: polipropilen, 25 g/m²
Karakteristike: mao ovratnik, bez džepova, zatvaranje na čičak
Originalno pakovanje: 1/50

Description: *EZRA disposable lab gown white*
Material: *polypropylene, 25 g/m²*
Features: *russian collar, no pockets, velcro straps closing*
Original packaging: *1/50*





LACUNA

CE EN 13688

VELIČINA/*SIZE*	M	L	XL	XXL
BELA/*WHITE*	2EZRWHM	2EZRWHL	2EZRWHXL	2EZRWHXXL


JEDNOKRATNA KECELJA ZOE
DISPOSABLE APRON ZOE

2ZOEWH/2ZOENY

Opis: jednokratna kecelja ZOE
Materijal: polietilen
Karakteristike: univerzalna veličina
Dimenzija: 120 x 70 cm
Boja: 2ZOEWH- BELA, 2ZOENY-plava
Originalno pakovanje: paket sa 100 komada, u kutiji 10 paketa

Description: *ZOE disposable apron*
Material: *polyethilene*
Features: *universal size*
Dimensions: *120 x 70 cm*
Color: *2ZOEWH- white, 2ZOENY-blue*
Original packaging: *package with 100 pieces, 10 packages in a box*





LACUNA

JEDNOKRATNI MANTIL ZA POSETIOCE
DISPOSABLE TOPCOAT FOR VISITORS


41214

Opis: jednokratna kuta za posetioce bela
Materijal: polietilen, 20 mikrona
Karakteristike: klasični ovratnik, bez džepova, zatvaranje na drukere
Originalno pakovanje: paket sa 100 kuta, u kutiji 4 paketa

Description: *disposable topcoat for visitors white*
Material: *polyethylene, 20 microns*
Features: *classic collar, without pockets, closing with pressbuttons*
Original packaging: *package with 100 topcoats, 4 packages in box*



coverguard



CE EN 13688

JEDNOKRATNI KOMPLET ZA POSETIOCE
DISPOSABLE VISITORS KIT

41300

Opis: Opis: jednokratni komplet za posetioce
Materijal: polietilen, polipropilen, papir
Komplet za posetioce uključuje:
Jednokratna kuta za posetioce
Jednoslojna papirna maska
Jednokratna kapa
Navlake za cipele
Originalno pakovanje: paket sa 100 kompleta, u kutiji 4 paketa

Description: *disposable set for visitors*
Material: *polyethylene, polypropylene, paper*
The visitor kit includes:
Disposable topcoat for visitors
Single layer paper mask
Disposable cap
Shoe covers
Original packaging: *package with 100 sets, 4 packages in a box*

coverguard





POLIURETANSKA KECELJA
POLYURETHANE APRON

56200

Opis: poliuretanska kecelja bela
Materijal: poliuretan sa PVC-om
Karakteristike: otporna na ulje
Dimenzija: 120 x 90 cm
Originalno pakovanje: 1/25

Description: *polyurethane apron white*
Material: *polyurethane with PVC*
Features: *oil resistant*
Dimensions: *120 x 90 cm*
Original packaging: *1/25*





PVC KECELJA VERT/BLANC
PVC APRON VERT/BLANC

5VER75*110
5BLA75*110

5VER90*120
5BLA90*120

Opis: PVC kecelja dimenzija 75 x 110 i 90 x 120 cm
Materijal: poliester sa dvostrukim PVC premazom
Karakteristike: vezica za pritezanje
Originalno pakovanje: 1/50

Description: *PVC apron, dimensions 75 x 110 and 90 x 120 cm*
Material: *PVC double coated polyester*
Features: *tightening strap*
Original packaging: *1/50*





DIMENZIJA/ DIMENSIONS	75x110	90x120
BELA/*WHITE*	5BLA75*110	5BLA90*120
ZELENA/*GREEN*	5VER75*110	5VER90*120

JEDNOKRATNE MANŽETNE CALI
DISPOSABLE OVERSLEEVE CALI

2CALWH/ 2CALNY

Opis: jednokratne manžetne CALI
Materijal: polietilen
Karakteristike: univerzalna veličina
Dimenzija: 40 x 20 cm
Boja: 2CALWH-BELA, 2CALNY-plava
Originalno pakovanje: 100 kom u paketu, 20 paketa u kutiji

Description: *CALI disposable oversleeve*
Material: *polyethylene*
Features: *universal size*
Dimension: *40 x 20 cm*
Color: *2CALWH- white, 2CALNY-blue*
Original packaging: *package with 100 pieces, 20 packages in a box*

LACUNA







CE EN 13688

JEDNOKRATNE MANŽETNE MYLA
DISPOSABLE OVERSLEEVE MYLA

2MYLWH

Opis: jednokratne manžetne MYLA
Materijal: polipropilen
Karakteristike: univerzalna veličina
Dimenzija: 40 x 20 cm
Originalno pakovanje: 100 kom u paketu, 10 paketa u kutiji

Description: *MYLA disposable oversleever*
Material: *polypropylene*
Features: *universal size*
Dimension: *40 x 20 cm*
Original packaging: *100 pieces in a package, 10 packages in a box*

LACUNA





JEDNOKRATNE MANŽETNE TYVEK
DISPOSABLE CUFFS TYVEK

45340

Opis: jednokratne manžetne TYVEK
Materijal: TYVEK PRO-TECH
Karakteristike: univerzalna veličina
Dimenzija: dužina 40 cm
Originalno pakovanje: 100 pari u kutiji

Description: *TYVEK disposable cuffs*
Material: *TYVEK PRO-TECH*
Features: *universal size*
Measure: *length 40 cm*
Original packaging: *100 pairs in a box*







JEDNOKRATNE MANŽETNE PU
DISPOSABLE CUFFS PU

45350

Opis: jednokratne manžetne PU
Materijal: PVC sa premazom od poliuretana
Karakteristike: elastična traka na krajevima, 350 g/m²; otporna na ulje
Dimenzija: dužina 40 cm
Originalno pakovanje: 50 pari u kutiji

Description: *disposable cuffs PU*
Material: *PVC with polyurethane coating*
Features: *elastic band at the ends,, 350 g/m², oil resistant*
Measure: *length 40 cm*
Original packaging: *50 pairs in a box*





JEDNOKRATNA KAPA NORA
DISPOSABLE CAP NORA

2NORWH
2NORNY

Opis: jednokratna kapa NORA
Materijal: polipropilen
Karakteristike: bouffant model, univerzalna veličina
Boja: 2NORWH - bela, 2NORNY - plava
Originalno pakovanje: 100 kom u paketu, 10 paketa u kutiji

Description: *NORA disposable cap*
Material: *polypropylene*
Features: *bouffant model, universal size*
Color: *2NORWH - white, 2NORNY - blue*
Original packaging: *100 pieces in a package, 10 packages in a box*







LACUNA

JEDNOKRATNA KAPA GRACE
DISPOSABLE CAP GRACE

2GRAWH
2GRANY

Opis: jednokratna kapa GRACE
Materijal: polipropilen
Karakteristike: clip cap/harmonika model, univerzalna veličina
Boja: 2GRAWH - bela, 2GRANY - plava
Originalno pakovanje: 100 kom u paketu, 10 paketa u kutiji

Description: *GRACE disposable cap*
Material: *polypropylene*
Features*: clip cap model, universal size*
Color: 2GRAWH - white, 2GRANY - blue
Original packaging*: 100 pieces in a package, 10 packages in a box*







LACUNA

JEDNOKRATNA MASKA XARA TROSLOJNA
DISPOSABLE FACE MASK XARA 3-PLY

2XARA

Opis: jednokratna maska XARA troslojna plava, (2XARAGR - zelena, 2XARABK - crna, 2XARAOR - narančasta i 2XARAWH - bela u dolasku)
Materijal: polipropilen
Karakteristike: univerzalna veličina; elastične vezice
Standard: EN 14683:2019, Medicinski proizvod Klasa 1, TIP IIR
Originalno pakovanje: 50 kom u paketu, 40 paketa u kutiji

Description: *disposable mask XARA three-layer blue, (2XARAGR - green, 2XARABK - black, 2XARAOR - orange and 2XARAWH - white in arrival)*
Material: *polypropylene*
Features: *universal size; elastic ties*
Standard: EN 14683: 2019, Medical device Class 1, TYPE IIR
Original packaging: *50 pcs in package, 40 package in box*







LACUNA

JEDNOKRATNE NAVLAKE ZA CIPELE KAIA
DISPOSABLE SHOE COVERS KAIA

2KAINY

Opis: jednokratne navlake za cipele KAIA
Materijal: polietilen
Karakteristike: univerzalna veličina
Dimenzija: 42 x 15 cm
Originalno pakovanje: 100 kom u paketu, 20 paketa u kutiji

Description: *KAIA disposable shoe covers*
Material: *polyethilene*
Features: *universal size*
Measure: *42 x 15 cm*
Original packaging: *100 pieces in a package, 20 packages in a box*

LACUNA



JEDNOKRATNE NAVLAKE ZA CIPELE REMY
DISPOSABLE SHOE COVERS REMY

2REMNY

Opis: jednokratne navlake za cipele REMY
Materijal: polypropilen
Karakteristike: univerzalna veličina, protivklizne
Dimenzija: 42 x 15 cm
Originalno pakovanje: 100 kom u paketu, 10 paketa u kutiji

Description: *REMY disposable shoe covers*
Material: *polypropylene*
Features: *universal size, anti-slip*
Measure: *42 x 15 cm*
Original packaging: *100 pieces in a package, 10 packages in a box*

LACUNA



HIGIJENA
HYGIENE

plum

HIGIJENA

Manje i veće nezgode se svaki dan događaju. Uz pomoć širokog asortimana PLUM proizvoda za prvu pomoć jednostavno možete izabrati proizvode koju su vam potrebni na radnom mestu. LACUNA i PLUM nude vam visokokvalitetne proizvode za prvu pomoć kao što su flasteri, sredstva za ispiranje očiju, te sredstva za higijenu ruku i negu kože.

HYGIENE

Minor and major accidents happen every day. With the aid of PLUM's wide range of first aid products can be easily chosen according your needs at work place. LACUNA and PLUM offer you high quality first aid products such as patches, eye washes and hand hygiene and skin care products.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check on LACUNA B2B*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*



PLUM

Na osnovu višegodišnjeg iskustva firme Plum te njihovih efikasnih i modernijih rešenja za održavanje higijene ruku na svim vrstama radnog mesta, odabrali smo proizvode koji nude izuzetan kvalitet i pouzdanost. Godine 1996. proizvodna paleta je proširena i na efikasna sredstva za ispiranje očiju, koja se koriste kao prva pomoć.
Proizvodni proces je smešten u Danskoj u potpuno novoj, modernoj fabrici koja obezbeđuje svetske standarde u proizvodnji ove grupe proizvoda. Distributivna mreža kompanije Plum u Evropskim okvirima je vrlo dobro razgranata, dok je u regiji Vaš partner firma Lacuna preuzela odgovornost za distribuciju i servis na području Hrvatske, Slovenije, BiH i Srbije.

LACUNA/PLUM partnerstvo pruža rešenja koja dopri nose sigurnoj i zdravoj radnoj atmosferi.

REŠENJA KOJA PRIDONOSE SIGURNOJ I ZDRAVOJ RADNOJ ATMOSFERI

HIGIJENA RUKU
Već skoro 40 godina, kompanija Plum proizvodi visokokvalitetne kreme za negu kože, sredstva za čišćenje ruku, sapune i farmaceutska rešenja. Najvažniji zadatak je izaći u susret potrebi za nežnim i efikasnim sredstvima za čišćenje i negu ruku, kako bi ruke ostale zdrave. Ovu vrstu proizvoda uspešno koriste trgovci kao i zaposleni u industriji.

SREDSTVO ZA ISPIRANJE OČIJU
Danas na tržištu možemo ponuditi najveću paletu sredstava za ispiranje očiju, kao sredstvo prve pomoći u slučaju nezgode. Sredstva firme Plum su efikasna, fleksibilna, higijenska i, što nije nevažno, jednostavna za rukovanje. Prilagođena su različitim radnim prilikama i potrebama. Treba ih imati blizu radnog mesta, naročito tamo gde nastupa rizik za zdravlje očiju jer brzo i efikasno ispiranje može ključno uticati na eventualne posledice.

PLUM PROGRAM ZA NEGU KOŽE
Manualni rad često je naporan za kožu – pranje vodom, sapunom, a naročito sredstvima za čišćenje ruku, takođe može oštetiti kožu. Ako želite sprečiti sušenje kože ili u najgorem slučaju, iritaciju kože – vrlo je važno održavati kožu čistom i zdravom.
Jedan od uslova koji omogućava održavanje čiste, zdrave kože jeste postojanje proizvoda koji su odgovarajući za Vaš posao.

ČIŠĆENJE KOŽE
Sredstvo za čišćenje kože mora biti nežno, ali i efikasno prilagođeno radnoj situaciji.

NEGA KOŽE
Zaštite svoju kožu korišćenjem kreme za regeneraciju pre, za vreme i nakon rada.

Ased on Plum's many years of experience and their efficient and modern hand hygiene solutions at all types of workplace we have selected products that offer exceptional quality and reliability. In 1996, we expanded our product range to include effective eye rinses.
The production process in Denmark is completely new, in a modern factory that ensures world standards in the production of this product group. Plum's distribution network in the European context is very well diversified, and in the region our partner's company Lacuna is working in Croatia, Slovenia, Bosnia and Herzegovina and Serbia and has taken responsibility for distribution to you.

The LACUNA / PLUM partnership offers solutions that contribute to a safe and healthy working atmosphere.

SOLUTIONS THAT CONTRIBUTE TO SAFETY AND HEALTH IN WORK ATMOSPHERE

HAND HYGIENE
Plum has been producing high quality skin care creams, hand cleaners, soaps and pharmaceutical solutions for almost 40 years. The most important task is to meet the need for gentle and effective cleansers and hand care to keep your hands healthy. This type of product is successfully used by both traders and industry employees.

RINSE-EYE
We can offer the top on the market today, products for rinsing the eyes as a first aid in case of accidents. PLUM's products are efficient, flexible, hygienic and easy to use. They are adapted to different work opportunities and needs, especially where there is a risk to eye health, and rapid and effective rinsing can have a key effect on the possible consequences.

PLUM SKIN CARE PROGRAM
Hand work is often difficult for the skin - washing with water, soap and, above all, hand cleaners can damage the skin. To prevent dry skin or skin irritation - it is very important to keep the skin clean and healthy.
One of the conditions that allows your skin to stay clean and healthy is the existence of products that suit your job.

SKIN CLEANSING
Skin cleansing should be gentle, but also effectively adapted to the working conditions.

SKIN CARE
Protect your skin with a regenerating cream, before, during and after work

MAXI-PLUM SISTEMI PUNJENJA

ŠTA VAM NUDE PLUM SISTEMI PUNJENJA

SMANJENA POTROŠNJA
Izmerena količina sapuna pri svakom korišćenju čini MaxPlum krajnje ekonomičnim u upotrebi te tako smanjuje potrošnju. Ruke se mogu prati češće sadržajima u pakovanjima kapaciteta 1,4 L, nego sadržajima posuda kapaciteta 10 L. Smanjena potrošnja takođe redukuje rizik blokiranja odvodnih cevi.

HIGIJENSKO, HERMETIČKO PAKOVANJE ZA JEDNOKRATNU UPOTREBU.
Sprječava isušivanje proizvoda i tako produžuje njegovo trajanje. Hermetično pakovanje s integriranim ventilom spriječava penetraciju bakterija. Pakovanje i ventil nadomještaju se kada je nadomješten i sam proizvod.

PUNJENJE I ODRŽAVANJE ŠTEDE VREME
Sistem vreća-u-kutiji jednostavno se zamenjuje. Sadržaj 1,4 L takođe smanjuje učestalost nadomeštanja i stvara manje otpada. Glatke, ravne površine sistema punjenja se lako čiste.

JEDNOSTAVAN, ROBUSTAN SISTEM PUNJENJA
Jednostavne, čiste linije i izbor belog ili crnog pokrova omogućuju harmonično instaliranje sistema za punjenje uz postojeću opremu za pranje. Izdržljivi materijali osiguravaju dug vek trajanja.

EKOLOŠKI PRIHVATLJIVA AMBALAŽA PROIZVODA
Ambalaža je napravljena od ekološki prihvatljivih PU materijala i kartona, koji otpuštaju samo vodu i ugljen dioksid kada se spaljuju.

ZAKLJUČAVANJE PO IZBORU
Sistem za pranje može biti osiguran protiv krađe uz pomoć katanca.

ČISTA, ZDRAVA KOŽA
Jednostavna, prilagodljiva paleta stvara efikasan sistem koji će savršeno odgovarati Vašem radnom mestu.

MAXI-PLUM FILLING SYSTEMS

WHAT PLUM FILLING SYSTEMS OFFER

REDUCED CONSUMPTION
Measured amount of soap with each use, MaxPlum is exceptionally economical for use and thus reduces consumption. You can wash your hands more often with the contents of the 4,2 L package than with the contents of the 10 L containers. Reduced consumption also reduces the risk of clogged drain pipes.

HYGIENIC , HERMETIC DISPOSABLE PACKAGING
Filling systems prevent the product from drying out, thus extending its life time. Hermetic packaging with integrated valve prevents the penetration of bacteria. The packaging and valve are replaced when the product itself is replaced.

REFILLIN GAND MAINTEN ANCE SAVE TIME
The bag-in-a-box is easy to replace. 4.2 L container also reduces the frequency of replacement and generates less waste. Smooth, flat surfaces of the filling system, easy to clean.

SIMPLE, ROBUST FILLING SYSTEM
Simple, clean lines and a choice of white or black cover enable a harmonious installation of the filling system with the existing washing equipment. Durable materials ensure a long product life.

ENVIRONMENTALLY FRIENDLY PRODUCT PACKAGING
The packaging is made of environmentally friendly PU cardboard materials that release only water and carbon dioxide when burned.

PADLOCK AS NEEDED
The washing system can be protected from theft with the help of a key.

CLEAN, HEALTHY SKIN
A simple, flexible palette creates an efficient system that will perfectly suit your workplace.

QUICKFIX PAKOVANJA ZA PUNJENJE/
QUICKFIX REFILLING

5511

plum

MADE IN EUROPE

Vodootporna flaster traka, iz koži naročito sklonog, perforiranog i zrakopropusnog nosivog materijala.
Mere: 72 x 25 mm, 45 komada u pakiranju za punjenje.

Waterproof patch for skin care, perforated and air permeable material.
Dimensions: *72 x 25 mm, 45 pieces in refilling package*





QUICKFIX PAKOVANJA ZA PUNJENJE/
QUICKFIX REFILLING

5512

plum

MADE IN EUROPE

Elastična flaster traka od tekstila, prilagodljiva, omogućava disanje kože.
Mere: 72 x 25 mm. 45 komada u pakovanju za punjenje.

Elastic textile patch, flexible, allows the skin to breathe.
Dimensions: *72 x 25 mm, 45 pieces in refilling package*





QUICKFIX PAKOVANJA ZA PUNJENJE/
QUICKFIX REFILLING

5513

plum

MADE IN EUROPE

Detektabilna flaster traka sa ukomponiranim metalnim trakama što omogućuje prepoznavanje putem detektora metala u higijenski osetljivim uslovima (npr. prehrambena industrija), sterilna i otporna, od perforiranog i prozračnog nosivog materijala.
Mere: 72 x 25 mm. 45 komada u pakovanju za punjenje.

Detective patch tape with built-in metal strips that allow metal detector recognition in hygienically sensitive conditions (eg industry such as food), sterile and resistant, of perforated and air permeable material
Dimensions: *72 x 25 mm, 45 pieces in a refill package*





QUICKFIX PUNJENJE S 30 DUGIH ELASTIČNIH FLASTERA / *QUICKFIX REFILL WITH 30 LONG ELASTIC PLASTERS*

5508

Elastični i udobni tekstilni flasteri koji se prilagođavaju pokretima kože. Flasteri su prijatni za kožu i omogućavaju joj da diše.
Dimenzije: 120 x 20 mm, 30 komada dugih elastičnih flastera u pakovanju za dopunu.

Elastic and comfortable textile plasters that adapt to skin movement. The plasters are skin-friendly and allow the skin to breathe.
Dimensions: *120 x 20 mm, 30 long elastic plasters in a refill pack.*



plum

MADE IN EUROPE

NOVO *NEW*

QUICKFIX PUNJENJE S 30 DUGIH DETEKTABILNIH FLASTERA / *QUICKFIX REFILL WITH 30 LONG DETECTABLE PLASTERS*

5509

Elastični tekstilni flaster, prilagodljiv i omogućava disanje kože.
Dimenzije: 72 x 25 mm. 45 komada u pakovanju za dopunu.

Flexible elastic textile plaster that allows the skin to breathe.
Dimensions: *72 x 25 mm. 45 pieces in a refill pack.*



plum

MADE IN EUROPE

NOVO *NEW*



QUICKFIX FLASTER - SISTEM ZA PUNJENJE QUICKFIX

QUICKFIX PATCH - QUICKFIX FILLING SYSTEM



QUICKFIX FLASTER - SISTEM ZA PUNJENJE QUICKFIX
Prva pomoć u Vašem pogonu može biti jednostavno, bezbedno i fleksibilno primenjena. Pojedinačno ambalažirane trake flastera se jednostavno izvlače iz svog kućišta; pri tome su već na jednoj strani pripremljene i otvorene, tako da se flaster i jednom rukom može staviti na povređeno mesto! QuickFix premium tipovi flastera na raspolaganju su u pakovanjima za punjenje tako da je ugradnja moguća u sva kom pogonu. Robusno, ali lepo oblikovano kućište posude za punjenje se jednostavno lepljivom trakom ili materijalom za pričvršćivanje, koji se isporučuje zajedno sa sistemom, montira na zid. Sistem se može ključem zaštititi od krađe. U kućištu sistema za punjenje na raspolaganju su odeljci za odlaganje drugih materijala za prvu pomoć.
Postoji mnogo dobrih razloga za ugradnju sistema QuickFix!

• Visok higijenski standard zahvaljujući higijenski upakovanim flaster trakama
• Jednostavna i lagana primena jednom rukom
• Fleksibilan sistem zahvaljujući mogućnosti punjenja različitim tipovima flaster traka
• Širok spektar upotrebljivosti za gotovo svako radno mesto
• Zaštićeno od krađe – zahvaljujući tome smanjeno je rasipanje i troškovi! Obim isporuke flaster-sistema za punjenje QuickFix – uključuje dva paketa za punjenje, materijal za pričvršćivanje, te ključ za osiguranje od krađe. Dimenzija kućišta: 23,25 cm širina x 13,34 cm visina x 3,3 cm dubina.

QUICKFIX PATCH - QUICKFIX FILLING SYSTEM
First aid in your facility will be simple, safe and flexible. With individual packaging, the patch strips will be easily removed from the case, and on the one size they are already to open, so that the patch can be applied to the injured area with one hand. Types of QuickFix premium patches are available in refilling packs, so installation is possible in any drive. Robust yet beautifully designed cover, the filling containers are simply glued or fastenned with material that is supplied with the system, and it can be easily mounted on the wall. The system can be protected from theft with a key. In the housing of the filling system, there are compartments for storing other first aid materials.
There are many good reasons to install QuickFix!

• High hygiene standard, thanks to hygienically packaged tapes
• Easy application with one hand
• Flexible system thanks to the possibility of refilling with different types of patches
• Wide range of usability for almost any workplace
• Protected against theft - this reduces waste and costs!
Scope of supply of refilling for QuickFix - includes two refill packages, material for fastening, and a key to protect against theft. Housing dimensions: 23.25 cm width x 13.34 cm height x 3.3 cm depth.

QUICKFIX FLASTERI/
QUICKFIX PATCHES

5501

Jedinica za punjenje s 2 x vodootporna pakovanja za ponovno punjenje.
Veličina pakiranja: 1 kom / 10 kom. u jednom master-kartonu 450 jedinica

Refilling unit with 2 x waterresistant filling packaging.
Packaging size: *1 piece / 10 pieces in one main box of 450 units*

plum

MADE IN EUROPE





QUICKFIX FLASTERI/
QUICKFIX PATCHES

5502

Jedinica za punjenje s 2 x elastična pakovanja za ponovno punjenje.
Veličina pakiranja: 1 kom / 10 kom. u jednom master-kartonu 450 jedinica

Refilling unit with 2 x waterresistant filling packaging.
Packaging size: *1 piece / 10 pieces in one main box of 450 units*

plum

MADE IN EUROPE





QUICKFIX FLASTERI/
QUICKFIX PATCHES

5503

Jedinica za punjenje s 2 x detektabilna pakovanja za ponovno punjenje.
Veličina pakiranja: 1 kom / 10 kom u jednom master-kartonu 450 jedinica

Filling unit with 2 x detectable filling packaging
Pack size: *1 piece / 10 pieces in one main box of 450 units*

plum

MADE IN EUROPE





QUICKFIX FLASTERI
QUICKFIX PLASTERS

5500

plum

MADE IN EUROPE

NOVO *NEW*

QuickFix dozator omogućava jednostavan pristup flasterima i ampulama za ispiranje očiju, uz lako dopunjavanje i montažu na zid. Zeleni poklopac štiti od prašine, a dizajn štedi vreme i prostor.
Dimenzije: 135 x 230 x 32 mm.

The QuickFix dispenser provides easy access to plasters and eye wash ampoules, with simple refilling and wall mounting. The green cover protects against dust, while the design saves time and space.
Dimensions: *135 x 230 x 32 mm.*





QUICKFIX UNO, BELA, PRAZNA/
QUICKFIX UNO, WHITE, EMPTY

5534

plum

MADE IN EUROPE

NOVO *NEW*

Kompaktan dozator za radna mesta bez prašine koji kombinuje sigurnost i moderan dizajn.
Boja: bela
Dimenzije: 85 x 130 x 35 mm.

Compact dispenser for dust-free workplaces, combining safety and modern design.
Colour: *white*
Dimensions: *85 x 130 x 35 mm.*





QUICKFIX SOLO, PROZIRNA, PRAZNA/
/ QUICKFIX SOLO, TRANSPARENT, EMPTY

5535

plum

MADE IN EUROPE

NOVO *NEW*

Kompaktan dozator za radna mesta bez prašine koji kombinuje sigurnost i moderan dizajn. Idealan za brzo i jednostavno korišćenje flastera i ampula za ispiranje očiju.
Boja: providna
Dimenzije: 80 x 130 x 27 mm.

Compact dispenser for dust-free workplaces, combining safety and modern design. Ideal for quick and easy use of plasters and eye wash ampoules.
Colour: *transparent*
Dimensions: *80 x 130 x 27 mm.*





PLUM QUICKSOFT STANICA, PRAZNA/
PLUM QUICKSOFT STATION, EMPTY

5554

QuickSoft dozator, prazan.
Zeleni dozator koji se lako dopunjava.
Dimenzije: 17 x 5,9 x 12,9 cm.

QuickSoft dispenser, empty.
Green dispenser that is easy to refill.
Dimensions: *17 x 5.9 x 12.9 cm.*



plum

MADE IN EUROPE

NOVO *NEW*

PLUM QUICKSOFT ZAVOJ 5,5 CM X 5 M/
PLUM QUICKSOFT BANDAGE 5.5 CM X 5 M

5541 **5542** **5543**

Samolepljivi zavoj bez lateksa, idealan za zaštitu prstiju i zglobova.
Jednostavan za nanošenje, bez potrebe za makazama.
Boja: plava, bež, crna
Dimenzije:
Rola zavoja: 5 m x 5,5 cm
Pakovanje: 2 role zavoja.

Latex-free self-adhesive bandage, ideal for protecting fingers and joints. Easy to apply without the need for scissors.
Colours: blue, beige, black
Dimensions:
Bandage roll: *5 m x 5.5 cm*
Package: *2 rolls.*



plum

MADE IN EUROPE

NOVO *NEW*

PLUM QUICKSOFT STANICA + 1 X PLUM QUICKSOFT ZAVOJ 5,5 CM X 5 M
/ PLUM QUICKSOFT STATION + 1 X PLUM QUICKSOFT BANDAGE 5.5 CM X 5 M

5555 **5556** **5557**

QuickSoft dozator i samolepljivi zavoj bez lateksa idealni su za zaštitu prstiju i zglobova, uz jednostavnu primenu bez potrebe za makazama. Rola zavoja praktična je za brzo nanošenje, a dozator se lako dopunjava.
Boje zavoja: plava, bež, crna.
Dimenzije:
Rola zavoja: 5 m x 5,5 cm
Dozator: 17 x 5,9 x 12,9 cm.

QuickSoft dispenser and latex-free self-adhesive bandage are ideal for protecting fingers and joints, with easy application and no need for scissors. The bandage roll is practical for quick use, and the dispenser is easy to refill.
Bandage colours: *blue, beige, black.*
Dimensions:
Bandage roll: *5 m x 5.5 cm*
Dispenser: *17 x 5.9 x 12.9 cm.*



plum

MADE IN EUROPE

NOVO *NEW*

QUICKCOOL GEL PROTIV OPEKLINA, PUNJENJE S 18 KOM / *QUICKCOOL BURN GEL, REFILL PACK OF 18 PCS*

5150

Gel za prvu pomoć koji hladi, ublažava bol i pomaže u lečenju manjih opekotina. Sadrži ulje čajevca. Može se koristiti samostalno ili za dopunu QuickSafe stanica.
Pakovanje: 18 kesica po kutiji.

First aid gel that cools, relieves pain and helps treat minor burns. Contains tea tree oil. Can be used separately or for refilling QuickSafe stations.
Package: *18 sachets per box.*



plum

MADE IN EUROPE

NOVO *NEW*

QUICKSTOP SREDSTVO ZA ČIŠĆENJE, PUNJENJE 20 KOM / *QUICKSTOP WOUND CLEANSING WIPES, REFILL PACK OF 20 PCS*

5151

Maramice za čišćenje rana namenjene su higijenskom čišćenju manjih rana i posekotina. Svaka maramica je pojedinačno upakovana i sadrži sterilnu vodu. Može se koristiti samostalno ili za dopunu QuickSafe stanica.
Pakovanje: 20 kesica po kutiji.

Wound cleansing wipes intended for hygienic cleaning of minor wounds and cuts. Each wipe is individually packed and contains sterile water. Can be used separately or for refilling QuickSafe stations.
Package: *20 sachets per box.*



plum

MADE IN EUROPE

NOVO *NEW*

QUICKSTOP SET ZAVOJA, 3 KOM / *QUICKSTOP DRESSING SET, 3 PCS*

5152

Set za previjanje rana namenjen je efikasnoj prvoj pomoći kod manjih i većih krvarenja. Sterilni zavoji sa integrisanom kompresom su elastični, nelepljivi i prijatni za kožu.
SET SADRŽI:
1 x zavoj za rane (17 x 17 cm)
2 x zavoja za rane (12 x 7,5 cm)

Wound dressing set designed for effective first aid in cases of minor and major bleeding. Sterile dressings with integrated compression are elastic, non-stick and skin-friendly.
SET INCLUDES:
1 x wound dressing (17 x 17 cm)
2 x wound dressings (12 x 7.5 cm)



plum

MADE IN EUROPE

NOVO *NEW*



PLUM SREDSTVA ZA ISPIRANJE OČIJU

PLUM SOLUTIONS FOR EYE RINSE

PLUM SREDSTVA ZA ISPIRANJE OČIJU U SLUČAJU NEZGODE

PLUM EYE RINSE AID IN THE EVENT OF AN ACCIDENT

PLUM PROGRAM ZA NEGU KOŽE
Ispiranje oka – činjenično stanje

Imate samo dva oka – vodite računa o njima. Vid je jedno od naših najvažnijih čula. Ako dođe do nezgode, nekoliko sekundi je dovoljno da se izgubi vid. Sredstvo za ispiranje očiju koje je uvek na dohvat ruke je odlučujući faktor kada postoji rizik povrede očiju. Ovo se naročito odnosi na povrede uzrokovane kiselinama i alkalijama; nagrizajuće pečenje započinje istog časa kada jedinjenje dođe u dodir sa očima. Veme je takođe važno kada se radi o povredama uzrokovanim metalnim ostacima ili npr.strugotinama, prašinom i prljavštinom. U takvim situacijama korišćenje sredstava za ispiranje očiju, neposredno nakon povrede može sprečiti lepljenje stranih tela na oko i ozbiljne povrede. Pravilno pozicioniranje sredstava za ispiranje očiju u skladu sa potrebama na radnom mestu može predstavljati odlučujući napor uložen kako bi se sprečile ozbiljne povrede očiju.

Za optimalnu bezbednost tamo gde postoji rizik od povrede očiju, oprema za ispiranje očiju mora biti:

1. Trenutno dostupna
2. Prilagođena brzoj primeni
3. Efikasna, bez uzrokovanja daljnje povrede

Možemo Vam ponuditi široku paletu rastvora za ispiranje očiju, male i velike jedinice koje se montiraju direktno uz radna mesta, ili mala mobilna pakovanja rastvora koja se mogu staviti u vozilo, kutiju za alat ili kutiju za prvu pomoć, kao i u specijalnu pojasnu torbicu. Uvek će biti moguće naći rešenje koje će Vam omogućiti jednostavan pristup sredstvu za ispiranje očiju. Naš sistem je razvijen da bi omogućio jednostavno ispiranje oka. Dva jednostavna pokreta i bočica je spremna za upotrebu. Ergonomski oblikovana da pokrije oko omogućuje direktno ispiranje i odvodi tečnost iz oka nakon ispiranja.

VAŽNO!

U vezi sa povredama bilo koje vrste, tečnost mora da dopre do oka u nežnom, jednokratnom mlazu. Bocu pritisnite lagano, bez gnječenja. Uvek potražite medicinsku pomoć i nastavite sa ispiranjem za vreme transporta. Nudimo dve vrste tečnosti za ispiranje očiju. Nakon nezgoda koje su uzrokovane jakim kiselinama ili alkalijama, od vitalnog je značaja neutralizovati tečnost u oku što je brže moguće – po mogućnosti u roku 40 sekundi – kako bi se Ph vrednost oka normalizovala na 7,4. Ph Neutral je sterilni neutralizujući rastvor za ispiranje očiju baziran na 4,9% fosfatnom rastvoru, koji neutrališe tečnost oka nakon nezgoda uzrokovanih hemikalijama. Dostupna je i dokumentacija o bezbednosti i efikasnosti. Ph Neutral je jednako efikasan i kada se koristi za potrebe (povrede?) uzrokovane kiselinama ili alkalijama na bilo kojem delu tela. Za povredu uzrokovanu stranim telom kao što su npr. metalne ili drvene strugotine, prašina i prljavština, preporučujemo ispiranje sredstvom Plum Eye Wash. Radi se o sterilnom rastvoru soda hlorida (0,9%) koji odgovara prirodnoj tečnosti koja vlaži oko. Na taj način dobijate nežno i blago čišćenje. Svi naši proizvodi za ispiranje očiju nose oznaku CE u skladu sa odredbama o medicinskoj opremi. Takođe, proizvodi su sterilni kako oko ne bi zahvatile bakterije i klice prilikom ispiranja.

SKIN CARE PROGRAM
Eye rinse - the facts

You only have two eyes - take care of them. Sight is one of the most important senses. If an accident occurs, just a few seconds are crucial to the consequence of possible vision loss. An eye rinse that is always at hand is a deciding factor when there is a risk of eye damage. This is especially true for damage caused by acids and alkalis; corrosive roasting begins as soon as the joint comes in contact with the eyes. Time is also important for post-damage caused by metal scrap or e.g. wood chips, powder and dust. In such situations, the use of eyewash or immediately after the injury can prevent foreign bodies from sticking to the eye and furhter serious injuries. Proper placement of eye rinses, according to the needs of the workplace, can be a crucial effort to prevent serious eye injuries.

For optimal safety when there is a risk of eye injury, eyewash equipment should be:

1. *Immediately available*
2. *Adapted for quick use*
3. *Effective without causing further damage*

We offer you a wide range of eye rinse solutions, small and large units mounted directly next to workstations, or small mobile packaging solutions that can be installed in a vehicle, tool or first aid kit, as well as a special case. It will always be possible to find a solution that will help you have easy access to eye wash products. Our system is designed to make rinsing your eyes easier. Two simple movements and the bottle is ready to use. Ergonomically designed, the eye cover ensures direct rinsing and drains fluid from the eye after rinsing.

IMPORTANT!

In conjunction with any injuries, the fluid should get into the eye with a single, gentle jet. Press the bottle lightly without squeezing. Always seek medical attention and rinse during transport. We offer two types of eye rinses. After an accident caused by strong acids or alkalis, it is vital to neutralize the fluid in the eye as quickly as possible - preferably within 40 seconds - to normalize the pH of the eye to 7.4. Ph Neutral is a sterile neutralizing eye rinse solution based on 4.9% phosphate solution that neutralizes eye fluid after accidents caused by chemicals. Documentation about safety and efficacy is also available. Ph Neutral is equally effective when used on any part of the body for injuries caused by acids or alkalis . For injuries caused by a foreign body, such as metal waste or wood chips, dust and dirt, we recommend rinsing with Plum Eye Wash. It is a sterile solution of soda chloride (0.9%), a natural liquid that moisturizes the eye. This is a gentle and easy cleanser. All of our eye rinsing products have the CE mark in accordance with medical equipment regulations. The products are also sterile so that eye would not be affected by bacteria and microbes when rinsing.

Povrede koje uključuju prisutnost stranih tijela (prljavština, metalne krhotine i drveno iverje)	**Ispirati sredstvom Plum Eye Wash dok se ne ukloni strano tijelo iz oka**	***Injuries involving the presence of foreign matter (dirt, metal debris and wood chips)***	***Rinse with Plum Eye Wash until the foreign body is removed out of eye***
Kiseline	Ispirati otprilike 2 minute sredstvom pH Neutral i nastaviti ispiranje sredstvom Plum Eye Wash dok se problem ne reši ili dok ne stigne stručna medicinska pomoć	*Acids*	*Rinse the product pH Neutral for abou 2 minutes and continue rinsing with Plum Eye Wash until the discomfort is over or until professional medical help arrives*
Alkalije	Ispirati otprilike 2 minute sredstvom pH Neutral te nastaviti ispiranje sredstvom Plum Eye Wash do pružanja stručne medicinske pomoći	*Alkalines*	*Rinse with product pH Neutral for about 2 minutes and continue rinsing with Plum Eye Wash until professional medical help arrives*
Druge povrede koje uključuju hemikalije	Ispirati sredstvom Plum Eye Wash dok se problem ne reši ili dok ne stigne stručna medicinska pomoć	*Other injuries involving chemicals*	*Rinse with Plum Eye Wash until the discomfort is over or until professional medical help arrives*

SREDSTVA ZA ISPIRANJE OČIJU U HITNIM SLUČAJEVIMA/
EYE RINSE IN EMERGENCY SITUATION

4604

plum

MADE IN EUROPE

Sredstvo za ispiranje očiju sa sterilnim rastvorom natrijum-hlorida od 0,9%, u bočici lakoj za rukovanje. Može se upotrebiti zasebno ali i za nadopunjavanje stanica.
BOCA 500 ml
Vreme ispiranja oko 5 minuta
Pakovanje: 12 x 500 ml

Eye rinse with sterile sodium chloride solution of 0.9%, in an easy--to-handle bottle. It can be used separately but also to fill cabinets.
BOTTLE 500 ml
Rinse time: *about 5 minutes*
Packaging: *12 x 500 ml*





OTOPINA ZA OČI ZA NEUTRALIZACIJU ZA VRIJEME NESREĆE 200 ML
/ EYE WASH SOLUTION FOR EMERGENCY NEUTRALISATION, 200 ML

4691

plum

MADE IN EUROPE

NOVO NEW

Sredstvo za ispiranje očiju sa sterilnim rastvorom natrijum-hlorida 0,9% u bočici jednostavnoj za upotrebu. Može se koristiti samostalno ili za dopunu stanica.
BOCA 200 ml
Vreme ispiranja: oko 5 minuta
Pakovanje: 10 x 200 ml

Eye rinse with sterile 0.9% sodium chloride solution in an easy-to-use bottle. Can be used separately or for refilling stations.
BOTTLE 200 ml
Rinsing time: *approximately 5 minutes*
Package: *10 x 200 ml*





PAKIRANJE AMPULA ZA ISPIRANJE OČIJU QUICK RINSE /
QUICK RINSE EYE WASH AMPOULE PACK

5160

plum

MADE IN EUROPE

NOVO NEW

5 ampula za ispiranje očiju sa 20 ml sterilnog rastvora natrijum-hlorida 0,9%. Može se koristiti samostalno ili za dopunu QuickSafe stanica.

Sadržaj: 5 x 20 ml
Pakovanje: 4 x 5 x 20 ml

5 eye wash ampoules containing 20 ml of sterile 0.9% sodium chloride solution. Can be used separately or for refilling QuickSafe stations.

Contents: *5 x 20 ml*
Package: *4 x 5 x 20 ml*





SREDSTVO ZA ISPIRANJE OČIJU, BOCA 500 ML PH NEUTRAL
/ EYE WASH SOLUTION, 500 ML BOTTLE, PH NEUTRAL

4801

plum

MADE IN EUROPE

NOVO NEW

Sredstvo za ispiranje očiju sadrži 4,9% sterilnog fosfata koji neutrališe kisele i alkalne hemikalije. Jednostavno za upotrebu, staje u džep radnog odela.
BOCA 500 ml pH Neutral
Vreme ispiranja: oko 2 minuta
Pakovanje: 6 x 500 ml

Eye rinse contains 4.9% sterile phosphate solution that neutralises acidic and alkaline chemicals. Easy to use and fits in a workwear pocket.
BOTTLE 500 ml pH Neutral
Rinsing time: *approximately 2 minutes*
Package: *6 x 500 ml*



SREDSTVA ZA ISPIRANJE OČIJU U HITNIM SLUČAJEVIMA
/ EMERGENCY EYE WASH SOLUTION

4752

plum

MADE IN EUROPE

Sredstvo za ispiranje očiju sadrži 4,9% sterilnog fosfata koji neutralizuje kisele i alkalne hemikalije. Lako za rukovanje, stane i u džep.
BOCA 200 ml pH Neutral
Vreme ispiranja: oko 2 minute
Pakovanje: 10 x 200 ml

Eye rinsercontains 4.9% sterile neutralizing phosphate acidic and alkaline chemicals. Easy to use, fits in your pocket.
Bottle 200 ml Ph Neutral
Rinse time: *about 2 minutes*
Packing: *10 x 200 ml*



PLUM QUICKSAFE SOLO STANICA, PRAZNA
/ PLUM QUICKSAFE SOLO STATION, EMPTY

5191

plum

MADE IN EUROPE

NOVO *NEW*

Kompaktna stanica prve pomoći sa tečnošću za ispiranje očiju i punjenjem flastera za brzu i jednostavnu pomoć uz visoku vidljivost. Stanica prve pomoći za 1 bocu tečnosti za ispiranje očiju i 1 punjenje flastera.

Dimenzije: 37 x 14 x 9,5 cm.

Compact first aid station with eye wash solution and a plaster refill for quick and easy assistance with high visibility.
First aid station for 1 eye wash bottle and 1 plaster refill.

Dimensions: *37 x 14 x 9.5 cm.*





PLUM QUICKSAFE SOLO STANICA /
PLUM QUICKSAFE SOLO STATION

5192

plum

MADE IN EUROPE

NOVO *NEW*

Kompaktna stanica prve pomoći sa tečnošću za ispiranje očiju i punjenjem flastera za brzu i jednostavnu pomoć uz visoku vidljivost. Stanica prve pomoći za 1 bocu tečnosti za ispiranje očiju i 1 punjenje flastera.

Sadrži artikle 4604 i 5512.
Dimenzije: 37 x 14 x 9,5 cm.

Compact first aid station with eye wash solution and a plaster refill for quick and easy assistance with high visibility.
First aid station for 1 eye wash bottle and 1 plaster refill.

Contains items 4604 and 5512.
Dimensions: *37 x 14 x 9.5 cm.*





PLUM QUICKSAFE SOLO STANICA, PRAZNA / *PLUM QUICKSAFE SOLO STATION, EMPTY*

4902

plum

MADE IN EUROPE

NOVO *NEW*

Stanica za ispiranje očiju izrađena je od čvrstog i izdržljivog materijala. Isporučuje se sa zidnim nosačem, planom za ispiranje očiju i kompletom za zidnu montažu.

Dopunjava se artiklom 4604.

The eye wash station is made of strong and durable material. It is supplied with a wall bracket, an eye wash instruction chart and a wall mounting kit.

Refilled with item 4604.



SREDSTVA ZA ISPIRANJE OČIJU U HITNIM SLUČAJEVIMA / *EMERGENCY EYE WASH SOLUTIONS*

4921

plum

MADE IN EUROPE

NOVO *NEW*

Stanica za ispiranje očiju izrađena je od čvrstog i izdržljivog materijala. Isporučuje se sa zidnim nosačem, planom za ispiranje očiju i kompletom za zidnu montažu.

Dopunjava se artiklima 4604, 4691, 4752 i 4801.

The eye wash station is made of strong and durable material. It is supplied with a wall bracket, an eye wash instruction chart and a wall mounting kit.

Refilled with items 4604, 4691, 4752 and 4801.



KOMPLET ZA HITNO ISPIRANJE OČIJU/
EMERGENCY EYE RINSE KIT IN A BOX

4789

plum

MADE IN EUROPE

JEDINICA ZA HITNE SLUČAJEVE U KUTIJI
Sadrži 1 x 200 ml pH Neutral sredstva i bocu od 1 x 500 ml, ogledalo i piktogram.
Vreme ispiranja: oko 2 minute za Ph Neutral, oko 5 min za Plum Eye Wash
Pakovanje: 1 kom

KIT FOR EMERGENCY EYE RINSE IN A BOX
Contains 1 x 200 ml pH Neutra agents and 1x500 ml bottle, mirror and pictogram
Rinse time: *about 2 minutes for Ph Neutral, about 5 min for Plum Eye Wash*
Packing: *1 pc*










Quick
Cool
plum
Quick
Stop
sterile
plum
QuickFix
plum
Plum
plum
QuickGuide
plum
Quick + Safe
plum
plum

STANICA ZA PRVU POMOĆ U PREHRAMBENOJ INDUSTRIJI/
FIRST AID STATION IN FOOD INDUSTRY

5175

plum

MADE IN EUROPE

Sadržaj:
- 2 x 500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1 x 200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje povreda
- 18 komada QuickCool gela za opekotine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17 x 17 cm i 2 komada 12 x 7.5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki flaster sa metalnim vlaknima

Contents:
- 2 x 500 ml Rinse aid for eye rinse and first aid Plum
- 1 x 200 ml pH Neutral
- 20 pieces of QuickClean wipes to clean the wounds
- 18 pieces of QuickCool gel for burns
- 1 piece of QuickStop package for fast rinsing of wounds
- 1 piece 17x17 cm and 2 pieces 12 x 7.5 cm
- 1 piece QuickFix patch with metal fibers
- 1 piece of QuickFix large patch with metal fibre



STANICA ZA PRVU POMOĆ/
FIRST AID STATION

5174

plum

MADE IN EUROPE

Sadržaj:
- 2 x 500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1 x 200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje povreda
- 18 komada QuickCool gela za opekotine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17 x 17 cm i 2 komada 12 x 7.5 cm
- 5 komada QuickRinse ampula za ispiranje očiju
- 1 komad QuickFix punjača za fleksibilne flastere

Contents:
- 2 x 500 ml solution eyes rinse and first aid PLUM
- 1 x 200 ml pH Neutral
- 20 pieces QuickClean handkerchief to clean wounds
- 18 pieces of QuickCool gel for burns
- 1 piece of QuickStop package for emergency wound cleaning:
- 1 piece 17 x 17 cm and 2 pieces 12 x 7.5 cm
- 5 pieces of QuickRinse ampoule for eyes rinsing
- 1 piece of QuickFix refill for flexible patches



OPREMA ZA RAD NA VISINI
EQUIPMENT FOR WORK AT HEIGHT

KRATOS SAFETY FOR LIFE

OPREMA ZA RAD NA VISINI

Rad na visini je opasan ako nemate adekvatnu zaštitu. Posledice pada mogu biti fatalne. Za svaki od rizika rada na visini postoji rešenje u obliku KRATOS SAFETY opreme za rad na visini.
LACUNA i KRATOS SAFETY nude vam sertifikovane, inovativne i visoko kvalitetne proizvode sa naglaskom na individualni pristup usmeren na potrebe svakog kupca.

EQUIPMENT FOR WORK AT HEIGHT

Working at height is dangerous if you do not have adequate protection. The consequences of a fall can be fatal. For each of the risks STAY PROTECTED there is a solution in the form of equipment KRATOS
SAFETY for work at height. LACUNA and KRATOS SAFETY offer you certified, innovative and high quality products with a focus on an individual approach focused on the needs of each client.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check on LACUNA B2B*
Na www.lacuna.hr možete videti proširen izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*





Kompanija KRATOS SAFETY je osnovana 2011. godine i jedna je od najbrže rastućih kompanija za proizvodnju visokokvalitetne zaštitne opreme za rad na visini; sedište kompanije je u Francuskoj, a fabrika za proizvodnju opreme je u Indiji.
Kompanija je organizovana vertikalno; svaki deo opreme proizvodi u svojim sopstvenim fabrikama.

- tkanje svih tekstilnih delova koji su ugrađeni u opremu
- Izrada užadi
- izrada svih metalnih i nemetalnih komponenti od koji se pojedini proizvod sastoji
- sklapanje proizvoda
- dvostruko testiranje svakog proizvoda

Vertikalna organizacija kompanije omogućava da se sve faze proizvodnje odvijaju uz strogi nadzor i kontrolu a što je posebno važno, obzirom da se zaštitna oprema za rad na visini ubraja u ličnu zaštitnu opremu kategorije III-smrtni rizici.

Proizvodi KRATOS SAFETY su izrađeni od najkvalitetnijih materijala a stručni timovi neprekidno rade na usavršavanju postojećih proizvoda i na inovacijama koje rezultiraju novim proizvodima lansiranim na tržište svake godine. Asortiman KRATOS SAFETY danas broji preko 500 različitih artikala.

Svi proizvodi su u skladu sa Evropskom regulativom 2016/425 koja propisuje zdravstvene i bezbednosne zahteve kojima lična zaštitna oprema mora udovoljavati i biti sertifikovana po pripadajućim normama.
Unutar propisa, izraz (LZO) označava “bilo koji uređaj ili sredstvo koje lice treba da nosi ili drži (te svih dodataka namenjenih u tu svrhu) kako se bi zaštitilo od jednog ili više rizika koji mogu ugroziti zdravlje ili bezbednost na radnom mestu.

Evropska regulativa 2016/425 određuje kategorizaciju LZO; za svaku kategoriju određuje postupak sertifikovanja i tehničkih pravila koje oprema mora da zadovolji.

* Tip I LZO: manji rizici (namenjeni zaštiti od površinskih povreda). Proizvođač ima CE sertifikat. On izjavljuje da, kada je nova, LZO odgovara zahtevima direktive. Njegova lična odgovornost je uključena. Proizvod se, nakon toga, označava sa CE.
* Tip II LZO: Srednji rizici (namenjeni za zaštitu od mehaničkih, toplotnih i hemijskih rizika). Proizvođač podnosi zahtev za CE inspekciju, praćen tehničkom dokumentacijom LZO na jednu od 80 nadležnih evropskih laboratorija, koja nastavlja sa nizom testova i dodeljuje EC sertifikat za ispitivanje tipa (TEC) ako LZO odgovara zahtevima.
* Tip III LZO: smrtna opasnost (namenjena zaštiti od smrtne opasnosti ili rizika nepovratne zdravstvene štete).
Proizvođač ima izbor za nadzor proizvodnje svog proizvoda između završenog CE sistema osiguranja proizvoda (11A) ili sistema osiguranja kvaliteta sa nadzorom proizvodnje (11B). Pre toga trebao je obaviti isti postupak kao i za LZO TIP II - srednji rizici LZO namenjene zaštiti od pada sa visina pripadaju kategoriji III. CE oznaka odnosi se na sve tri kategorije.

Proizvodi overeni na ovaj način nose oznaku CE, a za kategoriju III sledi broj prijavljenog tela kojim se upravlja kontrolom kvaliteta (??). Za svaki sertifikovani proizvod proizvođač isporučuje korisnička uputstva sa njegovim imenom i adresom, čuvanjem, korišćenjem i uputstva za održavanje, preporučeno vreme upotrebe i značenje oznaka. Sve ove specifikacije su propisane prethodno navedenim “usklađenim” EN standardima..

Company KRATOS SAFETY was founded in 2011 and is one of the fastest growing companies for the production of high quality protective equipment for work at height, based in France and with a factory for the production of equipment in India.
They are a vertically organized company that produces every piece of equipment in their own factories.

- *Weaving of all textile parts built into the equipment*
- *Rope making*
- *Manufacture of all metallic and non-metallic components of which each product is composed*
- *Assembling of articles*
- *Double testing of each product*

The vertical organization of the company allows all stages of production to take place under strict control, which is especially important, as protective equipment for work at height belongs to the personal protective equipment of category III with a fatal outcome.

KRATOS SAFETY products are made of the highest quality materials, and professional teams are constantly working to improve existing products and innovations, which means that new products are launched on the market every year.

All products comply with European Regulation 2016/425, which prescribes health and safety requirements, which must meet personal protective equipment standards and be certified in accordance with relevant standards. In the regulations, the term (personal protective equipment) means “any device or means that a person must wear or keep (and any devices intended for this purpose) in order to protect themselves against one or more risks that may endanger health or safety at work.

European Regulation 2016/425 determines the categorization of PPE, for each category it determines the certification procedure and technical rules that must be met by the equipment.

** PPE type I: lower risks (intended to protect against surface damage). The manufacturer is CE certified. It states that the PPE, when new, meets the requirements of the Directive. His personal responsibility is included The product is then CE marked.*
** PPE type II: Medium risks (intended to protect against mechanical, thermal and chemical risks). The manufacturer shall lodge an application for a CE examination, together with the technical documentation of the PPE, with one of the 80 notified European laboratories, which shall continue the series of tests and grant the EC type certificate if the PPE satisfies the requirements.*
** PPE type III: lethal hazard (intended to protect against fatal or irreparable damage to health). The manufacturer has the option of controlling the production of his product during a complete CE product assurance system (11A) or a quality assurance system with production control (11B). Prior to that, the manufacturer had to carry out the same procedure as for TYPE II PPE - medium risks of PPE intended to protect against falls from heights fall into category III. The CE mark refers to all three categories.*

Products certified in this way bear the CE marking, followed by the number of the notified body that carries out the quality control. The manufacturer shall provide instructions for the user s for each certified product their name and address, instructions for storage, use and maintenance, recommended time of use and meaning of labels. All these specifications are prescribed by the aforementioned “harmonized” EN standards.


STANDARDI/*STANDARDS*

STANDARD/*STANDARD*	OPIS/*DESCRIPTION*
EN341	Spasilački uređaji za spuštanje/*Rescue devices*
EN353-1	Zaustavljanje pada s vodilicom uključujući krutu sidrenu liniju/*Sliding stop devices including the anchor guide*
EN353-2	Zaustavljanje pada s vodilicom uključujući fleksibilnu sidrenu liniju/*Movable device to prevent falling including a flexible anchor line*
EN354	Užad/*Ropes*
EN355	Apsorberi energije/*Energy absorbers*
EN358	Pojasevi za pozicioniranje i zadržavanje radne pozicije te užad za pozicioniranje/*Positioning and holding belts and positioning ropes*
EN360	Uređaji zazaustavljanje pada s automatskim uvlačenjem/ *Fall Stop Devices with Automatic Retraction*
EN361	Uprtači za telo/*Body harnesses*
EN362	Spone, konektori/*Clamps, connectors*
EN567	Planinarska oprema - Hvataljke za uže/*Mountaineering equipment - Rope grippers*
EN795 Classe B	Sidreni uređaji/*Anchor devices*
EN795 Classe A-C-D-E	Sidreni uređaji/*Anchor devices*
EN813	Bedreni pojas/pojas za sedenje/*Thigh belts-seat belts*
EN1496	Uređaji za podizanje kod spašavanja/*Lifting rescue devices*
EN1497	Užad za spašavanje/*Lifebuoys*
EN1498	Uprtač za spašavanje/*Life harness*
EN1891	Kermantl uže s jezgrom, s niskom razinom rastezljivosti/*Kermantl rope with core, low level of stretc*
EN12 278	Koloturnici - Sigurnosni zahtevi i metode ispitivanja/*Pulleys -Safety requirements and test methods*
EN12 841	Pristupni sustavi - uređaji za podešavanje užeta/*Access systems - rope adjusters*
EN 471	Odeća za visoku vidljivost za profesionalnu upotrebu/*High visibility clothing for professional use*
EN696	Užad za opšte namene - poliamidna/ *General Purpose Ropes - Polyamide*
EN1149-1	Zaštitna odeća - Elektrostatska svojstva - Površinska otpornost/*Protective clothing - Electrostatic properties - Surface resistance*
EN13463	Neelektrična oprema za upotrebu u potencijalno eksplozivnim atmosferama/*Non-electrical equipment for use in potentially explosive atmospheres*
ISO9150	Zaštitna odeća - Sposobnost materijala u kontaktu sa malim prskanjem rastaljenog metala/ *Protective clothing - Ability of the material in contact with a small spray of molten metal*
ISO15025	Zaštitna odeća - Zaštita od topline i plamena/ *Protective clothing - Protection against heat and flame*

OPŠTA NAČELA ZA RAD NA VISINAMA/
GENERAL PRINCIPLES FOR WORKING AT HEIGHTS

Lična zaštitna oprema bi se trebala koristiti samo kada kolektivni sistem zaštite ne može biti postavljen na radno mesto ili privremeno za obavljanje posla. Lična zaštita od pada sa visine zahteva tri neodvojive komponente: * sistem za držanje tela, * sistem za povezivanje i sprečavanje pada * sidreni sistem. U zavisnosti od konfiguracije nadzemnih radova, može se koristiti nekoliko metoda a time i vrsta opreme za zaštitu i prevenciju od pada:	*Personal protective equipment should only be used when the collective protection system cannot be set up in the workplace or temporarily to perform work. Personal protection against falling from a height requires three inseparable components:* ** body holding system,* ** connection and fall prevention systems ,* ** anchor system.* *Depending on the configuration of the above-ground works, several methods can be used, and thus the type of equipment for protection and prevention of falls:*
 **PREVENCIJA OD PADA SA PLATFORME:** svrha ove radne metode je da se ograniči pristup radniku da dođe do područja gde postoji mogućnost pada sa visine. **Osnovna oprema za upotrebu:** oprema koja se koristi na platformi je uprtač ili pojas + uže + sidrište **Standardi koji se odnose na ovu upotrebu:** EN361; EN358; EN354; EN795; EN362	***FALL PREVENTION FROM THE PLATFORM:*** *the purpose of this working method is to restrict access to the worker to reach areas where there is a possibility of falling from a height.* ***Basic equipment for use:*** *the equipment used on the platform is a harness or belt + rope + anchor.* ***Standards related to this use:*** *EN361; EN358; EN354; EN795; EN362*
 **RADNO POZICIONIRANJE:** Svrha ovog načina rada je da se dozvoli radniku slobodno i sigurno kretanje i držanje na mestu dok su mu ruke slobodne za obavljanje posla (npr. na stubu) U ovoj radnoj situaciji, važno je razlikovati da li postoji rizik od padanja. Ako postoji, osnovna radna stanica koja drži opremu treba da se koristi sa sistemom zaštite protiv pada. **Osnovna oprema za upotrebu:** Držač za radnu stanicu sa pojasom za remenje ili radnom stanicom + Zaporni držač radne stanice + Sidrište **Standardi koji se odnose na ovu upotrebu:** EN361; EN358; EN795; EN362	***WORK POSITIONING:*** *The purpose of this method is to allow the worker to move freely and safely and to remain in place while their hands are free to perform work (eg on a pole). In this work situation, it is important to distinguish whether there is a risk of falling. If there is a basic workstation that holds the equipment it should be used with a fall protection system.* ***Basic equipment for use:*** *Workplace holder with belt or workstation belt + Workstation holder lock + Anchorage* ***Standards related to this use:*** *EN361; EN358; EN795; EN362*
 **PREVENCIJA KOD PADA:** Svrha ovog načina rada je držanje radnika tokom pada i njihovo zadržavanje u najboljim uslovima dok čekaju pomoć. Efikasan sistem zaustavljanja pada bi trebao smanjiti visinu pada što je više moguće, apsorbirati što više energije i smanjiti sile koje deluju na ljudsko telo. **Osnovna oprema za upotrebu:** Preklopka za sprečavanje ispadanja + Uređaj za sprečavanje padanja +Tačka sidrenja. **Standardi koji se odnose na ovu upotrebu:** EN361; EN353-1, EN 353-2; EN355; EN360; EN795; EN362;	***FALL PREVENTION:*** *The purpose of this method of work is to keep the worker during the fall and keep him in the best conditions while waiting for help. An effective fall arrest system should reduce the height of the fall as much as possible, absorb as much energy as possible and reduce the forces acting on the human body.* ***Basic equipment for use:*** *Fall prevention switch + Fall prevention device + Anchor point.* ***Standards related to this use:*** *EN361; EN353-1, EN 353-2; EN355; EN360; EN795; EN362*
 **RAD U ZATVORENIM PROSTORIMA:** Ovaj način rada omogućuje radniku ulazak u rezervoare, kanalizaciju, silose, itd., i mogućnost da se, u bilo kojem trenutku, može podići odozgo. Stoga je neophodno da je druga osoba na raspolaganju za ovu operaciju. **Osnovna oprema za upotrebu:** uprtač za sprečavanje pada + spojni sistem + sistem podizanja (vitlo, itd.) + sidrište (tronožac, vešala, itd) **Standardi koji se odnose na ovu upotrebu:** EN361; EN360 + EN1496; EN795; EN362	***INDOOR WORK:*** *This method of work allows the worker to enter tanks, sewers, silos, etc., and the ability to be lifted from above at any time. Therefore, it is necessary that another person is available for this operation.* ***Basic equipment for use:*** *harness to prevent falling + coupling system + + lifting system (winch, etc.) + anchorage (tripod, gallows, etc.).* ***Standards related to this use:*** *EN361; EN360 + EN1496; EN795; EN362*
 **PRISTUP UŽETOM:** Ova tehnika kretanja na užetu trebala bi se koristiti samo kada se tradicionalni pristupni sistemi i ne mogu instalirati. Osnovna oprema za pristup užetom se treba koristiti sa sistemom prevencije padova. **Osnovna oprema za upotrebu:** kompletni uprtač za sprečavanje pada + progresioni sistem + sidrište. **Standardi koji se odnose na ovu upotrebu:** EN361; EN358; EN 813; EN341; EN567; EN12841; EN12278; EN795; EN362	***ROPE ACCESS:*** *This rope movement technique should only be used when traditional access systems cannot be installed.* *Basic rope access equipment should be used with a fall prevention system.* ***Basic equipment for use:*** *complete harness to prevent falls + progressive system + anchor.* ***Standards related to this use:*** *EN361; EN358; EN 813; EN341; EN567; EN12841; EN12278; EN795; EN362*
 **SPAŠAVANJE I EVAKUACIJA** Ova tehnika se koristi u hitnim slučajevima i najosetljivija je. Ako je korisnik svestan i ima opremu za samospašavanje, može sam, ili sa pomagačem, izvršiti tu intervenciju. U ovoj je situaciji neophodno da se može doći do žrtve, istu u potpunosti osigurati, podići ili spustiti. **Osnovna oprema za upotrebu:** Kompletni uprtač za sprečavanje pada + sistem za sprečavanje padova +sistem spašavanja + sidrište. **Standardi koji se odnose na ovu upotrebu:** EN361; EN1496; EN1498; EN341; EN1865; EN795; EN362	***RESCUE AND EVACUATION*** *This technique is used in emergencies and is the most sensitive. If the user is aware and has the equipment for self-rescue, he can perform that intervention himself, or with a helper. In this situation, it is necessary to be able to reach the victim, secure the person completely and raise or lower him.* ***Basic equipment for use:*** *Complete harness for fall prevention + fall prevention system + rescue system + anchor.* ***Standards related to this use:*** *EN361; EN1496; EN1498; EN341; EN1865; EN795; EN362*

PODRUČJA UPORABE/*FIELDS OF APPLICATION*



LEGENDA OZNAKA/*LABEL LEGEND*



Proizvod je sertikovan za osobe do 140 kg
The product is certified for persons up to 140 kg

Neto težina proizvoda
Net weight of the product

čelik
steel



aluminijum
aluminium



nahrđajući čelik
stainless steel






dijametar uvijenog užeta
diameter of the twisted rope




Širina remena
belt width



dijametar Kermantel užeta (uže s jezgrom)
diameter of Kermanntle rope




elastičnost remena
rope elasticity



Ispitano za upotrebu za 2 osobe
Tested for use by 2 people

Ispitano za upotrebu za 4 osobe
Tested for use by 4 people



TAČKE SPAJANJA/*CONNECTION POINTS*



Sa jednom ili dve tačke: prsna i leđna

With one or two attachment point: dorsal and thoracic



S jednom ili dve tačke + dvije bočne točke pozicioniranja

With one or two attachment points +two side points



S jednom ili dve tačke + dve tačke pozicioniranja + suspenzija

With one or two attachment points +two side points + suspension

UPRTAČI/*BELTS*



Povremena upotreba
Occasional use



Redovita upotreba
Regular use



Česta upotreba
Frequent use



Intenzivna upotreba
Intensive use

SIDRIŠTA/*ANCHORAGES*



Može se koristiti u vodoravnom smeru (u odnosu na instalaciju)

Can be used in horizontal direction (relative to installation)



Može se koristiti u vertikalnom smeru (u odnosu na instalaciju)

Can be used vertically depending on installation)



Može se koristiti u vertikalnom ili vodoravnom smeru (u odnosu na instalaciju)

Can be used vertically or horizontal direction (relative to installation)



Može se koristiti u 3 smeru (u odnosu na instalaciju)

It can be used in 3 directions (depending on installation

TABELA MERA/*TABLE OF MEASURES*

Za odabir pojasa ili pojasa s ugrađenim prslukom, bitne mere veličinu bedra i veličina grudi, a ostale mere su date kao indikacija. *Basic measures of thigh size and breast size and other measures are given as an indication for choosing a belt or a belt with a fitted vest..* Za odabir pojasa bitna mera je veličina struka. *For selecting a belt, the essential measure is the waist size.*



Mere / *Measures (cm)*	**S-L**	**TU**	**L-XXL**
A - ŠIRINA BEDRA / *TIGHT WIDTH*	48-70	55-90	65-95
B - ŠIRINA PRSA / *CHEST WIDTH*	94-114	98-128	114-134
C - ŠIRINA STRUKA / *WAIST WIDTH*	60-105	70-115	75-125
D - VISINA / *HEIGHT*	160-185	160-200	170-200



HORIZONTALNI I VERTIKALNI SISTEMI ZA RAD NA VISINI

HORIZONTAL AND VERTICAL SYSTEMS FOR WORKING AT HEIGHT

Lična zaštitna oprema je podeljena u 3 kategorije prema UREDBI EU 2016/425:
KATEGORIJA I - minimalni rizici
KATEGORIJA II - rizici koji mogu prouzrokovati povrede, ali bez smrtonosnih posledica
KATEGORIJA III - smrtonosni rizici ili nepovratno oštećenje zdravlja.


ZAŠTITNA OPREMA ZA RAD NA VISINI spada u KATEGORIJU III - smrtonosni rizici.

Zakonska obaveza periodičnog pregleda opreme za rad na visini - svakih 12 meseci računajući od prvog dana upotrebe opreme, Evropska uredba takođe definiše obaveze korisnika lične zaštitne opreme (za korisnike). LACUNA nudi kompletan asortiman zaštitne opreme za rad na visini marke KRATOS SAFETY, kao i obuku i stručnu pomoć za izbor adekvatne opreme za bezbedan rad na visini i periodični pregled opreme za rad na visini. Novina u LACUNA-inoj ponudi iz programa KRATOS SAFETY za bezbedan rad na visini su HORIZONTALNI I VERTIKALNI SISTEMI ZA RAD NA VISINI.

Personal protective equipment is divided into 3 categories according to EU REGULATION 2016/425:
CATEGORY I - minimal risks
CATEGORY II - risks that can cause injuries, but without fatal consequences
CATEGORY III - fatal risks or irreversible damage to health.

PROTECTIVE EQUIPMENT FOR WORKING AT HEIGHTS falls into CATEGORY III - fatal risks.

Legal obligation for periodic inspection of equipment for working at height - every 12 months counting from the first day of use of the equipment, the European Regulation also defines the obligations of users of personal protective equipment (for users). LACUNA offers a complete range of protective equipment for working at height of the KRATOS SAFETY brand, as well as training and professional assistance for selecting adequate equipment for safe working at height and periodic inspection of equipment for working at height. A novelty in LACUNA's offer from the KRATOS SAFETY program for safe working at height are HORIZONTAL AND VERTICAL SYSTEMS FOR WORKING AT HEIGHTS.



Horizontalni i vertikalni sistemi zaštite od pada su sveobuhvatni sistemi dizajnirani da obezbede bezbednost radnika koji rade na visokim i po život opasnim lokacijama. Takav sistem obuhvata niz komponenti kao što su vodovi, šine, sidrišta, sigurnosni pojasevi, razni uređaji za zaštitu od pada i instalacija prilagođena vrsti posla i strukturi zgrade ili objekta na kojem je sistem instaliran. Cilj oba sistema je da spreče pad radnika ili da minimiziraju povrede u slučaju pada.


PODELA SISTEMA ZA ZAŠTITU OD PADA:
PRIVREMENI
• Privremeni sistemi se koriste za kratkoročne projekte ili jednokratne zadatke i instaliraju se i uklanjaju po potrebi.
TRAJNI ili PERMANENTNI
• Trajni sistemi pružaju trajnu, pouzdanu zaštitu na mestima gde se često obavlja rad na visini i gde je potrebna stalna zaštita radnika.


Ova podela omogućava fleksibilan pristup bezbednosti na radu, u zavisnosti od specifičnih zahteva radnog mesta i učestalosti rada.
1. Vertikalni sistemi zaštite, kao što su sistemi koji uključuju vodilice, kablove ili šine za penjanje, smatraju se ličnom zaštitnom opremom (LZO) jer radnik mora biti pričvršćen ličnom opremom (kaiševi, karabineri) koja je prilagođena individualnoj zaštiti. Vertikalni sistemi omogućavaju bezbedno kretanje u vertikalnom pravcu (penjanje ili spuštanje).

Horizontal and vertical fall protection systems are comprehensive systems designed to ensure the safety of workers working in high and life-threatening locations. Such a system includes a range of components such as lines, rails, anchorages, safety harnesses, various fall arrest devices, and an installation adapted to the type of work and the structure of the building or facility on which the system is installed. The goal of both systems is to prevent workers from falling or to minimize injuries in the event of a fall.

FALL PROTECTION SYSTEMS DIVISION:
TEMPORARY
• *Temporary systems are used for short-term projects or one-off tasks and are installed and removed as needed.*
PERMANENT or PERMANENT
• *Permanent systems provide permanent, reliable protection in places where work at height occurs frequently and where constant worker protection is required.*

This division allows for a flexible approach to occupational safety, depending on the specific requirements of the workplace and the frequency of work. 1. Vertical protection systems, such as systems that include guides, cables or climbing rails, are considered personal protective equipment (PPE) because the worker must be attached with personal equipment (belts, carabiners) that are adapted to individual protection. Vertical systems allow safe movement in a vertical direction (climbing or descending).





2. Horizontalni sistemi zaštite, kao što su horizontalne sigurnosne linije (tzv. „linije za spasavanje“), nisu u istom smislu lična zaštitna oprema. Smatraju se **sistemima kolektivne zaštite**, jer se montiraju na konstrukciju sa mogućnošću da više radnika koristi isti sistem za osiguranje tokom kretanja po horizontalnim površinama.
Međutim, može se reći da su horizontalni sistemi (kao i većina kolektivnih sistema) neka vrsta hibridnog tipa sistema jer ne isključuju potrebu za korišćenjem sopstvene LZO opreme, **ALI SAMA LINIJA NIJE KLASIFIKOVANA KAO LZO.** Horizontalni sistemi omogućavaju radnicima bezbedno kretanje u horizontalnom pravcu jer su kontinuirano osigurani.

2. Horizontal protection systems*, such as horizontal safety lines (so-called "lifelines"), are not in the same sense personal protective equipment. They are considered* ***collective protection systems****, because they are mounted on a structure with the possibility of several workers using the same system for securing while moving on horizontal surfaces. However, it can be said that horizontal systems (like most collective systems) are a kind of hybrid type of system because they do not exclude the need to use their own PPE equipment,* ***BUT THE LINE ITSELF IS NOT CLASSIFIED AS PPE****. Horizontal systems allow workers to move safely in a horizontal direction because they are continuously secured.*



Sidrišta:

EN 795:2012 je standard za uređaje za sidrišta. Ovaj evropski standard specificira zahteve za performanse i povezane metode ispitivanja za jednokorisničke uređaje za sidrišta koji se mogu ukloniti sa konstrukcije. To su uređaji namenjeni stvaranju interfejsa između sistema za zaštitu od pada (kaiševi, užeta, uvlačiva užeta itd.) i same konstrukcije

Anchorages:

EN 795:2012 is a standard for anchorage devices. This European standard specifies performance requirements and associated test methods for single-user anchorage devices that can be removed from a structure. These are devices intended to create an interface between fall arrest systems (belts, lanyards, retractable lanyards, etc.) and the structure itself



TS 16415: 2013 definiše zahteve za uređaje za sidrenje namenjene za 2+ korisnika
Preporuka BSL_ Britanska institucija za standardizaciju

TS 16415: 2013 defines requirements for anchorage devices intended for 2+ users
BSL Recommendation_ British standard institution

Vrste sidrenja:
Tip A – Fiksna sidrenja: Ova sidrenja su dizajnirana za trajno pričvršćivanje na površine kao što su zidovi, plafoni ili stubovi. Fiksna su i zahtevaju stabilne, čvrste konstrukcije za ugradnju.

Tip B – Prenosna sidrenja: Ova sidrenja su mobilna i dizajnirana za privremenu upotrebu. Mogu se lako postaviti i ukloniti, a primeri uključuju prenosne stative i druge specijalizovane konstrukcije.

Tip C – Horizontalni sistemi: Ovaj tip uključuje horizontalne sigurnosne linije (konopce ili kablove) koje omogućavaju radnicima da se slobodno kreću horizontalno dok su osigurani, korisno za kretanje preko većih površina na visini (nagibi do 15°)

Tip D – Horizontalni sistemi sa krutom šinom: Slično tipu C, ali koristi krute šine umesto konopaca. Ovi sistemi nude veću stabilnost i koriste se u primenama sa visokim bezbednosnim zahtevima. (nagib do 15°)

Tip E – Sidra za ravne površine, maksimalni nagib 5° (dead weight): Ova sidra su dizajnirana za upotrebu na horizontalnim površinama kao što su krovovi. To je mobilno sidro (teg) koje se oslanja na sopstvenu težinu kako bi obezbedilo bezbednu tačku pričvršćivanja.

Types of anchorages:
Type A – Fixed anchorages: *These anchorages are designed for permanent attachment to surfaces such as walls, ceilings or columns. They are fixed and require stable, solid structures for installation.*

*T**ype B – Portable anchorages:** These anchorages are mobile and designed for temporary use. They can be easily set up and removed, and examples include portable tripods and other specialized structures.*


Type C – Horizontal systems: *This type includes horizontal safety lines (ropes or cables) that allow workers to move freely horizontally while being secured, useful for moving over larger surfaces at height (slopes up to 15°)*

Type D – Horizontal systems with rigid rail: *Similar to Type C, but uses rigid rails instead of ropes. These systems offer greater stability and are used in applications with high safety requirements. (slope up to 15°)*

Type E – Anchors for flat surfaces max slope 5° (dead weight):
These anchors are designed for use on horizontal surfaces such as roofs. It is a mobile anchor (weight) that relies on its own weight to provide a safe attachment point.

VERTIKALNI SISTEMI ZA ZAUSTAVLJANJE OD PADA
• Omogućavaju bezbedno kretanje u vertikalnom pravcu, tj. penjanje ili spuštanje
• imaju dve osnovne komponente.
• vertikalna vodilica, šina ili linija
• pokretni (klizni) uređaj za kretanje koji korisnik povezuje sa sistemom i koji ga prati dok se penje i aktivira se na liniji ako dođe do pada
• smatraju se ličnom zaštitnom opremom (LZO)
• vertikalni sistemi imaju funkciju lične zaštitne opreme, jer štite radnika na individualnom nivou jer svaki radnik koristi sopstveni sistem za zaštitu od pada i povezuje se sa njim tokom rada

VERTICAL FALL ARREST SYSTEMS
• Enables safe movement in a vertical direction, i.e. climbing or descent
• have two basic components.
• vertical guide, rail or line
• a movable (sliding) device for movement that the user connects to the system and that follows them as they climb and is activated on the line if a fall occurs
• are considered personal protective equipment (PPE)
• vertical systems have the function of personal protective equipment, since they protect the worker at an individual level because each worker uses their own fall arrest system and connects to it during work



HORIZONTALNI SISTEMI ZA ZAŠTITU OD PADA SA VISINE

Horizontalni sistemi za zaštitu od pada s visine koriste se za zaštitu radnika u situacijama gde postoji rizik od pada sa visine, posebno u građevinarstvu, industrijskim postrojenjima i pri radu na krovovima, zgradama i mostovima. Ne smatraju se ličnom zaštitnom opremom (LZO).

Prilikom definisanja horizontalnog linijskog sistema (HLS) za zaštitu od pada, ključni deo strukture je vrsta podloge na koju će sistem biti pričvršćen. Ovo se tehnički naziva „STRUKTURNA PODLOGA(E) ZA PRIČVRŠĆIVANJE HLS SISTEMA".
Ova terminologija jasno ukazuje da su to ključni delovi strukture na koje je sistem pričvršćen i koji moraju ispunjavati specifične zahteve za nosivost i bezbednost.
U skladu sa podlogom, određuju se vrste sidrenja i drugih delova HLS-a.

HORIZONTAL FALL ARREST SYSTEMS

Horizontal fall arrest systems are used to protect workers in situations where there is a risk of falling from a height, especially in construction, industrial plants, and when working on roofs, buildings, and bridges. They are not considered personal protective equipment (PPE)

When defining a horizontal line system (HLL) for fall protection, a key part of the structure is the type of substrate to which the system will be attached. This is technically called the "STRUCTURAL SUBSTRATE(S) FOR ATTACHING THE HLL SYSTEM".
This terminology clearly indicates that these are key parts of the structure to which the system is attached and which must meet specific load-bearing and safety requirements
According to the substrate, the types of anchorages and other HLL parts are determined.

KS 4000 HORIZONTALNI SISTEM ZA ANKERIRANJE

• Omogućava trajno sidrenje na čeličnom užetu za korisnika koji stalno mora da se kreće horizontalno
• Sastoji se od čeličnih užeta od nerđajućeg čelika prečnika 8 mm
• Čelična užeta su fiksirana na krajevima pomoću posebnih krajnjih ploča
• Međunosači drže čelično uže na mestu duž cele dužine i postavljaju se u razmacima od 5 m do 15 m
• Čelično uže se drži zategnutim pomoću zatezača
• Na jednom kraju linije nalazi se amortizer koji smanjuje udarac pada na korisnika i samu konstrukciju.
• Klizač od nerđajućeg čelika povezuje korisnika sa linijom pomoću užeta ili uvlačivog uređaja, omogućavajući mu glatko i bez prekida kretanje duž cele horizontalne linije
• Sistem je univerzalan i može se instalirati na zidove, podove, plafone i krovove, koristeći iste komponente uz izbor odgovarajućih stubova.

KS 4000 HORIZONTAL ANCHORAGE SYSTEM

• Provides a permanent anchorage on a wire rope for the user who constantly has to move horizontally
• Consists of 8 mm diameter stainless steel wire ropes
• The wire ropes are fixed at the ends using special end plates
• Intermediate supports hold the wire rope in place along its entire length and are installed at intervals of 5 m to 15 m
• The wire rope is kept taut using a tensioner
• At one end of the line there is a shock absorber that reduces the impact of a fall on the user and the structure itself.
• A stainless steel slider connects the user to the line using a rope or retractable device, allowing him to move smoothly and without interruption along the entire horizontal line
• The system is universal and can be installed on walls, floors, ceilings and roofs, using the same components with the selection of appropriate columns.



UPOZORENJE:
• Pre početka bilo kakve instalacije, treba proveriti da li je dostupna visina slobodnog prostora ispod stopala (razmak za pad) prikazana na pločici sa podacima kompatibilna sa korišćenim sistemom za zaštitu od pada
• Ova provera je neophodna kako bi se sprečilo da korisnici udare o tlo ili prepreku prilikom zaustavljanja pada
• Provere moraju uzeti u obzir položaj sidrenog uređaja, korišćeni sistem za zaštitu od pada i skretanje kabla (pogledajte dijagram ispod radi pojašnjenja).

H = visina sigurnosnog užeta
f = skretanje kabla
L = dužina užeta sa apsorberom energije
EA = produžetak apsorbera energije
T = visina korisnika
SD = bezbednosno rastojanje = 1 m
FC = slobodan prostor za pad

WARNING:
• Before starting any installation, it should be checked that the available height of free space under the feet (fall clearance) shown on the data plate is compatible with the fall arrest system used
• This check is necessary to prevent users from hitting the ground or an obstacle when arresting a fall
• Checks must take into account the position of the anchor device, the fall arrest system used and the cable deflection (see diagram below for clarification).

H = height of the safety rope
f = cable deflection
L = length of rope with energy absorber
EA = energy absorber extension
T = height of the user
SD = safety distance = 1 m
FC = free space for falling




Da biste proverili da li je raspoloživi prostor nad glavom adekvatan za korišćeni sistem za zaštitu od pada, primenite sledeću formulu:
f + L + EA + T + SD - H < FC

To check whether the available headroom is adequate for the fall arrest system used, apply the following formula:
f + L + EA + T + SD - H < FC

Preporučeni vek trajanja opreme je 20 godina **(uz godišnji pregled od strane lica ovlašćenog od strane kompanije Kratos Safety)**, ali vek trajanja se može produžiti ili skratiti u zavisnosti od upotrebe i/ili rezultata godišnjih pregleda. Na trajnost proizvoda značajno utiču faktori okoline, posebno teški uslovi kao što su morska, korozivna i hemijska okruženja. Opremu treba pregledati u slučaju bilo kakve nesigurnosti, nakon pada i najmanje jednom godišnje, od strane proizvođača ili lica ovlašćenog od strane proizvođača radi provere čvrstoće i bezbednosti korisnika. U agresivnim uslovima, pregledi se moraju sprovoditi češće.

*The recommended life of the equipment is 20 years **(subject to annual inspection by a person authorized by Kratos Safety)**, but the life can be extended or shortened depending on the use and/or the results of annual inspections. The durability of the product is significantly affected by environmental factors, especially harsh conditions such as marine, corrosive and chemical environments. The equipment should be inspected in case of any uncertainty, after a fall and at least once a year, by the manufacturer or a person authorized by the manufacturer to check the strength and safety of the user. In aggressive conditions, inspections must be carried out more frequently.*



UPRTAČ SA DVE TAČKE KOPČANJA MUNE 3/
SAFETY BELT WITH TWO FASTENING POINTS MUNE 3

FA10 105 00

Opis: uprtač sa dve tačke kopčanja
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 1,19 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002

Description: *harness with two fastening points*
Size: *universal*
Strap material: *polyester*
Buckle material: *steel*
Item weight: *1.19 kg*
Maximum load capacity: *140 kg*
Standard: *EN361:2002*







NOVO
NEW

MUNE

CE

UPRTAČ SA DVE TAČKE KOPČANJA KAMI 1/
SAFETY BELT WITH ONE ATTACHMENT POINT KAMI 1

FA10 102 00

Opis: uprtač sa jednom tačkom kopčanja
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 0,76 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002

Description: *safety belt with one fastening point*
Size: *universal*
Strips material: *polyester*
Buckle material: *steel*
Product weight: *0,76 kg*
Maximum load: *140 kg*
Standard: *EN361:2002*







KAMI

CE

UPRTAČ SA DVE TAČKE KOPČANJA KAMI 2/
SAFETY BELT WITH TWO FASTENING POINTS KAMI 2

FA10 103 00

Opis: uprtač sa dve tačke kopčanja
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 0,84 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002

Description: *safety belt with two fastening points*
Size: *universal*
Strips material: *polyester*
Buckle material: *steel*
Product weight: *0,84 kg*
Maximum load: *140 kg*
Standard: *EN361:2002*







KAMI

CE

UPRTAČ ZA SKELE MOVE 3/
HARNESS FOR SCAFFOLDING MOVE 3


FA10 107 00A **FA10 107 01A**

Opis: uprtač MOVE 3 za skele sa dve tačke kopčanja
Veličina: S-L , L-XXL
Materijal naramenica: poliester
Materijal kopče: čelik, prednja kopčka aluminijum
Težina artikla: S-L=1,54 kg, L-XXL=1,58 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002

Description: *harness MOVE 3 for scaffolding with two points fasteners*
Size: *S-L, L-XXL*
Strap material: *polyester*
Buckle material: *steel, front buckle aluminum*
Weight: S-L=1.54 kg, L-XXL=1.58 kg
Maximum load capacity: *140 kg*
Standard: *EN361:2002*













Size	
S-L FA10 107 00A	L-XXL FA10 107 01A





POJAS ZA RADNO POZICIONIRANJE KAMI 4/
SAFETY WORK POSITIONING BELT KAMI 4

FA10 402 00

Opis: pojas za radno pozicioniranje, 2 bočna prstena za kopčanje
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 0,59 kg
Maksimalna nosivost: 140 kg
Standard: EN358:2000

Description: *safety - position belt, 2 side mounting rings*
Size: *universal*
Strips material: *polyester*
Buckle material: *steel*
Product weight: *0.59 kg*
Maximum load: *140 kg*
Standard: *EN358: 2000*















POJAS ZA RADNO POZICIONIRANJE KAMI 4 S UŽETOM/
SAFETY-POSITION BELT KAMI 4 WITH ROPES

FA10 402 00 + FA4090020

Opis: pojas za radno pozicioniranje, 2 bočna prstena za kopčanje i uže FA40 900 20
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopča: čelik
Težina artikla: 1,14 kg
Maksimalna nosivost: 140 kg
Standard: EN358:2000


Description: *safety - position belt, 2 side mounting rings and rope FA4090020*
Size: *universal*
Strips material: *polyester*
Buckle material: *steel*
Product weight: *1,14 kg*
Maximum load: *140 kg*
Standard: *EN358:2000s*



















UPRTAČ SA DVE TAČKE KOPČANJA I POJASOM KAMI 3/
SAFETY BELT WITH TWO FASTENING POINTS KAMI 3

FA10 203 00

Opis: uprtač sa dve tačke kopčanja i pojasom FA10 402 00
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 1,41 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002, EN358:2000

Description: *safety belt with two fastening points and belt FA1040200*
Size: *universal*
Strips material: *polyester*
Buckle material: *steel*
Product weight: *1.41 kg*
Maximum load: *140 kg*
Standard: *EN361:2002, EN358:2000*




















UPRTAČ SA DVE TAČKE KOPČANJA I POJASOM S UŽETOM KAMI 3/
SEAT BELT WITH TWO ATTACHMENT POINTS, BELT AND ROPES KAMI 3

FA10 203 00 + FA4090020

Opis: uprtač sa dve tačke kopčanja, pojasom FA10 402 00 i užetom FA40 900 20
Veličina: univerzalna
Materijal naramenica: poliester
Materijal kopče: čelik
Težina artikla: 2,02 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002, EN358:2000

Description: *safety belt with two fastening points, belt FA1040200 and rope FA4090020*
Size: *universal*
Shoulder strap material: *polyester*
Buckle material: *steel*
Product weight: *2.02 kg*
Maximum load: *140 kg*
Standard*: EN361:2002, EN358:2000*


























UPRTAČ SA DVE TAČKE KOPČANJA I POJASOM XIMO 2/
SAFETY BELT WITH TWO FASTENING POINTS XIMO 2

FA10 204 00A | **FA10 204 01A**

Opis: uprtač sa dve tačke kopčanja i pojasom FA10 401 00
Veličina: S-L, L-XXL
Materijal naramenice: poliester
Materijal kopče: čelik
Težina artikla: S-L=2,23 kg, L-XXL=2,32 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002, EN358:2000

Description: *safety belt with two fasteners points and belt FA1040100*
Size: *universal*
Strips material: *polyester*
Buckle material: *steel*
Product weight: *S-L=2,23 kg, L-XXL=2,32 kg*
Maximum load: *140 kg*
Standard: *EN361:2002, EN358:2000*






















UPRTAČ SA DVE TAČKE KOPČANJA I POJASOM FLY`IN 3/
SEAT BELT WITH TWO FASTENING POINTS AND BELT FLY`IN

FA10 202 00 | **FA10 202 01** | **FA 10 202 02**

Opis: uprtač sa dve tačke kopčanja i pojasom
Karakteristike: idealan za sjedenje, ekstra udoban za korisnika, automatske kopče
Veličina: S-M , M-L, L-XXL
Materijal naramenica: poliester
Materijal kopče: čelik, D-prsten: aluminij
Težina artikla: S-M=2,15 kg, M-L=2,21 kg, L-XXL=2,27 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002, EN358:2000, EN813:2008

Description: *safety belt with two fastening points and belt*
Features: *ideal for a seat, extraordinary user-friendly, automatic buckles*
Size: *S-L, L-XXL*
Strips material: *polyester*
Buckle material: *steel, D-ring: aluminum*
Product weight: *S-M=2,15 kg, M-L=2,21 kg, L-XXL=2,27 kg*
Maximum load: *140 kg*
Standard: *EN361:2002, EN358:2000, EN813:2008*






















UPRTAČ SA DVE TAČKEKOPČANJA I POJASOM FLY`IN 2/
BELT WITH TWO FASTENING POINTS AND BELT FLY`IN 2

FA10 201 00 | **FA10 201 01** | **FA 10 201 02**

Opis: uprtač sa dve tačke kopčanja i pojasom
Karakteristike: idealan za sjedenje, ekstra udoban za korisnika, automatske kopče
Veličina: S-M , M-L, L-XXL
Materijal naramenica: poliester
Materijal kopče: čelik, D-prsten: aluminij
Težina artikla: S-M=2,21 kg, M-L=2,27 kg, L-XXL=2,31 kg
Maksimalna nosivost: 140 kg
Standard: EN361:2002, EN358:2000

Description: *safety belt with two fastening points*
Features: *ideal for a seat, extraordinary user-friendly, automatic buckles*
Size: *S-L, L-XXL*
Strips material: *polyester*
Buckle material: *steel, D-ring: aluminum*
Product weight: *S-M=2,21 kg, M-L=2,27 kg, L-XXL=2,31 kg*
Maximum load: *140 kg*
Standard: *EN361:2002, EN358:2000*






















UREĐAJ ZA ZAUSTAVLJANJE PADA (KOČNICA) I APSORBER ENERGIJE LOFTY-A/
SYSTEM FOR FALL STOPPING (BRAKE) AND ENERGY ABSORBER LOFTY-A

FA20 100 00B

Opis: uređaj za zaustavljanje pada (kočnica) i absorber energije
Materijal: čelik, absorber: poliester i poliamid, spona: čelik
Za upotrebu s užadi od 14 mm
Kontekor: 1 spona FA50 101 17
Tačka pucanja: 15kN
Težina artikla: 1,20 kg
Standard: EN353-2:2002

Description: *fall stop system (break) and energy absorber*
Material: *steel, absorber: polyester and polyamide, bond: steel*
For use with 14 mm ropes
Contecor: *1 clamp FA50 101 17*
Breaking point: *15 kN*
Product weight: *1.20 kg*
Standard: *EN353-2:2002*





STEEL
Rope grab / Coulisseau

KRATOS SAFETY FOR LIFE

Lofty-A

EN353-2:2002 CE

UŽE ZA KOČNICU FA20 100 00B/
ROPE BRAKE FA20 100 00B

FA20 100 XX

Opis: uže, prečnik 14-16 mm
Materijal: poliester
Tačka pucanja: 29kN
Standardi: EN353-2:2002

Description: *rope, diameter 14 mm*
Material: *poliester*
Breaking Point: *29kN*
Standard: *EN353-2:2002*

KRATOS SAFETY FOR LIFE

ŠIFRA/CODE	DUŽINA/*LENGHT*	TEŽINA/*WEIGHT*
FA20 100 10	10 m	1.25 kg
FA20 100 20	20 m	2.50 kg
FA20 100 30	30 m	3.90 kg



EN353-2:2002 CE

KOMPAKTNI UREĐAJ ZA ZAUSTAVLJANJE PADA (KOČNICA) BLOCKER/
COMPACT DEVICE FOR STOPPING A FALL (BRAKE) BLOCKER

FA20 103 00A

Opis: kompaktni uređaj za zaustavljanje pada (kočnica)
Materijal: aluminij, spona: čelik
Za upotrebu sa užadi od 11 mm
Konektor: 1 spona FA50 10117
Tačka pucanja: 15 kN
Težina artikla: 0,35 kg
Standardi: EN353-2:2002

Description: *compact device for fall arrest (brake)*
Material: *aluminum, clamp: steel*
For use with 11 mm ropes
Connector: *1 clamp FA50 10117*
Breaking point: *15 kN*
Item weight: *0.35 kg*
Standards: *EN353-2:2002*





KRATOS SAFETY FOR LIFE

BLOCKER

ALU

EN353-2:2002 CE

UŽE ZA KOČNICU FA20 103 00A/
ROPE BRAKE FA20 103 00A

Opis: uže, prečnik 11 mm
Materijal: poliester
Točka pucanja: 15kN
Standardi: EN353-2:2002
EN358:2000

Description: *rope, diameter 12 mm*
Material: *poliester*
Breakdown point: *15 kN*
Standardi: *EN353-2:2002; EN358:2000*

KRATOS SAFETY FOR LIFE

ŠIFRA/CODE	DUŽINA/*LENGHT*	TEŽINA/*WEIGHT*
FA20 103 10	10 m	1.50 kg
FA20 103 20	20 m	2.55 kg
FA20 103 30	30 m	3.60 kg



EN358:2000
EN353-2:2002 CE

UREĐAJ ZA ZAUSTAVLJANJE PADA I APSORBER ENERGIJE NA UŽETU NIRO/ *FALL PROTECTION AND ENERGY ABSORBER ON THE ROPE NIRO*

FA20 102 10 | **FA20 102 20**

Opis: uređaj za zaustavljanje pada (kočnica) i apsorber enerije na užetu debljine 12 mm
Dužina: FA20 102 10 – 10 m, FA20 102 20 – 20 m
Materijal uže: poliester
Materijal kopče: čelik
Konektor: 1 spona FA50 101 17
Tačka pucanja: 15 kN
Težina artikla: 10 m - 1,65 kg, 20 m – 2,80 kg
Maksimalna nosivost: 140 kg
Standard: EN353-2:2002

Description: *fall arrest device (brake) and energy absorber on a 12 mm thick rope*
Length: *FA20 102 10 - 10 m, FA20 102 20 - 20 m*
Rope material: *polyester*
Buckle material: *steel*
Connector: *1 clamp FA50 101 17*
Breaking point: *15 kN*
Item weight: *10 m - 1.65 kg, 20 m - 2.80 kg*
Maximum load capacity: *140 kg*
Standard: *EN353-2:2002*





140 kg

KRATOS SAFETY FOR LIFE

NOVO *NEW*

NiRO

STEEL

EN353-2:2002 CE

TRAKA ZA SIDRIŠTE HORIZONTALNA ZA 2 KORISNIKA ECO LINE/ *ANCHOR BAND HORIZONTAL FOR 2 USERS ECO LINE*

FA60 007 00

Opis: horizontalna traka za sidrište širine 30 mm, podesive duljine od 5 do 20 m, testirana za korištenje za 2 korisnika, isporučuje se s neodvojivom vrećicom
Materijal: poliester
Konektori: FA50 101 17 dve čelične spone
Standard: u skladu s Uredbom (EU) 2016/425 Aneks II koristeći EN 795:2012, TS 16415:2013 Tip C

Description: *30 mm wide horizontal mooring strap, adjustable from 5 m to 20 m, tested for use by 2 users, supplied with a non-detachable bag*
Material: *polyester*
Connectors: *FA50 101 17 two steel clips*
Standard: *in accordance with Regulation (EU) 2016/425*
Annex II using EN 795:2012, TS 16415:2013
Type C



KRATOS SAFETY FOR LIFE

NOVO *NEW*

ECO LINE

STEEL

30 mm




CE

UREĐAJ ZA ZAUSTAVLJANJE PADA S UVLAČIVOM TRAKOM OD 2,5 M VORAS/
FALL STOPPING DEVICE WITH 2.5 M RETRACTIVE BELT VORAS

FA20 300 02

Opis: traka sa sistemom za amortizaciju pada; dužine 2,5 m, širine 50 mm
Materijal: traka poliester absorber poliamid i poliester
Tačka pucanja: 15 kN
Konektori: čelična spona FA50 101 17
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj upotrebi
Težina artikla: 1,15 kg
Standard: EN360:2002

Description: *strap with fall cushioning system; length 2.5 m, width 50 mm*
Material: *tape polyester absorber polyamide and polyester*
Breaking point: *15 kN*
Connectors: *steel clamp FA50 101 17*
Load capacity: *recommended for users with a maximum weight of up to 140 kg in vertical use*
Item weight: *1.15 kg*
Standard: *EN360:2002*





KRATOS SAFETY FOR LIFE
VORAS
STEEL

EN360:2002 CE

UREĐAJ ZA ZAUSTAVLJANJE PADA SA ČELIČNOM SAJLOM HELIXON 10M/
FALL STOPPING DEVICE WITH RETRACTIVE STEEL CABLE HELIXON 10M

FA20 402 10B

Opis: uređaj za zaustavljanje pada sa polimernim kućištem s čeličnom sajlom 10 m (prečnik sajle 4,5 mm)
Materijal: kućište od polimera, sajla galvanizirani čelik, konkektori čelik I aluminijum
Tačka pucanja: 12 kN
Konektori: čelična spona FA50 101 17 i aluminijumska kopča FA 50 203 20
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj upotrebi
Težina artikla: 4,50 kg
Standard: EN360:2002

Description: *fall stop device with polymer housing with steel cable 10 m (cable diameter 4.5 mm)*
Material: *polymer housing, galvanized steel cable, steel and aluminum connector*
Breakdown point: *12 kN*
Connector: *steel clamp FA50 101 17 and aluminum clip FA 50 203 20*
Load capacity: *recommended for users weighing up to 140 kg in the vertical use*
Product weight: *4.50 kg*
Standard: *EN360:2002*





KRATOS SAFETY FOR LIFE
Helixon
STEEL


EN360:2002 CE

UREĐAJ ZA ZAUSTAVLJANJE PADA SA ČELIČNOM SAJLOM HELIXON-S 7M/
FALL STOPPING DEVICE WITH RETRACTIVE STEEL CABLE HELIXON-S 7M

FA20 402 07

Opis: uređaj za zaustavljanje pada sa polimernim kućištem s čeličnom sajlon 7m (prečnik sajle 4,8 mm)
Materijal: kućište od polimera, sajla galvanizirani čelik, konektori čelik i aluminij um
Tačka pucanja: 12 kN
Konektori: čelična spona FA50 101 17 i aluminijska kopča FA50 203 20
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj i horizontalnoj upotrebi
Težina artikla: 4,08 kg
Standard: EN360:2002

Description: *fall arrest device with polymer housing and steel cable 7m (cable diameter 4.8 mm)*
Material: *polymer housing, galvanized steel cable, steel and aluminum connectors*
Breaking point: *12 kN*
Connectors: *steel clamp FA50 101 17 and aluminum clip FA50 203 20*
Carrying capacity: *recommended for users with a maximum weight of up to 140 kg in vertical and horizontal use*
Weight: *4.08 kg*
Standard: *EN360:2002*





KRATOS SAFETY FOR LIFE
NOVO NEW
Helixon-S
STEEL

EN360:2002 CE

UREĐAJ ZA ZAUSTAVLJANJE PADA S UVLAČIVOM TRAKOM OLYMPE-S2 OD 2 M/
FALL STOPPING DEVICE WITH RETRACTIVE TAPE OLYMPE-S2 2M

FA20 503 02

Opis: uređaj za zaustavljanje pada sa polimernim kućištem s uvlačivom trakom dužine 2 m (širina trake 21 mm)
Karakteristike: testirana i za horizontalnu upotrebu za rad u prisustvu oštrih rubova; pogodno za upotrebu u uvjetima "Faktora pada 2"
Materijal: kućište od polimera, traka aramid
Konektori: čelična spona FA50 101 17 i aluminijumska kopča FA50 218 60
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj upotrebi i 100 kg u horizontalnoj upotrebi
Tačka pucanja: 15 kN
Standard: EN360:2002

Description: *fall arrest device with polymer housing with a retractable tape 2 m long (tape width 21 mm)*
Characteristics: *tested also for horizontal use for work in the presence of sharp edges; suitable for use in "Drop Factor 2" conditions*
Material: *polymer housing, aramid tape*
Connectors: *steel clamp FA50 101 17 and aluminum clip FA50 218 60*
Carrying capacity: *recommended for users with a maximum weight of up to 140 kg in vertical use and 100 kg in horizontal use*
Breaking point: *15 kN*
Standard: *EN360:2002*



NOVO
NEW



EN360:2002

UREĐAJ ZA ZAUSTAVLJANJE PADA S UVLAČIVOM TRAKOM OLYMPE-S2 OD 2 M/
SELF-RETURN SYSTEM WITH 2 M OLYMPE-S2 RETRACTIVE TAPE

FA20 502 02

Opis: uređaj za zaustavljanje pada sa polimernim kućištem s uvlačivom trakom dužine 2m (širina trake 21 mm)
Karakteristike: testirana i za horizontalnu upotrebu za rad u prisustvu oštrih rubova; pogodno za upotrebu u uvjetima "Faktora pada 2"
Materijal: kućište od polimera, traka aramid
Konektori: čelik i aluminijum
Tačka pucanja: 15 kN
Konektori: čelična spona FA50 101 17 i aluminijska kopča FA 50 221 17
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj upotrebi 100 kg u horizontalnoj upotrebi
Težina artikla: 0,77 kg
Standard: EN360:2002

Description: *fall stop device with polimernim housing with retractive strip length 2 m (strip width 20 mm)*
Features: *tested and for horizontal use to work in the presence of sharp edges; suitable for use in conditions "Fall factor 2"*
Material: *polymer housing, aramid tape*
Connectors: *steel and aluminum*
Breakdown point: *15 kN*
Connector: *steel clamp FA50 101 17 and aluminum clip FA 50 203 20*
Load capacity: *recommended for users weighing up to 140 kg when used vertically and up to 100 kg when used horizontally*
Product weight: *0.77 kg*
Standard: *EN360 2002*





EN360:2002

UŽE 1,5 M (11 MM)/
ROPE 1.5 M (11 MM)

FA40 500 15

Opis: uže, dužina: 1,5 m, prečnik: 11 mm
Materijal: poliamid
Točka pucanja: 22 kN
Težina artikla: 0,20 kg
Standard: EN354:2002

Description: *rope, length 1.5 m, diameter 11 mm*
Material: *polyamide*
Breakdown point: *22kN*
Product weight: *0,20 kg*
Standard: *EN354:2002*



11 mm

EN354:2002 ✓ CE

UŽE ZA RADNO POZICIONIRANJE OD 2 M SA DVE KOPČE/
WORK POSITION ROPE FROM 2M, WITH TWO CLAMPS

FA40 900 20

Opis: uže s dve kopče, minimalna dužina 1,2 m, maksimalna dužina 2 m, prečnik 14 mm
Materijal: uže poliamid, kopče čelik, konektori: spona FA50 101 17, kopča FA50 202 17
Težina artikla: 0,81 kg
Standard: EN358:2000

Description: *rope with two clips, minimum length 1.2 m, maximum length 2 m, diameter 14 mm*
Material: *polyamide rope, steel clips, clamp: FA5010117 clamp, FA5020217 buckle*
Product weight: *0,81 kg*
Standard: *EN358:2000*

14 mm

STEEL



Size
Maxi: 2M
FA 40 900 20

EN354:2010
EN358:2000 ✓ CE

UŽE ZA RADNO POZICIONIRANJE OD 2 M SA DVE KOPČE/
WORK POSITION ROPE FROM 2M, WITH TWO CLAMPS

FA40 902 20

Opis: kernmantle uže s dve kopče, minimalna dužina: 1,2 m, maksimalna dužina: 2 m, prečnik 11 mm
Materijal: uže kernmantle (uže s jezgrom) poliamid, kopče čelik,konektori: spona FA50 101 17, kopča FA50 202 17
Težina artikla: 0,69 kg
Standard: EN358:2000

Description: *kernmantle rope with two buckles, minimum length: 1.2 m, maximum length: 2 m, diameter 11 mm*
Material: *kernmantle rope (core rope) polyamide, steel clasps, connectors: FA5010117 clamp, FA5020217 clasp*
Article weight: *0.69 kg*
Standard: *EN358:2000*

STEEL



PA 11 mm

EN358:2000 ✓ CE

TRAKA SA SISTEMOM ZA AMORTIZACIJU PADA 1,8 M SA KOPČAMA HOPE/
TAPE WITH FALL ABSORPTION SYSTEM WITH CLIPS 1.8 M HOPE

FA30 304 18

Opis: traka sa sistemom za amortizaciju pada sa kopčama, dužine 1,8 m, širine 30 mm
Materijal: traka poliester, apsorber poliamid i poliester, kopče čelik
Konektori: 1 spona FA50 101 17 i jedna kopča FA50 207 55
Težina artikla: 0,87 kg
Standard: EN355:2002

Description: *strap with fall cushioning system with clips, length 1.8 m, width 30 mm*
Material: *polyester tape, absorber polyamide and polyester, buckles steel*
Connectors: *1 clamp FA50 101 17 i one clip FA50 207 55*
Item weight: *0.87 kg*
Standard: *EN355:2002*

KRATOS SAFETY FOR LIFE

NOVO *NEW*

HOPE

STEEL





EN355:2002 CE

DVOSTRUKA TRAKA SA SISTEMOM ZA AMORTIZACIJU PADA 1,8 M SA KOPČAMA HOPE/
DOUBLE TAPE WITH SHOCK ABSORBING CLAMPS 1,8M HOPE

FA30 400 18

Opis: dvostruka traka sa sistemom za amortizaciju pada, dužina: 1,8 m, širina: 30 mm
Materijal: traka poliester, konektor čelik, absorber: poliamid i poliester; konektori: jedna spona FA50 101 17 i dvije kopče FA50 207 55
Težina artikla : 1,52 kg
Standard: EN355:2002

Description: *double strap with depreciation system for shock absorption,*
length: *1.8 m, width: 30 mm*
Material: *polyester tape, steel connector, absorber: polyamide and polyester; connections: one FA5010117 clamp and two clips FA5020755*
Product weight: *1.52 kg*
Standard: *EN355:2002*



KRATOS SAFETY FOR LIFE

HOPE

STEEL






EN355:2002 CE

UŽE SA SISTEMOM ZA AMORTIZACIJU PADA 1,8 M HOPE/
ROPE WITH FALL DAMPING SYSTEM 1,8 M HOPE

FA30 500 20

Opis: uže sa sistemom za amortizaciju pada
Dužina: 1,8 m, prečnik: 11 mm
Materijal: uže poliamid, absorber: poliamid i poliester
Težina artikla: 0,46 kg
Standard: EN355:2002

Description: *rope with fall damping system*
Length: *1.8 m, diameter: 11 mm*
Material: *polyamide rope, absorber: polyamide and polyester*
Article weight: *0.46 kg*
Standard: *EN355:2002*



KRATOS SAFETY FOR LIFE

HOPE





EN355:2002 CE

UŽE SA SISTEMOM ZA AMORTIZACIJU PADA 2 M S KOPČAMA HOPE/
ROPE WITH DEPRECIATION SYSTEM AND BUCKLES 2M HOPE

FA30 503 20

Opis: uže sa sistemom za amortizaciju pada
Dužina: 2 m (skupa sa kopčama), prečnik: 11 mm
Materijal: uže poliamid, absorber poliamid i poliester, kopče čelik, Konektori kopča FA50 207 55 i FA50 202 17
Težina artikla: 1,15 kg
Standard: EN355:2002

Description: *rope with fall depreciation system;*
Length: *2 m (including buckles), diameter: 11 mm;*
Material: *polyamide rope, absorbent polyamide and polyester, steel buckles, couplings FA5020755 and FA5020217;*
Product weight: *1.15 kg;*
Standard: *EN355:2002*



KRATOS SAFETY FOR LIFE
HOPE
STEEL
11 mm
EN355:2002 ✓ CE

DVOSTRUKO UŽE SA SISTEMOM ZA AMORTIZACIJU PADA 1,5 M S KOPČAMA HOPE/
DOUBLE ROPE WITH FALL DEPRECIATION SYSTEM 1.5 M WITH BUCKLES HOPE

FA30 600 15

Opis: dvostruko uže sa sistemom za amortizaciju pada;
Dužina: 1,5 m (skupa sa kopčama), prečnik: 11 mm
Materijal: uže poliamid, absorber poliamid i poliester, kopče čelik; konektori 2 kopče FA50 207 55 i spona FA50 101 17
Težina artikla: 1,82 kg
Standard: EN355:2002

Description: *double rope with system depreciation of falls;*
Length: *1.5 m (incl buckles), diameter: 11 mm*
Material: *polyamide rope, absorbent polyamide and polyester, steel buckles; connectors 2 buckles FA5020755 and clamp FA5010117*
Product weight: *1,82 kg*
Standard: *EN355:2002*



KRATOS SAFETY FOR LIFE
HOPE
STEEL
11 mm
EN355:2002 ✓ CE

SPONA ČELIČNA (OTVOR 18 MM)/
STEEL CLAMP (OPENING 18 MM)

FA50 101 17

Opis: spona čelična, otvaranje 18 mm, zatvaranje na navoj
Materijal: čelik
Točka pucanja: 25 kN
Težina artikla: 0,16 kg
Standard: EN362:2004 klasa B

Description: *steel clamp, opening 18 mm, threaded closing*
Material: *steel*
Breakdown point: *25 kN*
Product weight: *0.16 kg*
Standard: *EN362: class B; 2004*



KRATOS SAFETY FOR LIFE
STEEL
: 25kN
: 18mm
EN362:2004
Class A
Class B ✓
Class Q
Class T
CE

SPONA ČELIČNA (OTVOR 18 MM) KEYLOCK/
STEEL CLAMP (OPENING 18 MM) KEYLOCK

FA50 101 17B

Opis: spona čelična s funkcijom KEYLOCK, otvaranje 18 mm, zatvaranje na navoj
Materijal: čelik
Točka pucanja: 23kN
Težina artikla: 0,17 kg
Standard: EN362:2004 razred B

Description: *steel clamp with KEYLOCK function opening 18 mm, threaded closing*
Material: *steel*
Breakdown point: *23kN*
Product weight: *0.17 kg*
Standard: *EN362:2004 class B*



EN362:2004	
Class A	
Class B	✓
Class Q	
Class T	

KOPČA ČELIČNA (OTVARANJE 50,8 MM)/
STEEL BUCKLE (OPENING 50.8 MM)

FA50 207 55

Opis: kopča čelična, otvaranje 50,8mm
Materijal: čelik
Točka pucanja: 23kN
Težina artikla: 0,51 kg
Standard: EN362:2004 klasa T

Description: *steel buckle, opening 50,8 mm*
Material *steel*
Breakdown point: *23kN*
Product weight: *0.51 kg,*
Standard: *EN362:2004 class T*



EN362:2004	
Class A	
Class B	
Class Q	
Class T	✓

KOPČA ALUMINIJUMSKA (OTVARANJE 50,8 MM)/
ALUMINUM BUCKLE (OPENING 50.8 MM)

FA50 218 60

Opis: kopča aluminijumska, otvaranje 60 mm
Materijal: aluminijumska legura
Točka pucanja: 22 kN
Težina artikla: 0,44 kg
Standard: EN362:2004 klasa A i T

Description: *aluminum buckle, opening 60 mm*
Material: *aluminum alloy*
Breakdown point: *22 kN*
Product weight: *0,44 kg*
Standard: *EN362:2004 class A and T*



EN362:2004	
Class A	
Class B	
Class Q	
Class T	✓

SPONA ČELIČNA (OTVOR 23 MM)/
STEEL CLAMP (OPENING 23 MM)

FA50 301 23

Opis: spona čelična, otvaranje 22 mm, trostruki sistem zatvaranja
Materijal: čelik
Točka pucanja: 40kN
Težina artikla: 0,23 kg
Standard: EN362:2004 klasa B

Description: *steel clamp, opening 22 mm, system of triple closure*
Material: *steel*
Breakdown point: *40kN*
Product weight: *0.23 kg*
Standard: *EN362:2004 class B*



EN362:2004	
Class A	
Class B	✓
Class Q	
Class T	

TRONOŽAC (7FT)/
TRIPOD (7FT)


FA60 001 00

Opis: Tronožac za spuštanje i dizanje osoba i predmeta u uskim prostorima
Materijal: legura aluminijuma
Nosivost: 500 kg
Težina artikla: 13 kg
Standard: EN795:2012 tip B

Description: *tripod for loftinh persons and objects in narrow spaces*
Material: *aluminum alloy*
Load capacity: *500 kg*
Product weight: *13 kg*
Standard: *EN795:2012 type B*



Size	7 Ft. FA 60 001 00	10 Ft. FA 60 002 00
H↕	1.15-->2.15m	1.9-->2.9m
Ø	1.5m	1.8m





EN795:2012	
Type A	
Type B	✓
Type C	
Type D	
Type E	

VITLO ZA TRONOŽAC (20 M) ARGO/
TRIPOD WINCH (20 M) ARGO

FA60 003 00

Opis: vitlo za tronožac dužine 20 m za spuštanje i dizanje osoba i predmeta u uskim prostorima
Materijal: legura čelika
Težina artikla: 7,54 kg
Nosivost: 135 kg
Standard: EN1496:2006 (klasa A) 2006-42-CE, EN13157:2004

Description: *tripod winch 20 m for lowering and lifting persons and objects in narrow spaces*
Material: *steel alloy*
Product weight: *7,54 kg*
Load capacity: *135 kg*
Standard: *EN1496:2006 (class A) 2006-42-CE, EN13157:2004*



EN1496:2006	
Class A	✓
Class B	

NAPRAVA ZA ZAUSTAVLJANJE PADA SA ČELIČNOM SAJLOM 20 M I VITLOM/
FALL STOPPING DEVICE WITH 20 M STEEL CABLE AND WINCH

FA20 401 20

Opis: naprava za zaustavljanje pada sa čeličnom sajlom dužine 20 m i integriranim vitlom za spašavanje; Koristi se u kombinaciji sa artiklima FA60 001 03 i FA60 001 00
Materijal: kućište od polimera, sajla legura čelika, spone čelik, konektori: spona FA50 101 17 i kopča FA50 203 20
Težina artikla: 9,20 kg
Nosivost: preporučeno za korisnike max težine do 140 kg u vertikalnoj uporabi
Standard: EN360:2002 EN1496:2006 (klasa B)

Description: *fall stop device with steel 20 m long cable and built-in rescue winch; Used in combination with FA60 001 03 in FA60 001 00 products*
Material: *polymer housing, steel alloy cable, clamps steel, connectors: clamp FA5010117 and buckle FA5020320*
Product weight: *9,20 kg*
Load capacity: *recommended for users weighing up to 140 kg for vertical use*
Standard: *EN360:2002, EN1496:2006 (Class B)*



EN1496:2006	
Class A	✓
Class B	

KOMPLET ZA MONTIRANJE NAPRAVE FA2040120 NA TRONOŽAC/
KIT FOR MOUNTING THE FA2040120 DEVICE ON A TRIPOD

FA60 001 03

Opis: komplet za montiranje naprave FA20 401 20 na tronožac
Materijal: aluminij,čelik, ploča čelik, spona čelik; Komplet sadrži : ploču koja se montira na tronožac, remenicu FA70 016 01, sponu FA50 101 17

Description: *tripod mounting kit FA20 401 20*
Material: *aluminum, steel, sheet steel, clamping steel; The set contains: a plate that is mounted on a tripod, pulley FA7001601, clamp FA5010117*



EN1496:2006	
Class A	✓
Class B	

SIDRIŠTE IN LOCK-2/
ANCHORAGE IN LOCK-2

FA60 019 00

Opis: sidrište dizajnirano za brzu montažu na vodoravnu čeličnu površinu pomoću pritisnog dugmeta sa funkcijom otvaranja / zatvaranja; za ugradnju je potrebna rupa od 22 do 23 mm
Materijal: čelik i nehrđajući čelik
Točka pucanja : 12 kN
Težina artikla: 0,55 kg
Standard: EN 795:2012 Tip B



Description: *anchor designed for quick mounting on a horizontal steel surface using a push button with an open/close function; a 22 to 23 mm hole is required for installation*
Material: *steel and stainless steel*
Breaking point: *12 kN*
Item weight: *0,55 kg*
Standard: *EN 795:2012 Type B*





KRATOS SAFETY FOR LIFE

NOVO NEW

IN LOCK-2

INOX STEEL


CE

TRAKA ZA SIDRIŠTE/
ANCHOR STRAP

FA60 005 08

Opis: traka za sidrište dužine 0,8m, širina: 20 mm
Materijal: poliester
Težina artikla: 0,09 kg
Standardi: EN795:2012 Type B

Description: *length anchor strap 0.8m, width: 20 mm*
Material: *polyester*
Weight: *0,09 kg*
Standards: *EN795:2012 Type B*









KRATOS SAFETY FOR LIFE

NOVO NEW

CE

TRAKA ZA SIDRIŠTE/
ANCHOR STRAP

FA60 005 15

Opis: traka za sidrište dužine 1,5m , širina: 20 mm
Materijal: poliester
Težina artikla: 0,16 kg
Standardi: EN795:2012 Type B

Description: *length anchor strap 1 ,5 m, width: 20 mm*
Material: *polyesterItem*
Weight: *0.16 kg*
Standards: *EN795:2012 Type B*









KRATOS SAFETY FOR LIFE

NOVO NEW

CE

TRAKA ZA UBLAŽAVANJE PRITISKA U SLUČAJU PADA/
FALL RELIEF BELT

FA 10 901 00

Opis: traka za ublažavanje pritiska u slučaju pada, kompaktno pakovanje i lagano spajanje na uprtač
Materijal trake: poliester
Konektori: čelična zakačka
Težina artikla: 8 g

Description: *fall relief strap, ompact packaging and easy belt connection*
Belt material: *polyester*
Connectors: *steel hook*
Product weight: *8 g*



KRATOS SAFETY FOR LIFE

KOMPLET ZA OGRANIČAVANJE PRISTUPA/
ACCESS RESTRICTION KIT

FA80 001 00

Opis: komplet za ograničavanje pristupa
FA 80 001 00 komplet sastoji se od:
- FA10 102 00 sigurnosnog uprtača
- FA40 500 15 uže za radno pozicioniranje 1,5 m
- 2 x FA 50 101 17 dvije čelične kopče
Dolazi u vreći 45 x 36 cm
Težina artikla: 1,50 kg
Standard: EN361:2002/EN354:2002/EN362:2004 Class B

Description: *access restriction kit*
FA 80 001 00 kit consists of:
- seat belt FA10 102 00
- rope FA40 100 15 for working positioning 1.5 m
- 2 x FA 50 101 17 two steel buckles
Comes in a jute bag 45 x 36 cm
Product weight: *1,50 kg*
Standard: *EN361:2002 / EN354:2002 / EN362:2004 Class B*








KOMPLET ZA SPREČAVANJE PADA/
FALL PREVENTION KIT

FA80 002 00

Opis: komplet za sprečavanje pada
FA 80 002 00 komplet sastoji se od:
- FA10 103 00 sigurnosnog uprtača
- FA30 304 18 traka sa sistemom za amortizaciju pada 1,8 m s kopčama
Dolazi u vreći 45 x 36 cm
Težina artikla: 2,15 kg
Norme: EN361:2002, EN355:2002

Description: *fall prevention kit;*
FA 80 002 00 kit consists of:
- seat belt FA10 103 00
- FA30 304 18 straps with 1,8 m fall depreciation system with buckles
Comes in a jute bag 45 x 36 cm
Product weight: *2,15 kg*
Standards: *EN361:2002, EN354:2002, EN355:2002*







KOMPLET ZA SPREČAVANJE PADA/
FALL PREVENTION KIT

FA80 005 00

Opis: komplet za sprečavanje pada
FA80 005 00 komplet sastoji se od:
- FA10 105 00 sigurnosnog uprtača
- FA30 600 15 dvostruke trake za amortizaciju pada 1,8 m sa kopčama
Dolazi pakiran u torbi FA90 115 00
Težina artikla: 3,07 kg
Standard: EN361:2002 , EN355:2002

Description: *fall prevention kit*
FA80 005 00 set consists of:
- FA10 105 00 safety harness
- FA30 600 15 double straps for shock absorption 1.8 m with clips
Comes packed in a bag FA90 115 00
Item weight: *3,07 kg*
Standard: *EN361:2002, EN355:2002*



NOVO
NEW

NAGLAVNA SVJETILJKA RAINBOW 1/
HEAD LAMP RAINBOW 1

HL10 001 00

Opis: jedinstvena naglavna lampa izvanrednog dizajna i značajki (vrlo širok svetlosni snop (do 230° kut snopa), senzorski prekidač, SOS modul)
Snaga svetla: 350 lumena
Udaljenost snopa: 80 m
Vodootporan: IP64
Vrsta baterije: Li-Po (isporučena)
Min/max trajanje: 2h30 / 8h
Vreme punjenja: 2h30
Težina: 75 g
Sukladnost: Direktiva 2014/30/EU, 2001/95/EU, 2011/65/EU, 2012/19/EU

Description: *unique head lamp with outstanding design and features (very wide light beam (up to 230° beam angle), sensor switch, SOS module)*
Light power: *350 lumens*
Beam distance: *80 m*
Waterproof: *IP64*
Battery type: *Li-Po (supplied)*
Min/max duration: *2h30 / 8h*
Charging time: *2h30*
Weight: *75 g*
Compliance: *Directive 2014/30/EU, 2001/95/EU, 2011/65/EU, 2012/19/EU*

NOVO
NEW



350 Lumens | **75g** Weight | **80M** Range | **IP54** Rating | **Li-Po** Battery (3.7V / 1200 mAh) | **SOS** Mode | **Sensor** Switch | **1M** Shock Resistant | **USB Type-C** Charger (supplied)

ZAŠTITNI ŠLEM FOX ZA RAD NA VISINAMA/
PROTECTIVE HELMET FOX FOR WORK AT HEIGHTS

HP10 200 00B

Opis: zaštitni šlem za rad na visinama FOX crna
Karakteristike: specijalno namenjena za rad na visini, planinarenje, spašavanje, ventilirana za veću udobnost, mogućnost dodavanja: vizira, antifona, svetiljke (dodaci nisu uključeni)
Veličina: univerzalna 52 do 61 cm
Materijal: remen poliester, kopča poliamid, oklop polipropilen
Težina artikla: 0,42 kg
Standard: EN 12492:2012

Description: *Protective helmet FOX for work at height black*
Features: *specially designed for work at height, hiking, rescue, ventilated for greater comfort, possibility of adding: visor, muffer, lamps (accessories not included)*
Size: *universal from 52 to 61 cm*
Material: *polyester belt, polyamide buckle, polypropylene armor*
Product weight: *0,42 kg*
Standard: *EN 12492:2012*



CE 12492:2012

OPREMA ZA VARIOCE
WELDING EQUIPMENT

OPREMA ZA VARIOCE

Lacuna i Coverguard brend opreme za varioce sadrži visoko kvalitetnu opremu za zavarivanje i nudi sve što je potrebno za ličnu zaštitu varilaca.

WELDING EQUIPMENT

The Lacuna and Coverguard brand of welding equipment features high quality welding equipment and offers everything needed for personal protection of welders.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check on LACUNA B2B*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*



CERES


5CER

Opis: varilačka zaštitna kecelja CERES
Dimenzija: 90 x 60 cm
Materijal: goveđa špalt koža
Standard: EN ISO 11611:2015, razred/klasa 1 A1+A2
Originalno pakovanje: 1 komad vrećica, 25 komada kutij

Description: *welding protective apron CERES*
Dimensions: *90 x 60 cm*
Material: *cowhide*
Standard: *EN ISO 11611:2015, class 1 A1 + A2*
Original packaging: *1 pair of bags, 25 boxes*



LACUNA



CE EN ISO 11611:2015

EOL

5EOL

Opis: varilački štitnik za noge EOL
Dužina: 30 cm
Sirovinski sastav: goveđa špalt koža
Standard: EN ISO 11611:2015, razred/klasa 1 A1+A2
Originalno pakovanje: 1 par vrećica, 25 pari kutija

Description: *welding foot guard EOL*
Length: *30 cm*
Raw material composition: *cowhide*
Standard: *EN ISO 11611:2015, class / class 1 A1 + A2*
Original packaging: *1 pair of bags, 25 pairs of boxes*



LACUNA



CE EN ISO 11611:2015

HELA


5HEL

Opis: varilačka zaštitna manžetna HELA
užina: 40 cm
Sirovinski sastav: goveđa špalt koža
Standard: EN ISO 11611:2015 , razred/klasa 1 A1+A2
Pakovanje: 1 par vrećica, 25 pari kutija

Description: *welding protective sleeve HELA*
Length: *40 cm*
Raw material composition: *cowhide*
Standard: *EN ISO 11611:2015, class 1 A1 + A2*
Packing: *1 pair of bags, 25 pairs of boxes*



LACUNA



CE EN ISO 11611:2015


weltek
A COVERGUARD GROUP COMPANY

KAPIO S3



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 9 → 13

Vreme reakcije
Reaction time
0,3ms

Vidno polje
Field of view
92x41mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Solarno | Solar

Težina
Weight
472g

Norme
Standards
EN166 | EN175 | EN379

Tasteri za podešavanje
Setting buttons
Low-High | Low-High

PREDNOSTI | BENEFITS

+ 2 senzora luka
+ Promenljivo zatamnjenje DIN 9 do 13
+ Mat crna verzija
+ Prikaz boja u stvarnim tonovima

+ 2 arc sensors
+ Variable shade DIN 9 to 13
+ Mat Black version
+ True Colors vision

REFERENTNE OZNAKE KAPIO S3 STANDARD



PL16S3

KAPIO S3 BLUE RACING



PL14S3

KAPIO S3 BLACK RACING



PL15S3

KAPIO S3 GANGSTER GREY



PL05S3

KAPIO S3 MAT BLACK



PL18S3

KAPIO S3 GANGSTER



PL12S3

KAPIO S3 SAMOURAÏ

KAPIO S3 STANDARD REFERENCES

KAPIO S4



PREDNOSTI | BENEFITS

+ 4 senzora luka
+ Promenljivo zatamnjenje DIN 9 do 13
+ Prikaz boja u stvarnim tonovima
+ Funkcija brušenja
+ Dostupan bočni pregled

+ 4 arc sensors
+ Variable shade DIN 9 to 13
+ True Colors vision
+ Grinding function
+ Side vision available

KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 9 → 13

Vreme reakcije
Reaction time
0,2ms

Vidno polje
Field of view
93 x 43mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Solarno | Solar

Težina
Weight
482g

Norme
Standardi
EN166 | EN175 | EN379

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

PL21S4 | PL24S4 | PL26S4 | PL27S4 | PL28S4 | PL30S4 | PL41S4 | PL42S4

REFERENTNE OZNAKE KAPIO S4 STANDARD

REFERENTNE OZNAKE S4 S BOČNIM PREGLEDOM 160°



PL42S4

KAPIO S4 USA



SV - PL30S4

KAPIO S4 ORANGE RACING



PL16S4
SV - PL26S4

KAPIO S4 BLUE RACING



PL14S4
SV - PL24S4

KAPIO S4 BLACK RACING



PL27S4

KAPIO S4 CAMOUFLAGE



PL15S4
SV - PL25S4

KAPIO S4 GANGSTER GREY



PL18S4
SV - PL28S4

KAPIO S4 GANGSTER



PL12S4
SV - PL22S4

KAPIO S4 SAMOURAÏ

KAPIO S4 STANDARD REFERENCES

KAPIO S4 160° SIDE-VIEW REFERENCES

MASKA ZA ZAVARIVANJE SA AUTOMATSKIM ZATAMNJENJEM | AUTODARKENING HELMET

KAPIO S13



PREDNOSTI | BENEFITS

+ Prikaz boja u stvarnim tonovima
+ XXL vidno polje
+ Promenljivo zatamnjenje DIN 5 do 13
+ 4 senzora luka
+ Digitalni displej
+ Funkcija brušenja
+ Dostupan bočni pregled

+ True Colors vision
+ XXL viewing area
+ Variable shade DIN 5 to 13
+ 4 arc sensors
+ Digital display
+ Grinding function
+ Side vision available

KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 5 → 8 - DIN 9 → 13

Vreme reakcije
Reaction time
0,1ms

Vidno polje
Field of view
100 x 67mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Baterija | Battery

Težina
Weight
515g

Norme
Standards
EN166 | EN175 | EN379

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

PL21S13 | PL24S13 | PL26S13 | PL27S13 | PL28S13 | PL30S13 | PL41S13 | PL42S13

REFERENTNE OZNAKE KAPIO S13 STANDARD

REFERENTNE OZNAKE KAPIO S13 S BOČNIM PREGLEDOM 160°



PL42S13

KAPIO S13 USA



SV - PL30S13

KAPIO S13 ORANGE RACING



PL16S13
SV - PL26S13

KAPIO S13 BLUE RACING



PL14S13
SV - PL24S13

KAPIO S13 BLACK RACING



PL27S13

KAPIO S13 CAMOUFLAGE



PL15S13
SV - PL25S13

KAPIO S13 GANGSTER GREY



PL18S13
SV - PL28S13

KAPIO S13 GANGSTER



PL12S13
SV - PL22S13

KAPIO S13 SAMOURAÏ

KAPIO S13 STANDARD REFERENCES

KAPIO S13 160° SIDE-VIEW REFERENCES

MASKA ZA ZAVARIVANJE SA AUTOMATSKIM ZATAMNJENJEM | AUTODARKENING HELMET

KAPIO LASER



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 5 → 8 - DIN 9 → 13

Vreme reakcije
Reaction time
0,2ms

Vidno polje
Field of view
98 x 52mm

Težina
Weight
509g

Napajanje
Power supply
Solarno, baterijsko
| Solar, Battery

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Norme
Standards
EN 207 | EN ISO 16321

PREDNOSTI | BENEFITS

+ CE EN 207 zaštita od lasera
+ Nivoi zaštite LB6 i LB7
+ 4 nezavisna senzora
+ Promenljivo zatamnjenje DIN 5 do 13
+ XL vidno polje
+ Mala težina
+ Režim brušenja

+ CE EN 207 laser protection
+ Protection levels LB6 and LB7
+ 4 independent sensors
+ Variable shade DIN 5 to 13
+ XL viewing area
+ Light weight
+ Grinding mode

MASKA ZA ZAVARIVANJE SA AUTOMATSKIM ZATAMNJENJEM | AUTODARKENING HELMET

K-12



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 9 → 12

Vreme reakcije
Reaction time
0,1ms

Vidno polje
Field of view
90x36mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Solarno, baterijsko
| Solar, Battery

Težina
Weight
350g

Norme
Standards
EN166 | EN175 | EN379

Tasteri za podešavanje
Setting buttons
Low-High | Low-High

PREDNOSTI | BENEFITS

+ Smanjene dimenzije
+ Ergonomski dizajn
+ Prikaz boja u stvarnim tonovima
+ Mogućnost korišćenja sa zaštitnom kacigom

+ Reduced dimensions
+ Ergonomic
+ True Colors vision
+ Usable with safety helmet

KLEAR 105



KARAKTERISTIKE | FEATURES

TRUE COLORS

Nivo zatamnjenja
Welding shade
DIN 11

Vreme reakcije
Reaction time
0,45ms

Vidno polje
Field of view
92x35mm

Optičke klase
Optical classes
1/1/1/1

Napajanje
Power supply
Solarno | Solar

Težina
Weight
62g


Norme
Standards
| EN379

CE

PREDNOSTI | BENEFITS

+ Standardne dimenzije 105x50mm
+ Prilagodljivo za kacige i maske
+ Prikaz boja u stvarnim tonovima

+ Standard dimensions 105x50mm
+ Adaptable in helmets and masks
+ Vision True Colors



SVJETILJKA SPOTLIGHT

AX7000

PREDNOSTI
BENEFITS

+Snažno LED svetlo
+3 nivoa snage
+2 senzora luka
+Prilagodljivo za sve kacige
+USB-C punjenje
+Mala težina

+ Powerful LED light
+ 3 power levels
+ 2 arc sensors
+ Adaptable to any helmet
+ USB-C rechargeable
+ Lightweight

FILTER SA AUTOMATSKIM ZATAMNJENJEM | AUTO-DARKENING FILTER

NAVITEK S4



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 9 → 13

Vreme reakcije
Reaction time
0,2ms

Vidno polje
Field of view
93 x 43mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Solarno | Solar

Težina
Weight
660g

Norme
Standards
EN166 | EN175 | EN379

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

GT58S4 | GT38S4

PREDNOSTI | BENEFITS

+ Zaštitni vizir za brušenje
+ 4 senzora luka
+ Promenljivo zatamnjenje DIN 9 do 13
+ Prikaz boja u stvarnim tonovima
+ Dostupan bočni pregled

+ Grinding undervisor
+ 4 arc sensors
+ Variable shade DIN 9 to 13
+ True Colors vision
+ Side vision available

FILTER SA AUTOMATSKIM ZATAMNJENJEM | AUTO-DARKENING FILTER

NAVITEK S13



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 5 → 8 - DIN 9 → 13

Vreme reakcije
Reaction time
0,1ms

Vidno polje
Field of view
100x67mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Baterija | Battery

Težina
Weight
720g

Norme
Standards
EN166 | EN175 | EN379

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

GT58S13 | GT38S13

PREDNOSTI | BENEFITS

+ Vizir za brušenje
+ Prikaz boja u stvarnim tonovima
+ XXL vidno polje
+ Promenljivo zatamnjenje DIN 5 do 13
+ 4 senzora luka
+ Digitalni displej
+ Dostupan bočni pregled

+ Grinding visor
+ True Colors Vision
+ XXL viewing area
+ Variable shade DIN 5 to 13
+ 4 arc sensors
+ Digital display
+ Side vision available

MASKA ZA ZAVARIVANJE SA AUTOMATSKIM ZATAMNJENJEM | AUTODARKENING HELMET

NAVISHOCK S4



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 9 → 13

Vreme reakcije
Reaction time
0,2ms

Vidno polje
Field of view
93 x 43mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Solarno | Solar

Težina
Weight
835g

Norme
Standards
EN166 | EN175 | EN379 | EN397

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

KS97S4

PREDNOSTI | BENEFITS

+ Kaciga sertifikovana prema EN 397
+ Zaštitni vizir za brušenje
+ 4 senzora luka
+ Promenljivo zatamnjenje
+ Prikaz boja u stvarnim tonovima
+ Dostupan bočni pregled

+ Helmet approved EN 397
+ Grinding undervisor
+ 4 arc sensors
+ Variable shade DIN 9 to 13
+ True Colors vision
+ Side vision available

MASKA ZA ZAVARIVANJE SA AUTOMATSKIM ZATAMNJENJEM | AUTODARKENING HELMETM

NAVISHOCK S13



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 5 → 8 - DIN 9 → 13

Vreme reakcije
Reaction time
0,1ms

Vidno polje
Field of view
100x67mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Baterija | Battery

Težina
Weight
895g

Norme
Standards
EN166 | EN175 | EN379 | EN397

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

KS97S13

PREDNOSTI | BENEFITS

+ Kaciga sertifikovana prema EN 397
+ Zaštitni vizir za brušenje
+ Prikaz boja u stvarnim tonovima
+ XXL vidno polje
+ Promenljivo zatamnjenje DIN 5 do 13
+ 4 senzora luka
+ Digitalni displej
+ Dostupan bočni pregled

+ EN 397 approved helmet
+ Grinding undervisor
+ True Colors vision
+ XXL viewing area
+ Variable shade DIN 5 to 13
+ 4 arc sensors
+ Digital display
+ Side vision available

RADIKAL AIRKOS

PREDNOSTI | BENEFITS



POLIKARBONATNI BOČNI PREGLED, PODESIVO ZATAMNJENJE DIN 5
+ Vidno polje do 160 °

SIDE VISION IN DIN 5 POLYCARBONATE
+ 160° viewing area



PREKLOPNI VIZIR SA AUTOMATSKIM ZATAMNJIVANJEM

FLIP-UP WITH AUTODARKENING FILTER


FILTER ZA AUTOMATSKO ZATAMNJIVANJE
+ TRUE COLORS tehnologija

AUTODARKENING FILTER
+ TRUE COLORS technology



SENZORI ZA AUTOMATSKO ZATAMNJIVANJE
+ Automatsko podešavanje nivoa zatamnjenja

AUTOSHADE SENSORS
+ Automatic shade adjustment for intensity-dependent welding



1. Podešavanje vremena kašnjenja (DELAY)
   DELAY setting, return time
2. Podešavanje osetljivosti senzora (SENS)
   SENS setting, sensor sensitivity
3. Podešavanje nivoa zatamnjenja (SHADE)
   SHADE setting





BOČNA POLUGA ZA PODIZANJE PREKLOPNOG VIZIRA
+ Jednostavno rukovanje
+ Brzo korišćenje

SIDE TRIGGER FOR FLIP RELEASE
+ Ease of use
+ Rapid

PROZIRNI VIZIR
+ Visoka otpornost

CLEAR VISOR
+ High level of resistance

ERGONOMSKI PROFILISAN OKVIR
+ Udobnost

ERGONOMIC SHELL & PROFILE
+ Comfort



GORNJI DIFUZOR VAZDUHA USMEREN KA VIZIRU
+ Smanjuje zamagljivanje

UPPER AIR DIFFUSER FACING CLEAR VISOR
+ Limits fogging

BOČNI DOVOD ZRAKA
+ Udobnost za vrat
+ Balans
+ Mala težina

SIDE AIR INLET
+ Cervical comfort
+ BALANCE
+ Lightweight

DONJI DIFUZOR VAZDUHA USMEREN KA DISAJNIM PUTEVIMA
+ Poboljšana prohodnost vazduha zahvaljujući ravnomernijem protoku

LOWER AIR DIFFUSER FACING AIRWAYS
+ Improved breathability with more diffused air

BRZO PRIČVRŠĆIVANJE I ZAMENA VATROOTPORNE ZAPTIVKE ZA LICE BEZ ŠRAFOVA
+ Praktičnost i nepropusnost

QUICK FASTENNING & CHANGE OF FR FACE SEAL, WITHOUT SCREWS
+ Practical & hermetic

VATROOTPORNI POKLOPAC
+ Povećana sigurnost

FR COVER
+ Enhanced safety

TH3 NEPROPUSNOST
TH3 INWARD LEAKAGE
+ 99,8%

KARAKTERISTIKE | FEATURES

TRUE COLORS

Nivo zatamnjenja
Welding shade
DIN 5 → 13

Optičke klase
Optical classes
1/1/1/1

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Vreme reakcije
Reaction time
0,1ms

Napajanje
Power supply
Solarno, baterijsko | Solar, Battery

Bočni pregled
Lateral view
DIN 5

Vidno polje
Field of view
100x70mm

Norme
Standards
EN166 | EN175 | EN379 | EN12941

Za više informacija
For more information

MASKA SA SISTEMOM ZA VENTILACIJU VAZDUHA | POWERED-AIR HELMET

NAVITEK S4 AIRKOS



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 9 → 13

Vreme reakcije
Reaction time
0,1ms

Vidno polje
Field of view
93 x 43mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Solarno | Solar

Norme
Standards
EN166 | EN175 | EN379 | EN12941

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

CR58S4 | CR38S4

PREDNOSTI | BENEFITS

+ Zaštitni vizir za brušenje
+ 4 senzora luka
+ Filtracija čestica
+ TH3
+ 2 protoka vazduha
+ Alarm za zaprljan filter
+ Alarm za praznu bateriju

+ Grinding undervisor
+ 4 arc sensors
+ Particle filtration
+ TH3
+ 2 airflows
+ Filter clogging alarm
+ Low battery alarm

MASKA SA SISTEMOM ZA VENTILACIJU VAZDUHA | POWERED-AIR HELMET

KAPIO LASER AIRKOS



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 5 → 8 - DIN 9 → 13

Vreme reakcije
Reaction time
0,2ms

Vidno polje
Field of view
98 x52mm

Norme
Standards
| EN12941

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Napajanje
Power supply
Baterija | Battery

PREDNOSTI | BENEFITS

+ Laserska zaštita CE EN 207
+ 4 senzora
+ Filtracija čestica
+ TH3 nepropusnost
+ 2 protoka vazduha
+ Digitalni displej
+ Alarm za zaprljan filter
+ Alarm za nizak nivo baterije

+ Laser protection CE EN 207
+ 4 sensors
+ Particle Filtration
+ TH3 inward meakage
+ 2 airflows
+ Digital display
+ Filter clogging alarm
+ Low battery charge alarm

MASKA SA SISTEMOM ZA VENTILACIJU VAZDUHA | POWERED-AIR HELMET

RADIKAL AIRKEM ABEP



PREDNOSTI | BENEFITS

+ Ergonomski vizir za brušenje
+ Automatsko podizanje
+ Bočni pregled
+ 4 senzora luka
+ Automatski režim zatamnjenja
+ Bočni dovod vazduha
+ 2 protoka vazduha
+ TH3 nepropusnost
+ Digitalni displej

+ Ergonomic Grinding visor
+ Automatic Flip-up
+ Side Vision
+ 4 arc sensors
+ Auto-shade Mode
+ Side airduct
+ 2 airflows
+ TH3 inward leakage
+ Digital display

KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 5 → 13

Vidno polje
Field of view
100x70mm

Napajanje
Power supply
Solarno | Solar

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

KMHD96SRABEP

Vreme reakcije
Reaction time
0,1ms

Optičke klase
Optical classes
1/1/1/1

Norme
Standards
EN166 | EN175 | EN379 | EN12941

MASKA SA SISTEMOM ZA VENTILACIJU VAZDUHA | POWERED-AIR HELMET

NAVITEK S4 AIRKEM ABEP



PREDNOSTI | BENEFITS

+ Zaštitni vizir za brušenje
+ 4 senzora luka
+ Adaptivno zatamnjivanje
+ DIN 9 - 13
+ Prave boje
+ ABEP filtracija protoka vazduha
+ Nepropusnost TH3
+ Alarmi za filtere i bateriju

+ Grinding undervisor
+ 4 arc sensors
+ Variable shade DIN 9 to 13
+ True Colors
+ ABEP filtration
+ 4 air flow rates
+ TH3
+ Alarms Filters and Battery

KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 9 → 13

Vidno polje
Field of view
93 x 43mm

Napajanje
Power supply
Solarno | Solar

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

KMHD58S4ABEP

Vreme reakcije
Reaction time
0,2ms

Optičke klase
Optical classes
1/1/1/2

Norme
Standards
EN166 | EN175 | EN379 | EN12941

MASKA SA SISTEMOM ZA VENTILACIJU VAZDUHA | POWERED-AIR HELMET

NAVISHOCK S4 AIRKEM P



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 9 → 13

Vidno polje
Field of view
93 x 43mm

Napajanje
Power supply
Solarno | Solar

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

KM97S4P

Vreme reakcije
Reaction time
0,2ms

Optičke klase
Optical classes
1/1/1/2

Norme
Standards
EN166 | EN175 | EN379 | EN397 | EN12941

PREDNOSTI | BENEFITS

+ Zaštitni vizir za brušenje
+ 4 senzora luka
+ Filtracija čestica
+ 4 protoka vazduha
+ TH3
+ Alarmi za filtere i bateriju

+ Grinding undervisor
+ 4 arc sensors
+ Particle filtration
+ 4 airflows
+ TH3
+ Filters and Battery alarms

MASKA SA SISTEMOM ZA VENTILACIJU VAZDUHA | POWERED-AIR HELMET

NAVISHOCK S4 AIRKEM ABEP



KARAKTERISTIKE | FEATURES

Nivo zatamnjenja
Welding shade
DIN 9 → 13

Vidno polje
Field of view
93 x 43mm

Napajanje
Power supply
Solarno | Solar

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

KMHD97S4ABEP

Vreme reakcije
Reaction time
0,2ms

Optičke klase
Optical classes
1/1/1/2

Norme
Standards
EN166 | EN175 | EN379 | EN397 | EN12941

PREDNOSTI | BENEFITS

+ Zaštitni vizir za brušenje
+ 4 senzora luka
+ ABEP filtracija
+ 4 protoka vazduha
+ TH2
+ Alarmi za filtere i bateriju

+ Grinding undervisor
+ 4 arc sensors
+ ABEP filtration
+ 4 airflows
+ TH2
+ Filters and Battery alarms

MASKA SA SISTEMOM ZA VENTILACIJU VAZDUHA | POWERED-AIR HELMET

NAVITEK S4 AIRKUBE



PREDNOSTI | BENEFITS

+ Zaštitni vizir za brušenje
+ 4 senzora luka
+ Promenljivo zatamnjenje DIN 9 do DIN 13
+ Prikaz boja u stvarnim tonovima
+ Regulator komprimovanog vazduha
+ Podesiv protok vazduha
+ Alarm niskog pritiska

+ Grinding undervisor
+ 4 arc sensors
+ Variable shade DIN 9 to DIN 13
+ True Colors
+ Compressed air regulator
+ Adjustable air flow
+ Low pressure alarm

KARAKTERISTIKE | FEATURES



Nivo zatamnjenja
Welding shade
DIN 9 → 13

Vreme reakcije
Reaction time
0,2ms

Vidno polje
Field of view
93 x 43mm

Optičke klase
Optical classes
1/1/1/2

Napajanje
Power supply
Solarno | Solar

Norme
Standards
EN166 | EN175 | EN379 | EN14594

Tasteri za podešavanje
Setting buttons
Kontinuirani | Continued

Bočni pregled
Lateral view
DIN 5

AC58S4 | AC38S4



SOFTEK AIRKEM ABEP



SOFTEK AIRKOS



NAVITEK AIRKOS VISOR

	KMHD9800ABEP	CR9800	CR7700 CR7705 (DIN5)
PREDNOSTI BENEFITS	+ Mekana periva kapa + Providni acetatni vizir + ABEP filtracija + 4 nivoa protoka vazduha + TH3 + Alarm za zaprljan filter + Alarm za nivo baterije + Washable soft hood + Clear acetate visor + ABEP filtration + 4 air flow rates + TH3 + Alarm and filter clogging level + Alarm and battery charge level	+ Mekana periva kapa + Providni acetatni vizir + ABEP filtracija + 4 nivoa protoka vazduha + TH3 + Alarm za zaprljan filter + Alarm za nivo baterije + soft washable hood + Clear acetate visor + Particle filtration + 2 air flow rates + TH3 + Alarm and filter clogging level + Alarm and battery charge level	+ Viziri za brušenje/sečenje + Filtracija čestica + 2 protoka vazduha + Alarmi za filtere i bateriju + Grinding/cutting visors + Particle filtration + 2 airflows + TH3 + Filter and battery alarms
VREME RADA AUTONOMY	9-10 h	9-10 h	9-10 h
NORME STANDARDS	EN166 | EN175 | EN12941	EN166 | EN175 | EN12941	EN166 | EN175 | EN379 | EN12941
BATERIJA BATTERY	HD HD	Standardna Standard	Standardna Standard
PROTOK VAZDUHA AIR FLOW	180-220 l/m	180/220 l/m	180/220 l/m
NEPROPUSNOST WATERPROOFING	TH3	TH3	TH3
ZVUČNI ALARM SOUND ALARM	Filter začepljen | Nizak nivo punjenja Filter clogging | Low charge	Filter začepljen | Nizak nivo punjenja Filter clogging | Low charge	Filter začepljen | Nizak nivo punjenja Filter clogging | Low charge
RADNE KARAKTERISTIKE PERFORMANCES	A1B1E1PRSL	PRSL	PRSL



NAVITEK AIRKEM ABEP VIZIR

KMHD7700ABEP

KMHD7705ABEP (DIN 5)

+ Viziri za brušenje/sečenje
+ ABEP filtracija
+ 4 protoka vazduha
+ TH3
+ Alarmi za filtere i bateriju
+ Grinding/cutting visors
+ ABEP filtration
+ 4 air flow rates
+ TH3
+ Filter and battery alarmso



NAVISHOCK AIRKEM P VIZIR

KM9700P

KM9705P (DIN 5)

+ Kaciga u skladu sa standardom EN 397
+ Viziri za brušenje/sečenje
+ Filtracija čestica
+ 4 protoka vazduha
+ TH3
+ Alarmi za filtere i bateriju
+ EN 397 helmet
+ Grinding/cutting visors
+ Particle filtration
+ 4 airflows
+ TH3
+ Filters and battery alarms



NAVISHOCK AIRKEM ABEP VIZIR

KMHD9700ABEP

KMHD9705ABEP (DIN 5)

+ Kaciga u skladu sa standardom EN 397
+ Viziri za brušenje/sečenje
+ Filtracija čestica
+ 4 protoka vazduha
+ TH3
+ Alarmi za filtere i bateriju
+ EN 397 helmet
+ Grinding/cutting visors
+ Particle filtration
+ 4 airflows
+ TH3
+ Filters and battery alarms



NAVITEK AIRKUBE VIZIR

AC7700

AC7705 (DIN 5)

+ Viziri za brušenje/sečenje
+ Regulator komprimovanog vazduha
+ Podesivi protok vazduha
+ Alarm i indikator niskog pritiska
+ Grinding/Cutting visors
+ Compressed air regulator
+ Adjustable air flow
+ Low pressure alarm

9-10 h	9-10 h	9-10 h	N/A
EN166 | EN175 | EN379 | EN12941	EN166 | EN175 | EN397 | EN12941	EN166 | EN175 | EN397 | EN12941	EN166 | EN175
HD HD	Standardna Standard	HD HD	-
180-220 l/m	180-220 l/m	180-220 l/m	190-280 l/m
TH3	TH3	TH2	-
Filter začepljen | Nizak nivo punjenja Filter clogging | Low charge	Filter začepljen | Nizak nivo punjenja Filter clogging | Low charge	Filter začepljen | Nizak nivo punjenja Filter clogging | Low charge	Nizak nivo punjenja Low charge
A1B1E1PRSL	PRSL	A1B1E1PRSL	N/A

VARILAČKO ĆEBE 550°C WELDING BLANKET 550°C°



CH0551	1000x1000mm
CH0552	2000x1000mm
CH0553	2000x2000mm
CH0554	3000x2000mm
CH0555	3000x3000mm
CH0556	4000x3000mm
CH0557	4000x4000mm
CH0558	25x1m
CH0558x2	25x2m
CH0559	Special Dimensions

MO

PREDNOSTI | BENEFITS

+ Zavarivanje niskom strujom
+ Brušenje
+ Vertikalna upotreba
+ Pregrade

+ Low amperage welding
+ Grinding
+ Vertical use
+ Partitions

KOMPONENTE | COMPONENTS

+ Fiberglas
+ Ojačane ivice

+ Fiberglass
+ Hemmed edges

KARAKTERISTIKE | FEATURE

Standardna otpornost
Standard resistance
450°C

Vršna otpornost
Peak resistance
550°C

Debljina
Thickness
1,00mm

Težina
Weight
635g/m²

Norme
Standards
EN 13501

VARILAČKO ĆEBE 600°C SQUARED
WELDING BLANKET 600°C SQUARED



CH0632	2000x1000mm
CH0633	2000x2000mm
CH0634	3000x2000mm
CH0638	25x1m

MO

PREDNOSTI | BENEFITS

+ Visoka mehanička otpornost
+ Primena u vlažnom okruženju
+ Otpornost na spoljne uticaje
+ Zavarivanje i brušenje
+ Vertikalna i horizontalna upotreba

+ High Mechanical Strength
+ Humidity environment
+ Outdoor exposure
+ Welding and grinding
+ Vertical and horizontal use

KOMPONENTE | COMPONENTS

+ Fiberglas
+ Akrilni premaz sa obe strane
+ Ojačane ivice

+ Fiberglass
+ Acrylic coating on 2 sides
+ Hemmed edges

KARAKTERISTIKE | FEATURE

Standardna otpornost
Standard resistance
500°C

Vršna otpornost
Peak resistance
600°C

Debljina
Thickness
0,68mm

Težina
Weight
630g/m²

Norme
Standards
EN 13501

KOLEKTIVNA ZAŠTITA | COLLECTIVE PROTECTION

VARILAČKO ĆEBE 850°C WELDING BLANKET 850°C



CH0851	1000x1000mm
CH0852	2000x1000mm
CH0853	2000x2000mm
CH0854	3000x2000mm
CH0855	3000x3000mm
CH0856	4000x3000mm
CH0857	4000x4000mm
CH0858	25x1m
CH0858x2	25x2m
CH0859	Special Dimensions

MO

PREDNOSTI | BENEFITS

+ Vertikalna i horizontalna upotreba
+ Velika debljina
+ Visoka mehanička zaštita
+ Industrijska primena

+ Vertical and horizontal use
+ High thickness
+ High Mechanical Protection
+ Industrial Sector

KOMPONENTE | COMPONENTS

+ Fiberglas
+ Dvostruki poliuretanski premaz
+ Ojačane ivice

+ Fiberglass
+ Double polyurethane coating
+ Hemmed edges

KARAKTERISTIKE | FEATURE

Standardna otpornost
Standard resistance
750°C

Vršna otpornost
Peak resistance
850°C

Debljina
Thickness
1,30mm

Težina
Weight
1100g/m²

Norme
Standards
EN 13501

KOLEKTIVNA ZAŠTITA | COLLECTIVE PROTECTION

VARILAČKO ĆEBE 1300°C WELDING BLANKET 1300°C



CH1301	1000x900mm
CH1302	2000x900mm
CH1303	2000x1800mm
CH1304	3000x1800mm
CH1305	3000x2700mm
CH1306	4000x2700mm
CH1307	4000x3600mm
CH1308	25x0,9m
CH1308x2	25x1,8m
CH1309	Special Dimensions

MO

PREDNOSTI | BENEFITS

+ Fleksibilno platno
+ Visoka opterećenja
+ Osetljivo okruženje

+ Soft canvas
+ High intensities
+ Delicate environment

KOMPONENTE | COMPONENTS

+ Silikat
+ Dvostruki premaz vermikulitom
+ Ojačane ivice

+ Silicate
+ Double coated vermiculite
+ Hemmed edges

KARAKTERISTIKE | FEATURE

Standardna otpornost
Standard resistance
1 000°C

Vršna otpornost
Peak resistance
1 300°C

Debljina
Thickness
0,8mm

Težina
Weight
600g/m²

Norme
Standards
EN 13501

MERCURIO 2

6MER200

Opis: varilačka maska MERCURIO 2, 2 detektora svetla, prilagodljivo zatamnjenje od 9 do 13, automatska prilagodba filtera od prozirnog do potrebnog zatamnjenja (9 do 13)
Veličina stakla: 100 x 41 mm, brzina prilagodljivosti solarne ćelije 0,4ms, prilagodljivo vreme čišćenja od 0,1 to 1,0 ms, udobna prilagodljiva traka za glavu, kompatibilno za upotrebu zajedno s dioptrijskim naočarima, respiratorima, solarno napajanje i napajanje na bateriju
Standard: EN166:2001, EN175:1997, EN379:2003+A1:2009
Originalno pakovanje: 1/17

Description: *welding mask MERCURIO 2, 2 light detectors, adjustable dimming from 9 to 13, automatic filter adjustment from transparent to required dimming (9 to 13)*
Glass size: *100 x 41 mm, solar cell adaptability speed 0.4ms, adjustable cleaning time from 0.1 to 1.0 ms, comfortable adjustable headband, compatible for use together with prescription glasses, respirators, solar power and battery power*
Standard: *EN166:2001, EN175:1997, EN379:2003+A1:2009*
Original packaging: *1/17*

coverguard

MADE IN EUROPE





CE EN166, EN175, EN379

MERCURIO 4

6MER400


Opis: varilačka maska MERCURIO 4, 4 detektora svetla, prilagodljivo zatamnjenje od 9 do 13, automatska prilagodba filtera od prozirnog do potrebnog zatamnjenja (9 do 13)
Veličina stakla: 100 x 45 mm, brzina prilagodljivosti solarne ćelije 0,4 ms, prilagodljivo vreme čišćenja od 0,1 to 1,0 ms, udobna prilagodljiva traka za glavu, kompatibilno za upotrebu zajedno s dioptrijskim naočarima, respiratorima, solarno napajanje i napajanje na bateriju
Standard: EN166:2001, EN175:1997, EN379:2003+A1:2009
Originalno pakovanje: 1/17

Description: *welding mask MERCURIO 4, 4 light detectors, adjustable dimming from 9 to 13, automatic filter adjustment from transparent to required dimming (9 to 13)*
Glass size: *100 x 41mm, solar cell adaptability speed 0.4 ms, adjustable cleaning time from 0.1 to 1.0 ms, comfortable adjustable headband, compatible for use together with prescription glasses, respirators, solar power and battery power*
Standard: *EN166:2001, EN175:1997, EN379:2003+A1:2009*
Original packaging: *1/17*

coverguard

MADE IN EUROPE





CE EN166, EN175, EN379

VARILAČKA MASKA/*WELDING MASK*

420


Opis: varilačka maska 420, 2 detektora svetla, prilagodljivo zatamnjenje od 9 do 13, automatska
prilagodba filtera od prozirnog do potrebnog zatamnjenja (9 do 13)
Materijal: poliamid
Veličina školjke: 325 x 235 mm
Težina: 528 g
Veličina stakla: 100 x 41 mm, brzina prilagodljivosti solarne ćelije 0,4msb prilagodljivo vreme čišćenja
od 0,1 to 1,0 ms, udobna prilagodljiva traka za glavu, kompatibilno za upotrebu zajedno s dioptrijskim naočarima, respiratorima, solarno napajanje i napajanje na bateriju
Standard: EN175, EN379
Originalno pakovanje: 1/17

Description: *welding mask 420, 2 light detectors, adjustable dimming from 9 to 13, automatic filter adjustment from transparent to required dimming (9 to 13)*
Material: *polyamide*
Shell size: *325 x 235 mm*
Weight: *528 g*
Glass size: *100 x 41 mm, solar cell adaptability speed 0.4msb adjustable cleaning time from 0.1 to 1.0 ms, comfortable adjustable headband, compatible for use together with prescription glasses, respirators, solar and battery powered*
Standard: *EN175, EN379*
Original packaging: *1/17*
Description: *welding mask 420, 2 detectors*

Climax

MADE IN EUROPE





CE EN166, EN175, EN379

VARILAČKA MASKA/*WELDING MASK*

421


Opis: varilačka maska 421, 4 detektora svetla, automatska prilagodba filtera od prozirnog do potrebnog zatamnjenja (9 do 13)
Materijal: poliamid
Veličina školjke: 325 x 235 mm
Težina: 528 g
Veličina stakla: 100 x 45 mm, brzina prilagodljivosti solarne ćelije 0,4ms, prilagodljivo vreme čišćenja
od 0,1 to 1,0 ms, udobna prilagodljiva traka za glavu, kompatibilno za upotrebu zajedno s dioptrijskim naočarima, respiratorima, solarno napajanje i napajanje na bateriju
Norme: EN175, EN379
Originalno pakovanje: 1/17

Description: *welding mask 420, 4 light detectors, adjustable dimming from 9 to 13, automatic filter adjustment from transparent to required dimming (9 to 13)*
Material: *polyamide*
Shell size: *325 x 235 mm*
Weight: *528 g*
Glass size: *100 x 41 mm, solar cell adaptability speed 0.4msb adjustable cleaning time from 0.1 to 1.0 ms, comfortable adjustable headband, compatible for use together with prescription glasses, respirators, solar and battery powered*
Standard: *EN175, EN379*
Original packaging: *1/17*
Description: *welding mask 420, 4 detectors*

Climax

MADE IN EUROPE





CE EN166, EN175, EN379

VARILAČKA MASKA/*WELDING MASK*

501

Opis: varilačka maska ručna
Materijal: polivinilklorid
Karakteristike: izrađena od tvrdog PVC-a sa unutarnjih držačem
Dimenzija stakla: 90 x 110 mm
Težina: 300 g
Standard: EN166:2001, EN175:1997
Originalno pakovanje: 1/50

Description: *manual welding mask*
Material: *polyvinyl chloride*
Features: *made of hard PVC with internal holder*
Glass dimensions: *90 x 110 mm*
Weight: *300 g*
Standard: *EN166:2001, EN175:1997*
Original packaging: *1/50*





LACUNA

CE EN166, EN175

VARILAČKA MASKA NAGLAVNA/*WELDING MASK HEAD*

S800

Opis: varilačka maska naglavna
Materijal: polivinilklorid
Karakteristike: izrađena od tvrdog PVC-a, isporučuje se s priteznim zupčastim podesivim remenom
Dimenzija stakla: 90 x 110 mm
Težina: 360 g
Standard: EN166:2001, EN175:1997
Originalno pakovanje: 1/20

Description: *welding mask head*
Material: *polyvinyl chloride*
Features: *made of hard PVC, comes with a clamp toothed adjustable belt*
Glass dimensions: *90 x 110 mm*
Weight: *360 g*
Standard: *EN166:2001, EN175:1997*
Original packaging: *1/20*





LACUNA

CE EN166, EN175


STAKLA/*GLASS*

11156
11178

Opis: zamensko staklo za varilačke maske 501 i S800
Materijal: staklo
Dimenzija stakla: 90 x 110 mm
Standard: 11156, 11178
Originalno pakovanje: 1/100

Description: *replacement glass for welding masks 501 and S800*
Material: *glass*
Glass dimensions: *90 x 110 mm*
Standard: *11156, 11178*
Original packaging: *1/100*





LACUNA

CE EN166, EN169

DIN	PROZIRNA/ TRANSPARENT	DIN9	DIN10	DIN11	DIN12	DIN13
DIMENZIJA 110x90/ DIMENSION 110x90	11156	11178.9	11178.10	11178.11	11178.12	11178.13
STANDARD/STANDARD	CE EN 166	CE EN 169	CE EN 169	CE EN 169	CE EN 169	CE EN 169

DUOLUX P

60801

Opis: zaštitne naočari za zavarivače
Okvir: plastika
Karakteristike: bočno prozračivanje, elastično pričvršćenje gumicom
Težina: 80 g
Leće: 50 mm diametar sočiva, Protane 5
Boja leće: tamna
Standard: EN166:2001, EN169:2003
Original pakovanje: 25/200

Description: *goggles for welders*
Frame: *ABS*
Characteristics: *lateral ventilation, elastic fastening with rubber band*
Weight: *80 g*
Lens: *50 mm lens diameter, Protane 5*
Lens color: *dark*
Standard: *EN166:2001, EN169:2003*
Original packaging: *25/200*

coverguard

MADE IN EUROPE





CE **EN166, EN169;**



LACUNA

MULTISAFE ZAŠTITNA ODEĆA
MULTISAFE CLOTHING


str. 112 - 126/page 112 - 126



LACUNA

VARILAČKE RUKAVICE
WELDING GLOVE

str. 359 - 365/page 359 - 365



LACUNA

VARILAČKE CIPELE
WELDING SHOE

str. 297/page 297



DODATNA OPREMA
ACCESSORIES

LACUNA

DODATNA OPREMA

Lacuna dodatna oprema je proizvedena prema najvišim standardima i kvalitetu i prilagođena je vašim potrebama bilo da je to skladištenje u zatvorenom ili otvorenom prostoru. Police, regali i ormari imaju široku primenu kod skladištenja različitih artikala “manjih” masa i volumena. Dimenzijama i dodatnom opremom prilagodljivi su svakom obliku skladišnog prostora.

ACCESSORIES

Lacuna accessories are manufactured to the highest standards and quality adapted to your needs, no matter whether it is indoor or outdoor. Shelves, closets and cabinets are often used to store a variety of objects of „smaller“ mass and volume. With dimensions and accessories adaptable to any form of space for warehouse.

LACUNA ne odgovara za eventualne štamparske greške u katalogu/*LACUNA is not responsible for misprints in the catalogue.*
Zadnje važeće cene molimo proverite na LACUNA B2B/*Last valid recommended prices check on LACUNA B2B*
Na www.lacuna.hr možete videti prošireni izbor iz LACUNA ponude/*Full LACUNA range available at www.lacuna.hr*



SIGALIZACIJSKA TRAKA
HI-VIZ SIGNAL TAPE

70010

Materijal: polietilen
Boja: crveno/bela
Dužina: 100m
Širina: 50 mm
Original pakovanje:
70010 - 1/36

Material: *polyethilene*
Color: *red/white*
Length: *100 m*
Width: *50 mm*
Original packaging:
70010 - 1/36

LACUNA

MADE IN EUROPE



NAZIV ARTIKLA/*ITEM NAME*	ŠIFRA/ *CODE*
	100 M
SIGNALNA VRPCA/*SIGNAL TAPE*	70010

SIGNALIZACIJSKI PLASTIČNI LANAC
SIGNAL CHAIN

70305

Materijal: plastika
Boja: crveno/bela
Otpornost na temperaturu: -10°C +75°C
vodootporan, otpornost na sol
Prečnik lanca: 5,5 mm
Dimenzija prstena: 24 x 40 mm
Pakovanje: 25 m
Original pakovanje: 1/4

Material: *plastic*
Color: *red/white*
Temperature resistance: *-10°C + 75°C waterproof, salt resistant*
Chain diameter: *5.5 mm*
Ring size: *24 x 40mm*
Packing: *25 m*
Original packaging: *1/4*

LACUNA

MADE IN EUROPE



NAZIV ARTIKLA/*ITEM NAME*	ŠIFRA/*CODE*
	25 m
SIGNALIZACIJSKI LANAC/SIGNALNA VERIGA	70305

SIGNALNI ČUNJ PLASTIČNI
HI-VIZ SKITTLE

70301-70300

Materijal: plastika (polietilen)
Boja: crveno/bela
Original pakovanje: 1/20
70301 - 1/20
70300 - 1/10

Material: *plastic (polyethilene)*
Color: *red / white*
Original packaging: *1/20*
70301 - 1/20
70300 - 1/10

LACUNA

MADE IN EUROPE



NAZIV ARTIKLA/*ITEM NAME*	ŠIFRA/*CODE*	
	30 CM	**50 CM**
HI-VIZ ČUNJ/*HI-VIZ SKITTLE*	70301	70300

KOMPLET SIGNALNI PLASTIČNI ŠTAP 90CM SA POSTOLJEM
COMPLETE PLASTIC SIGNAL ROD 90CM WITH STAND

70302KOMP

SIGNALIZIRAJUĆI PLASTIČNI ŠTAP
Materijal: plastika
Dimenzija: visina 90 cm
Boja: crveno/BELA

KAPICA ZA PLASTIČNI ŠTAP
Materijal: plastika
Boja: crvena
Visina: 8 cm

POSTOLJE ZA SIGNALIZIRAJUĆI ŠTAP
Materijal: plastika
Boja: crna
Dimenzije: 27,5 x 27,5 x h 8,5cm

Material: *plastic*
Size: *90 cm*
Color: *red/white*

CAP FOR SIGNAL STICK
Material: *plastic*
Color: *red*
Height: *8 cm*

SIGNAL STICK STAND
Material: *plastic*
Color: *black*
Dimensionst: *27,5 x 27,5 x 8,5 cm*

LACUNA

MADE IN EUROPE

SIGNAL STICK



NAZIV ARTIKLA/*ITEM NAME*	ŠIFRA/*CODE*
SIGNALIZIRAJUĆI PLASTIČNI ŠTAP/*SIGNAL PLASTIC STIC*	70302KOMP
KAPICA ZA PLASTIČNI ŠTAP CAP/*CAP FOR SIGNAL STICK*	
POSTOLJE ZA SIGNALIZIRAJUĆI ŠTAP/*SIGNAL STICK STAND*	

ORMARIĆ PRVE POMOĆI PUNI
FIRST AID CABINET (FULL)

11000

11100 ZAMENSKO PUNJENJE ZA ORMARIĆ PRVE POMOĆI/
11100 REFILL FOR THE FIRST AID CABINET

Opis: sadržaj dostatan za 2 osobe
Dimenzija: 370 x 220 x 140mm
Težina: 2,10 kg
Originalno pakovanje: 1/1,
Standard: 93/42/CEE

Description: *the content is enough for 2 people*
Dimensions: *370 x 220 x 140 mm*
Weight: *2,10 kg*
Originalno packaging: *1/1*
Standard: *93/42/CEE*

LACUNA



CERADA EKO POLIETILEN
ECO POLYETHYLENE TARPAULIN

7CERWT

Opis: EKO cerada od polietilena
Svojstva: vodootporna, lako periva, otporna na plijesan, metalni prstenovi
Uporaba: idealno za pokrivanje automobila , prikolica, poljoprivrednih alata i ostalog
Gramatura: 70 g/m²;
Boja: plavo- zelena

Description: *ECO tarpaulin made of polyethylene*
Feature: *waterproof, easy to wash, mold resistant, metal rings*
Use: *ideal for car coverage, trailers, agricultural tools and more*
Weight: *70 g/m²*
Color: *blue-green*

LACUNA



VELIČINE/*SIZE*	ŠIFRA/*CODE*
CERADA EKO POLIETILEN 1,5X6 m	7CER16WT
CERADA EKO POLIETILEN 2X3 m	7CER23WT
CERADA EKO POLIETILEN 3X4 m	7CER34WT
CERADA EKO POLIETILEN 3X5 m	7CER35WT
CERADA EKO POLIETILEN 4X5 m	7CER45WT
CERADA EKO POLIETILEN 4X6 m	7CER46WT
CERADA EKO POLIETILEN 5X8 m	7CER58WT
CERADA EKO POLIETILEN 8X12 m	7CER812WT

CERADA HARD POLIETILEN
HARD POLYETHYLENE TARPAULINE

7CERHWT

Opis: HARD cerada od polietilena
Svojstva: vodootporna, lako periva, otporna na plijesan, metalni prstenovi
Uporaba: idealno za pokrivanje automobila, prikolica, poljoprivrednih alata i ostalog
Gramatura: 110 g/m²
Boja: zeleno-plava

Description: *HARD tarpaulin made of polyethylene*
Feature: *waterproof, easy to wash, mold resistant, metal rings*
Use: *ideal for car coverage, trailers, agricultural tools and more*
Weight: *110 g/m²*
Color: *green-blue*

LACUNA



VELIČINE/*SIZE*	ŠIFRA/*CODE*
CERADA HARD POLIETILEN 1,8X6 m	7CERH16WT
CERADA HARD POLIETILEN 2 X 3 m	7CERH23WT
CERADA HARD POLIETILEN 2,5 X 8 m	7CERH28WT
CERADA HARD POLIETILEN 3 X 4 m	7CERH34WT
CERADA HARD POLIETILEN 3 X 5 m	7CERH35WT
CERADA HARD POLIETILEN 4 X 4 m	7CERH44WT
CERADA HARD POLIETILEN 4 X 5 m	7CERH45WT
CERADA HARD POLIETILEN 4 X 6 m	7CERH46WT
CERADA HARD POLIETILEN 4 X 8 m	7CERH48WT
CERADA HARD POLIETILEN 5 X 6 m	7CERH56WT
CERADA HARD POLIETILEN 5 X 8 m	7CERH58WT
CERADA HARD POLIETILEN 6 X 10 m	7CERH610WT
CERADA HARD POLIETILEN 6 X 8 m	7CERH68WT
CERADA HARD POLIETILEN 8 X 10 m	7CERH810WT
CERADA HARD POLIETILEN 8 X 12 m	7CERH812WT

SKLADIŠNA POLICA 180X90X40 CM, 175 KG
STORAGE SHELF 180X90X40CM, 175 KG

RNDU-KCA 40/5/175

Materijal: metalni okvir
Dimenzija: 180 x 90 x 40 cm
Nosivost police: 175 kg
Broj polica: 5 kom debljine 8 mm

Material: *metal frame*
Dimensions: *180 x 90 x 40 cm*
Shelf load: *175 kg*
Number of shelves: *5 pieces*
8 mm thick



LACUNA

MADE IN EUROPE

SKLADIŠNA POLICA METALNA 150X75X30 CM, 50 KG
STORAGE SHELF METAL 150X75X30 CM, 50 KG

RP6

Materijal: metalni okvir i police
Dimenzija: 150 x 75 x 30 cm
Nosivost police: 50 kg
Broj polica: 4
Jednostavno slaganje bez vijaka

Material: *metal frame and shelves*
Dimensions: *150 x 75 x 30 cm*
Shelf load: *50 kg*
Number of shelves: *4*
Easy installation without screws



LACUNA

MADE IN EUROPE

ORMAR METALNI GARDEROBNI 180X30X50 CM 1/1
METAL WARDROBE 180X30X50 CM 1/1

SS1-2009

Opis: Metalni garderobni ormar SS1 za unutarnje prostore
Osnovna konstrukcija: police, vrata, oblikovani čelični lim 0,6 mm
Šipka za odjeću: čelična žica 6 mm
Bravica s ključem
Površinska obrada: lak za metal
Vanjska dimenzija: 1800x300x500 mm
Unutarnja dimenzija odjeljka: 1690 x 245 x 465 mm
Nosivost police: gornja: 10 kg, donja: 20 kg
Težina artikla: 24 kg

Description: *Metal wardrobe SS1 for interior*
Basic construction: *shelves, doors, molded steel sheet 0,6 mm*
Clothing bar: *steel wire 6 mm*
Key lock
Surface finish: *metal varnish*
External dimensions: *1800 x 300 x 500 mm*
Internal dimensions of section:
1690 x 245 x 465 mm
Shelf load: *upper: 10 kg, bottom: 20 kg*
Item weight: *24 kg*



LACUNA

MADE IN EUROPE

ORMAR METALNI GARDEROBNI 180X60X50 CM 2/1
METAL WARDROBE 180X60X50 CM 2/1

SS2-2009

Opis: metalni garderobni ormar SS2 za unutarnju upotrebu
Osnovna konstrukcija: police, vrata, oblikovani čelični lim 0,6 mm
Vješalice: čelična žica 6 mm
Bravica s ključem
Površinska obrada: lak za metal
Vanjska dimenzija: 1800x600x500 mm
Unutarnja dimenzija odjeljka: 1690 x 245 x 465 mm
Nosivost police: gornja: 10 kg
donja: 20 kg
Težina artikla: 44 kg

Description: *metal wardrobe SS2 for internal use*
Basic construction: *shelves, doors, molded steel sheet 0.6 mm*
Hangers: *steel wire 6 mm*
Key lock
Surface treatment: *metal varnish*
External dimensions: *1800 x 600 x 500 mm*
Internal cross-sectional dimensions: *1690 x 245 x 465 mm*
Load shelves: upper: *10 kg*
bottom: *20 kg*
Product weight: *44 kg*



LACUNA

MADE IN EUROPE

ORMAR METALNI GARDEROBNI SET
METAL WARDROBE SET

SETA3301A3311


Opis: metalni garderobni ormar SETA3301A3311 za unutarnju upotrebu
Osnovna konstrukcija: police, vrata, oblikovani čelični lim 1 mm
Vješalice: čelična žica 6 mm
Bravica s ključem
Površinska obrada: lak za metal
Vanjska dimenzija: 1800 x 600 x 500 mm
Unutarnja dimenzija odjeljka: 840 x 232 x 460 mm
Nosivost police: gornja: 10 kg, donja: 20 kg
Težina artikla: 44 kg

Description: *metal wardrobe SETA3301A3311 for internal uses*
Basic construction: *shelves, doors, molded steel sheet 1 mm*
Hangers: *steel wire 6 mm*
Key lock
Surface finish: *metal varnish*
External dimensions: *1800x600x500 mm*
Internal dimension of section: *840 x 232 x 460 mm*
Shelf load: *upper: 10 kg, bottom: 20 kg*
Product weight: *44 kg*



LACUNA

MADE IN EUROPE



LACUNA PREMIUM CONCEPT STORE

LACUNA PREMIUM CONCEPT STORE

Kako bi naši poslovni partneri u svojim prodajnim prostorima mogli da, na profesionalan način, predstave LACUNA radnu odeću, zaštitnu obuću, rukavice i ostalu ličnu zaštitnu opremu, LACUNA je razvila moderan načina izlaganja kroz Lacuna Premium Concept store.
Varijante Lacuna Premium Concept store-a su:

- Monoshop _ kompletna kvadratura prodajnog prostora je prilagođena za izlaganje i prodaju LACUNA brendova
- Shop-in-shop ili corner LACUNA; kroz selektovane izložbene elemente prilagođene prostoru, na definiraj kvadraturi, LACUNA brend se izlaže sa drugim kompatibilnim brendovima Lacuna Premium concept store što omogućava takođe našim Premium Sales partnerima -distributerima da, u savremenom stilu i najmodernijem dizajnu, urede svoj prostor za prezentaciju (showroom).

Lacuna Premium concept store pruža veliki izbor elemenata koji odgovaraju velikom broju različitih kategorija proizvoda, kao što su radna odeća, obuća i dodaci. Novi koncept uređenja i izlaganja je lako podesiv, modularan a što olakšava brzo prilagođavanje svim prostorima i potrebama.
Lacuna Premium concept store izrađen je od vrhunskih materijala, u kombinaciji drveta i metala u toplim bojama koje čine prijatnu atmosferu u prostoru u kojem se nalazi.
Osim Lacuna Premium Concept store-a, Lacuna će za svoje partnere i dalje pružati Standard koncept izlaganja koji je namenjen širem krugu naših distributera.


In order for our business partners to be able to present LACUNA workwear, protective footwear, gloves and other personal protective equipment in a professional manner in their sales premises, LACUNA has developed a modern way of presentation through the Lacuna Premium Concept store.
The variants of the Lacuna Premium Concept store are:

- *Monoshop _ the entire square footage of the sales space is adapted for the display and sale of LACUNA brands*
- *Shop-in-shop or corner LACUNA; through selected exhibition elements adapted to the space, on a defined square footage, the LACUNA brand is exhibited with other compatible brands. The Lacuna Premium concept store also enables our Premium Sales partners, distributors, to arrange their presentation space (showroom) in a contemporary style and the most mo dern design.*

Lacuna Premium concept store offers a large selection of elements that suit a large number of different product categories, such as work clothes, shoes and accessories. It's a new concept of decoration and display, easily adjustable, modular, which facilitates quick adaptation to all spaces and needs.
Lacuna Premium concept store is made of premium materials, a combination of wood and metal in warm colors that create a pleasant atmosphere in the space where it is located.
In addition to the Lacuna Premium Concept store, Lacuna will continue to provide for its partners a Standard exhibition concept intended for a wider circle of our distributors.







PREMIUM

STORE CONCEPT




LACUNA
STAY PROTECTED
LACUNA
STAY PROTECTED
LACUNA
STAY PROTECTED
LACUNA
STAY PROTECTED
LACUNA

PREMIUM

STORE CONCEPT

Samostojeći elementi/Freestanding elements

LEA

9LEA_PS

Opis: samostojeća polica za obuću za izlaganje u prostoru
Boja: tamno siva/ boja hrasta
Dimenzije: 45 x 45 x 170 cm

Description: *free-standing shoe rack for exposure in space*
Color: *dark gray/ oak*
Dimensions: *45 x 45 x 170 cm*






ISRA

9ISRA_PS

Opis: samostojeća polica za obuću za izlaganje u prostoru
Boja: tamno siva/ boja hrasta
Dimenzije: 120 x 45 x 165 cm

Description: *free-standing shoe rack for exposure in space*
Color: *dark gray/ oak*
Dimensions: *120 x 45 x 165 cm*

***Kuke za panele se moraju posebno naručiti**
****Hooks for panels should be ordered separately***






BEN

9BEN_PS

Opis: zidni panel / samostojeći stalak za rukavice za izlaganje u prostoru
Boja: tamno siva/ boja hrasta
Dimenzije: 120 x 45 x 165 cm

Description: *wall panel / freestanding glove rack for exposure in space*
Color: *dark gray/ oak*
Dimensions: *120 x 45 x 165 cm*

***Kuke za panele se moraju posebno naručiti**
****Hooks for panels should be ordered separately***





LUMI

9LUMI_PS

Opis: samostojeći stalak za naočare
Boja: tamno siva/ boja hrasta
Dimenzije: 125 x 25 x 62 cm

Description: *free-standing stand for glasses*
Color: *dark gray/ oak*
Dimensions: *125 x 25 x 62 cm*



OTIS

9OTIS_PS

Opis: samostojeći rotacijski stalak za rukavice za izlaganje u prostoru
Boja: tamno siva/ boja hrasta

Description: *freestanding rotary glove rack for exposure in space*
Color: *dark gray/ oak*



PREMIUM

STORE CONCEPT

Zidni paneli/Wall panels

*Moguće je personlizovati sve zidne panele prema potrebama Vašeg prostora; obratite se Vašem specijalisti prodaje za više informacija.

**All wall panels can be personalized according to the needs of your space, contact your local specialist for more information.*

MODULARNI ZIDNI PANEL
MODULAR WALL PANEL


9EVA_PS **9NOA_PS** **9ELIF_PS**

Opis: zidni panel s mogućnošću personliziranog postavljanja polica, kukica i ostalih dodataka te individaulnim dimenzijama
Boja: tamno siva/ boja hrasta
Dimenzije: 100 x 55 x 230 cm (moguće personalizacije prema Vašim potrebama)


Description: *wall panel with the possibility of personalized placement of shelves, hooks and other accessories and individual dimensions*
Color: *dark gray/ oak*
Dimensions: *100 x 55 x 230 cm (possible personalization according to your needs)*

***Kuke za panele se moraju posebno naručiti**
****Hooks for panels should be ordered separately***


EVA



ELIF



NOA



Primjeri izlaganje opreme na modularnim zidnim panelima/
Examples of displaying equipment on modular wall panels







Zidni paneli/Wall panels

MODULARNI ELEMENTI/MODULAR ELEMENTS

VIŠENAMJENSKA KUKICA LARA 30 CM
MULTI-PURPOSE HOOK LARA 30 CM

9LAR30




Opis: kukica za Premium Store namjštetaj, višenamjenska
Boja: tamno siva
Dimenzije: 15 cm ili 30 cm

Description: *hook for Premium Store furniture, multipurpose*
Color: *dark gray*
Dimensions: *15 cm or 30 cm*

POLICA
SHELF

9POLICA_PS




Opis: polica za zidne panele
Boja: tamno siva/ boja hrasta
Dimenzije: 95 x 45 cm

Description: *shelf for wall panels*
Color: *dark gray/ oak*
Dimensions: *95 x 45 cm*

POLICA SA OPRUGOM
SHELF WITH SUSPENSION

9POLICA_ OVJES_PS



Opis: polica sa ovjesom za zidne panele
Boja: tamno siva/ boja hrasta
Dimenzije: 95 x 45 cm

Description: *shelf with suspension for wall panels*
Color: *dark gray/ oak*
Dimensions: *95 x 45 cm*

OSTALI DODATNI ELEMENTI ZA IZLAGANJE (PO NARUDŽBI)/ OTHER ADDITIONAL DISPLAY ELEMENTS (FOR ORDER)

DONAT

9DONAT_PS

Opis: samostojeći stalak za obuću
Boja: tamno siva/ boja hrasta
Dimenzije: 100 x 55 x 230 cm

Description: *free-standing shoe rack*
Color: *dark gray/ oak*
Dimensions: *100 x 55 x 230 cm*

***Kuke za panele se moraju posebno naručiti**
****Hooks for panels should be ordered separately***



NOEL

9NOEL_PS

Opis: samostojeći stalak za obuću
Boja: tamno siva/ boja hrasta
Dimenzije: 150 x 80 x 130 cm

Description: *free-standing shoe rack*
Color: *dark gray/ oak*
Dimensions: *150 x 80 x 130 cm*



ALISA

9ALISA_PS

Opis: samostojeći rotacijski stalak za kape
Boja: tamno siva/ boja hrasta
Dimenzije: 60 x 60 x 205 cm

Description: *free-standing rotary hat rack*
Color: *dark gray/ oak*
Dimensions: *60 x 60 x 205 cm*



KABINA/CHANGING CABIN

9KABINA_PS

Opis: kabina za presvlačenje
Boja: tamno siva/ boja hrasta
Dimenzije: 100 x 100 x 230 cm

Description: *changing cabin*
Color: *dark gray/ oak*
Dimensions: *100 x 100 x 230 cm*



KUTIJA ZA LUTKE/DOLL CUBE

9CUBE1_PS

Opis: cube za lutke
Boja: tamno siva/ boja hrasta
Dimenzije: 60 x 60 x 60 cm

Description: *doll cubes*
Color: *dark gray/ oak*
Dimensions: *60 x 60 x 60 cm*



KUTIJA ZA LUTKE SA SPREMIŠTEM/ DOLL CUBE WITH STORAGE

9CUBE2_PS

Opis: cube za lutke sa spremištem
Boja: tamno siva/ boja hrasta
Dimenzije: 171 x 75 x 60 cm

Description: *doll cube with storage*
Color: *dark gray/ oak*
Dimensions: *171 x 75 x 60 cm*



PREMIUM

STORE CONCEPT

Zastava/Flag



ZASTAVA CRNA / BELA
FLAG BLACK / WHITE

9ZASTAVA_WH
9ZASTAVA_BK

Opis: zastava sa Lacuna logom
Boja: bela / crna

Description: *flag with Lacuna logo*
Color: *white / black*

POSTOLJE ZA ZASTAVU
FLAG STAND

9ZASTAVA_POSTOLJE

Opis: postolje za stalak u kombinaciji drvo/metal
Boja: tamno siva/ boja hrasta

Description: *stand for a stand in a wood/metal combination*
Color: *dark gray/ oak*



ZIDNA LUTKA ZA HLAČE ADO
WALL-MOUNTED TROUSER DOLL ADO

9ADO

Opis: zidna lutka za hlače ADO
Karakteristike: donji deo tela

Description: *wall-mounted trouser doll ADO*
Features: *lower body section*





LUTKA ŽENSKA
DOLL FEMALE

9DOLY

Visina: 183 cm
Prsa: 85 cm
Struk: 65 cm
Bokovi: 90 cm

Hight: *183 cm*
Chests: *85 cm*
Waist: *65 cm*
Hips: *90 cm*



LUTKA MUŠKA
DOLL MALE

9CARL

Visina: 193 cm
Prsa: 106 cm
Struk: 83 cm
Bokovi: 108 cm

Hight: *193 cm*
Chests: *106 cm*
Waist: *83 Cm*
Hips: *108 cm*





LUTKA MUŠKA
DOLL MALE

9PIER

Visina: 187 cm
Prsa: 105 cm
Struk: 103 cm
Bokovi: 93 cm

Hight: *187 cm*
Chests: *105 cm*
Waist: *103 cm*
Hips: *93 cm*





ROLER ZA RUKAVICE
ROLLER FOR GLOVES

MLTORPT

Opis: roler za rukavice, kapacitet od 24 para s 2 kopče i ručkama
Boja: crna
Dimenzije: 60 x 115 cm
Napomena: roler dolazi bez rukavic

Description: *glove roller, capacity of 24 pairs with 2 boning clips and handles*
Color: *black*
Dimensions: *60 x 115 cm*
Note: *the roller comes without gloves*





POLICE ZA NAOČALE SARA
GLASSES SHELVES SARA

9SARA

Opis: polica za naočale metalna
Boja: siva
Karakteristike: za izlaganje 6 komada naočala

Description: *glasses shelf metal*
Color: *gray*
Features: *for exhibiting 6 pieces of glasses*



PVC TRAKA ZA RUKAVICE NIKA
PVC STRAP FOR GLOVES NIKA

9NIKA

Opis: PVC traka za 12 para rukavica
Boja: prozirna
Dimenzije: 69 x 5 cm

Description: *PVC strip for 12 pairs of gloves*
Color: *transparent*
Dimensions: *69 x 5 cm*



VJEŠALICA SA ŠIPKOM
HANGER WITH BAR

MLVJE01

Opis: vešalica za tekstil
Boja: crna

Description: *textile hanger*
Color: *black*



PROMOCIJKSA OPREMA NAŠIH PREMIUM PARTNERA
PROMOTIONAL EQUIPMENT FROM OUR PREMIUM PARTNERS

STALAK ZA PULT ATG
ATG DESK STAND

A3199

Opis: promotivni stalak za rukavice ATG
Kartonski stalak sa tri odjeljka
Dimenzije: 29 x 38 cm
Visina: najviši dio 45 cm, najniži 10 cm
Materijal: tvrdi karton

Description: *promotional glove stand ATG*
Cardboard stand with three compartments
Dimensions: *29 x 38 cm*
Height: *highest 45 cm, lowest 10 cm*
Material: *hard cardboard*



STALAK ATG METALNI
ATG METAL STAND

MLSTALATG

Opis: stalak ATG metalni
Boja: bela
Dimenzije: 40 x 57 x 170 cm
Karakteristike: 12 kukica za izlaganje rukavica na kartonima

Description: *ATG metal stand*
Color: *white*
Dimensions: *40 x 57 x 170 cm*
Features: *12 hooks for displaying gloves on cardboard*



BASE PROTECTION STALAK
BASE PROTECTION STAND

BASE/ BKA00-11

Opis: stalak za BASE cipele
Promo stalak za pet cipela
Dimenzije: širina postolja 40 cm, visina stalka 135 cm

Description: *stand for BASE shoes*
Promo rack for five shoes
Dimensions: *base width 40 cm, stand height 135 cm*



PROMO STALAK MERCATOR MEDICAL GO GRIP
PROMO STAND MERCATOR MEDICAL GO GRIP

MLMERGO-GRIP

Opis: promotivni stalak za rukavice GoGrip
(Mercator Medical)
Materijal: karton
Dimenzije: 55 cm x 39 cm x 155 cm

Description: *promotional GoGrip glove rack*
(Mercator Medical)
Material: *cardboard*
Dimensions: *55 cm x 39 cm x 155 cm*



PODRUČJA PRIMENE *FIELDS OF APPLICATION*		**KATEGORIJE ZAŠTITE (RUKAVICE)** *PROTECTION CATEGORIES (GLOVES)*		**KATEGORIJE ZAŠTITE (CIPELE)** *PROTECTION CATEGORIES (SHOES)*	
GRAĐEVINA *BUILDING*		ZAŠTITA OD TEČNOSTI *LIQUID PROTECTION*		ZAŠTITNA KAPICA *PROTECTIVE CAP*	
METALO INDUSTRIJA I BRODOGRADNJA/ *METAL INDUSTRY AND SHIPBUILDING*		ZAŠTITA OD HEMIKALIJA *CHEMICAL PROTECTION*		BEZ ZAŠTITE *WITHOUT PROTECTION*	
ENERGETIKA, NAFTA I HEMIJSKA INDUSTRIJA *ENERGY, OIL AND CHEMICAL INDUSTRY*		ZAŠTITA OD MEHANIČKIH RIZIKA *MECHANICAL PROTECTION RISK*		ANTISTATIČKA SVOJSTVA *ANTISTATIC PROPERTIES*	
POLJOPRIVREDA I RIBARSTVO *AGRICULTURE AND FISHERIES*		ZAŠTITA OD POSEKOTINA *CUTTING PROTECTION*		NEPROBOJNA TABANICA *IMPERMEABLE INSOLE*	
PREHRAMBENA INDUSTRIJA *FOOD INDUSTRY*		ZAŠTITA OD TOPLOTE *HEAT PROTECTION*		APSORBCIJA ENERGIJE NA PODRUČJU PETE *ENERGY ABSORPTION ON AREA OF THE HEEL*	
PROIZVODNO PRERAĐIVAČKA INDUSTRIJA *PRODUCTION PROCESSING INDUSTRY*		ZAŠTITA OD HLADNOĆE *COLD PROTECTION*		PROTIV KLIZANJA *ANTI-SLIP*	
LOGISTIKA I AUTO INDUSTRIJA *LOGISTICS AND AUTO INDUSTRY*		ZA JEDNOKRATNU UPOTREBU *DIPOSABLE*		ĐON OTPORAN NA ULJE *OIL RESISTANT MOLD*	
ODRŽAVANJE & ZAŠTITARSKE SLUŽBE & KOMUNALNE USLUGE *MAINTENANCE & PROTECTION SERVICES & UTILITIES*		ZA PRECIZNE POSLOVE *FOR PRECISION WORKS*		OTPORNOST NA VODU *WATER RESISTANCE*	
MEDICINA I FARMACIJA *MEDICINE AND PHARMACY*				PROZRAČNOST GORNJIŠTA *UPPER TRANSPARENCY*	
TURIZAM & HOTELIJERSTVO & HORECA *TOURISM & HOSPITALITY & HORECA*				ZATVORENO PODRUČJE PETE *CLOSED AREA OF THE HEEL*	
PROMOCIJA, POSLOVNI POKLONI, DOGAĐAJI I SPORT *PROMOTION, BUSINESS GIFTS, EVENTS AND SPORTS*				BEZ METALNIH DELOVA *METAL FREE*	
IZRADA TEKSTILNIH PROIZVODA *MANUFACTURE OF TEXTILES PRODUCTS*				VODOODBOJNO I VODOOTPORNO GORNJIŠTE *WATERPROOF AND WATERPROOF UPPER*	
				OTPORNOST POTPLATA NA DODIRNU TOPLOTU (MAX 300°C do 60 sek.) *SOLID RESISTANCE TO TOUCH HEAT (MAX 300°C to 60 sec.)*	
				IZOLACIJA PROTIV TOPLOTE *INSULATION AGAINST HEAT*	
				IZOLACIJA PROTIV HLADNOĆE *INSULATION AGAINST COLD*	
				SRA+SRB	
				OTPORNOST NA KLIZANJE NA KERAMIČKOJ PODLOZI SA DETERĐENTIMA *ANTI-SLIP ON CERAMIC SUBSTRATE WITH DETERGENTS*	
				OTPORNOST NA KLIZANJE NA ČELIČNOJ PODLOZI S GLICERINOM *ANTI-SLIP ON STEEL GLYCERINE SUBSTRATES*	
				ELEKTROSTATIČKO PRAŽNJENJE *ELECTROSTATIC*	

OSTALE INFORMACIJE/OTHER INFORMATION		TEHNIČKE KARAKTERISTIKE MATERIJALA/ TECHNICAL CHARACTERISTICS OF THE MATERIAL	
MALOPRODAJNI ARTIKL *RETAIL ITEM*		LEPLJENI ŠAVOVI *GLUED SEAMS*	
PROIZVEDENO U EUROPI *MANUFACTURED IN EUROPE*		PREMAZ *LAYER*	
MUŠKI MODEL *MALE MODEL*		VODOOTPORNO *WATERPROOF*	
ŽENSKI MODEL *FEMALE MODEL*		ZAŠTITA OD UVA I UVB ZRAČENJA *UVA AND UVB RADIATION PROTECTION*	
UNISEX MODEL *UNISEX MODEL*		POGODNO ZA INDUSTRIJSKO PRANJE *SUITABLE FOR INDUSTRIAL WASHING*	
		ZAŠTITA OD HLADNOĆE *COLD PROTECTION*	
		PROZRAČNOST *TRANSPARENCY*	
		MEKOĆA *SOFTNESS*	
		BRZO SUŠENJE *QUICK DRYING*	
		LAGANI MATERIJALI *LIGHTWEIGHT MATERIALS*	
		EFEKT HLAĐENJA *COOLING EFFECT*	
		POLARNI FLIS *POLAR FLEECE*	
		FINOĆA *FINENESS*	
		IZUZETNO UGODNO NOŠENJE *EXTREMELY COMFORTABLE WEARING*	
		ODLIČNO PRISTAJANJE *GREAT FITTING*	
		EKO PRIJATELJKSI I SAMOODRŽIVO *ECO FRIENLY AND SUSTAINABLE*	
		POSTOJANI KVALITET - DUGOTRAJNO NOŠENJE *CONSTANT QUALITY - LONG-TERM WEAR*	
		OTPORNO NA UČESTALO PRANJE *RESISTANT TO FREQUENT WASHING*	